

PROCEEDINGS



The Second International Conference on Science,
Engineering and Technology

“Sustainable Development in Developing
Country for Facing Industrial Revolution 4.0”

September 5-7, 2019

SKA Convention & Exhibition Center, Pekanbaru, Riau, Indonesia

Editors:

Arbi Haza Nasution
Evizal Abdul Kadir
Luiz Moutinho

Organizer :



Co-Organizers :



UNIVERSITI
TEKNOLOGI
MARA



Infrastructure
University
Kuala Lumpur

ICoSET 2019

Proceedings of the
Second International Conference on
Science, Engineering and Technology

Riau - Indonesia

September 5 - 7, 2019

Copyright © 2020 by SCITEPRESS – Science and Technology Publications, Lda.
All rights reserved

Edited by Arbi Haza Nasution, Evizal Abdul Kadir and Luiz Moutinho

Printed in Portugal

ISBN: 978-989-758-463-3

Depósito Legal: 473348/20

<http://icoset.uir.ac.id>

BRIEF CONTENTS

INVITED SPEAKERS	IV
ORGANIZING COMMITTEES	V
PROGRAM COMMITTEE	VI
FOREWORD	VII
CONTENTS	IX

INVITED SPEAKERS

Prof. EE-Peng Lim
Singapore Management University
Singapore

Assoc. Prof. Yuichi Sugai
Kyushu University
Japan

Prof. Ir. Dr Sharul Kamal Abdul Rahim
Universiti Teknologi Malaysia
Malaysia

Assoc. Prof. Dr. Norma binti Alias
Universiti Teknologi Malaysia
Malaysia

ORGANIZING COMMITTEES

GENERAL CHAIR

Dr. Arbi Haza Nasution, M.IT, Universitas Islam Riau, Indonesia

TECHNICAL PROGRAM CHAIR

Dr. Evizal Abdul Kadir, ST., M.Eng, Universitas Islam Riau, Indonesia

GENERAL CO-CHAIR

Dr. Eng. Muslim, ST., MT, Universitas Islam Riau, Indonesia

EDITORIAL CHAIR

Yudhi Arta, S.Kom., M.Kom, Universitas Islam Riau, Indonesia

STEERING COMMITTEE

Prof. Josaphat Tetuko Sri Sumantyo, Ph.D, Chiba University, Japan
Prof. Ir. Dr. Sharul Kamal Abdul Rahim, Universiti Teknologi Malaysia, Malaysia
Prof. Toru Ishida, Kyoto University, Japan
Prof. Ee-Peng Lim, Singapore Management University, Singapore
Prof. Dr. H Syafrinaldi SH, MCL, Universitas Islam Riau, Indonesia

PUBLICATION AND RELATIONSHIP CHAIR

Dr. Syafriadi, S.H., M.H., Universitas Islam Riau, Indonesia

FINANCIAL CHAIR

Ause Labellapansa, ST., M.Cs., M.Kom., Universitas Islam Riau, Indonesia

EDITORIAL BOARD

Putra Efri Rahman, S.Kom, Universitas Islam Riau, Indonesia
Khairul Umam Syaliman, S.T., M.Kom., Politeknik Caltex Riau, Indonesia
Winda Monika, S.Pd., M.Sc., Universitas Lancang Kuning, Indonesia
Panji Rachmat Setiawan, S.Kom., M.M.S.I., Universitas Islam Riau, Indonesia
Rizdqi Akbar Ramadhan, S.Kom., M.Kom., Universitas Islam Riau, Indonesia
Anggiat, Universitas Islam Riau, Indonesia
Arif Lukman Hakim, Universitas Riau, Indonesia

PROGRAM COMMITTEE

- Prof. Dr. Tengku Dahril, M.Sc.**, Universitas Islam Riau, Indonesia
- Prof. Dr. Hasan Basri Jumin, M.Sc.**, Universitas Islam Riau, Indonesia
- Prof. Dr. Sugeng Wiyono, MMT**, Universitas Islam Riau, Indonesia
- Prof. Zainal A. Hasibuan, MLS., Ph.D.**, University of Indonesia, Indonesia
- Prof. Josaphat Tetuko Sri Sumantyo, Ph.D.**, Chiba University, Japan
- Prof. Dr. Eko Supriyanto**, Universiti Teknologi Malaysia, Malaysia
- Prof. Dr. Zailuddin Arifin**, Universiti Teknologi MARA, Malaysia
- Prof. Jhon Lee, B.Sc, M.Sc., Ph.D.**, Kyungdong University, Korea
- Prof. Ahmed A. Al Absi**, Kyungdong University, Korea
- Prof. Wisup Bae, Ph.D.**, Sejong University, Korea
- Prof. Kyuro Sasaki**, Kyushu University, Japan
- Prof. Adiwijaya**, Telkom University, Indonesia
- Prof. Ir. Asep Kurnia Permadi, M. Sc, Ph.D.**, Institut Teknologi Bandung, Indonesia
- Assoc. Prof. Dr. Azhan Hashim Ismail**, Universiti Teknologi MARA, Malaysia
- Assoc. Prof. Yuichi Sugai**, Kyushu University, Japan
- Assoc. Prof. Dr. Sonny Irawan**, Universiti Teknologi Petronas, Malaysia
- Assoc. Prof. Hussein Hoteit**, King Abdullah University of Science and Technology, Saudi Arabia
- Assoc. Prof. Dr. Anas Puri, ST., MT**, Universitas Islam Riau, Indonesia
- Kuen-Song Lin, Ph.D.**, Yuan Ze University, Taiwan
- Dr. Shukor Sanim Mohd Fauzi**, Universiti Teknologi MARA, Malaysia
- Dr. Inkyo Cheong**, Inha University, Korea
- Ahn, Young Mee, Ph.D.**, Inha University, Korea
- Hitoshi Irie, Ph.D.**, Chiba University, Japan
- Julie Yu-Chih Liu, Ph.D.**, Yuan Ze University, Taiwan
- Liang Chih Yu, Ph.D.**, Yuan Ze University, Taiwan
- Chia-Yu Hsu, Ph.D.**, Yuan Ze University, Taiwan
- Dr. Amit Pariyar**, University Malaysia Sarawak, Malaysia
- Dr. Madi Abdullah Naser**, Sebha University, Libya
- Dr. Nguyen Xuan Huy**, Ho Chi Minh City University of Technology, Vietnam
- Dr. Chunqiu Li**, Beijing Normal University, China
- Dr. Goh Thian Lai**, Universiti Kebangsaan Malaysia, Malaysia
- Dr. Syahrir Ridha**, Universiti Teknologi Petronas, Malaysia
- Dr. Kemas Muslim L.**, Telkom University, Indonesia
- Dr. Moch. Arif Bijaksana**, Telkom University, Indonesia
- Dr. Satria Mandala**, Telkom University, Indonesia
- Dr. Wahyudi Sutopo**, Solo State University, Indonesia
- Dr. Zulfatman**, University of Muhammadiyah Malang, Indonesia
- Dr. Suranto AM**, UPN Veteran Yogyakarta, Indonesia
- Dr. Eng. Husnul Kausarian, B.Sc (Hons)., M.Sc.**, Universitas Islam Riau, Indonesia

FOREWORD

In the name of Allah, Most Gracious, Most Merciful
Assalamu'alaikum Wr. Wb.,

Welcome to the Second International Conference on Science Engineering and Technology (ICoSET 2019). The advancement of today's computing technology, science, engineering and industrial revolution 4.0 play a big role in the sustainable development of social, economic, education, and humanity in developing countries. Institute of higher education is one of many parties that need to be involved in the process. Academicians and researchers should promote the concept of sustainable development. The Second International Conference on Science, Engineering and Technology (ICoSET 2019) is organized to gather researchers to disseminate their relevant work on science, engineering and technology. The conference is co-located with The Second International Conference on Social, Economy, Education, and Humanity (ICoSEEH 2019) at SKA Co-EX Pekanbaru Riau.

I would like to express my hearty gratitude to all participants for coming, sharing, and presenting your research at this joint conference. There is a total of 84 manuscripts submitted to ICoSET 2019. However only high-quality selected papers are accepted to be presented in this event, with the acceptance rates of ICoSET 2019 is 70%. We are very grateful to all steering committees and both international and local reviewers for their valuable work. I would like to give a compliment to all co-organizers, publisher, and sponsors for their incredible supports.

Organizing such prestigious conferences was very challenging and it would be impossible to be held without the hard work of the program committee and organizing committee members. I would like to express my sincere gratitude to all committees and volunteers from Singapore Management University, Kyoto University, Kyushu University, University of Tsukuba, Khon Kaen University, Ho Chi Minh City University of Technology, University of Suffolk, Universiti Teknologi Malaysia, Infrastructure University Kuala Lumpur, Universiti Malaya, Universiti Kebangsaan Malaysia, Universiti Utara Malaysia, Universiti Teknologi Mara, and Universiti Pendidikan Indonesia for providing us with so much support, advice, and assistance on all aspects of the conference. We do hope that this event will encourage collaboration among us now and in the future.

We wish you all find the opportunity to get rewarding technical programs, intellectual inspiration, and extended networking.

Pekanbaru, 27th August 2019
Dr. Arbi Haza Nasution, M.IT
Chair of ICoSET 2019

CONTENTS

PAPERS

FULL PAPERS

Design of Community-based Ecotourism at Cengkehan and Giriloyo, Wukirsari Village, Imogiri District, Bantul Regency, Special Region of Yogyakarta <i>Suhartono, Sri Mulyaningsih, Desi Kiswiranti, Sukirman, Nurwidi A. A. T. Heriyadi, Muchlis and Iva Mindhayani</i>	5
Prototype Storage Locker Security System based on Fingerprint and RFID Technology <i>Apri Siswanto, Hendra Gunawan and Rafiq Sanjaya</i>	11
Feasibility Study of CO ₂ Flooding under Gross-split Mechanism: Simulation Approach <i>Muslim Abdurrahman, Wisup Bae, Adi Novriansyah, Dadan Damayandri and Bop Duana Afrireksa</i>	15
Online Classroom Attendance System based on Cloud Computing <i>Sri Listia Rosa and Evizal Abdul Kadir</i>	20
Analysis of Porosity and Permeability on Channel Deposit Sandstone using Pore-gas Injection and Point Counting in Sarilamak Area, West Sumatra <i>Bayu Defitra, Tiggi Choanji and Yuniarti Yuskar</i>	26
A Simulation Study of Downhole Water Sink Guidelines Plot Application using Real Field Data <i>Praditya Nugraha</i>	31
Groundwater Exploration using 2D Electrical Resistivity Imaging (ERI) at Kulim, Kedah, Malaysia <i>Adi Suryadi, Muhammad Habibi, Batara, Dewandra Bagus Eka Putra and Husnul Kausarian</i>	35
Risk Identification in Management System Process Integration Which Have Impact on the Goal of Management System Components <i>Nastasia Ester Siahaan, Leni Sagita and Yusuf Latief</i>	41
The Performance of 3D Multi-slice Branched Surface Reconstruction on CPU-GPU Platform <i>Normi Abdul Hadi and Norma Alias</i>	49
Tile-based Game Plugin for Unity Engine <i>Salhazan Nasution, Arbi Haza Nasution and Arif Lukman Hakim</i>	55
Image Segmentation of Nucleus Breast Cancer using Digital Image Processing <i>Ana Yulianti, Ause Labellapansa, Evizal Abdul Kadir, Mohana Sundaram and Mahmud Othman</i>	64
An Integrated Framework for Social Contribution of Diabetes Self-care Management Application <i>Zul Indra, Liza Trisnawati and Luluk Elvitaria</i>	68
Spatiotemporal Analysis of Urban Land Cover: Case Study - Pekanbaru City, Indonesia <i>Idham Nugraha, Faizan Dalilla, Mira Hafizhah Tanjung, Rizky Ardiansyah and M. Iqbal Hisyam</i>	74
The Effectiveness of Rice Husk Biochar Application to Metsulfuron Methyl Persistence <i>Subhan Arridho, Saripah Ulpah and Tengku Edy Sabli</i>	80
Digital Forensics: Acquisition and Analysis on CCTV Digital Evidence using Static Forensic Method based on ISO /IEC 27037:2014 <i>Rizdqi Akbar Ramadhan, Desti Mualfah and Dedy Hariyadi</i>	85

Testing the Role of Fish Consumption Intention as Mediator <i>Junaidi, Desi Ilona, Zaitul and Harfiandri Damanhuri</i>	90
Segmentation of Palm Oil Leaf Disease using Zoning Feature Extraction <i>Ause Labellapansa, Ana Yulianti and Agus Yuliani</i>	98
Analysis of Economy in the Improvement of Oil Production using Hydraulic Pumping Unit in X Field <i>Muhammad Ariyon, Novia Rita and Tribowo Setiawan</i>	102
Construction Design and Performance of Dry Leaf Shredder with Vertical Rotation for Compost Fertilizer <i>Syawaldi</i>	109
The Impact of Additively Coal Fly Ash toward Compressive Strength and Shear Bond Strength in Drilling Cement G Class <i>Novrianti, Dori Winaldi and Muhammad Ridho Efras</i>	114
Impact of Vibration of Piling Hammer on Soil Deformation: Study Case in Highway Construction Section 5 Pekanbaru-Dumai <i>Firman Syarif, Husnul Kausarian and Dewandra Bagus Eka Putra</i>	120
Combination Playfair Cipher Algorithm and LSB Steganography for Data Text Protection <i>Apri Siswanto, Sri Wahyuni and Yudhi Arta</i>	125
Fire Detection System in Peatland Area using LoRa WAN Communication <i>Evizal Abdul Kadir, Hitoshi Irie and Sri Listia Rosa</i>	130
Forest Fire Monitoring System using WSNs Technology <i>Evizal Abdul Kadir, Sri Listia Rosa and Mahmud Othman</i>	135
Multi Parameter of WSNs Sensor Node for River Water Pollution Monitoring System (Siak River, Riau-Indonesia) <i>Evizal Abdul Kadir, Abdul Syukur, Bahruddin Saad and Sri Listia Rosa</i>	140
Analysis for Gerund Entity Anomalies in Data Modeling <i>Des Suryani, Yudhi Arta and Erdisna</i>	146
The Incidence of Rhinoceros Beetle Outbreak in Public Coconut Plantation in Tanjung Simpang Village, Indragiri Hilir, Riau Province <i>Saripah Ulpah, Nana Sutrisna, Fahroji, Suhendri Saputra and Sri Swastika</i>	151
Mobile Application of Religious Activities for the Great Mosque Islamic Center Rokan Hulu with Push Notification <i>Salhazan Nasution, Arbi Haza Nasution and Fitra Yamita</i>	155
An Augmented Reality Machine Translation Agent <i>Arbi Haza Nasution, Yoze Rizki, Salhazan Nasution and Rafi Muhammad</i>	163
The Community Perception of Traditional Market Services in Pekanbaru City, Riau Province <i>Puji Astuti, Syaifullah Rosadi, Febby Asteriani, Eka Surya Pratiwi and Thalia Amanda Putri</i>	169
Separation of Crude Oil and Its Derivatives Spilled in Seawater by using Cobalt Ferrite Oxide <i>Mohammed A, Samba, Ibrahim Ali Amar, Musa Abuadabba, Mohammed A. Alfroji, Zainab M. Salih and Tomi Erfando</i>	175

Study of Open Space Utilization in Pekanbaru City, Riau Province <i>Mira Hafizhah T., Febby Asteriani, Mardianto and Angelina Rulan S.</i>	182
Application of Augmented Reality as a Multimedia Learning Media: Case Study of Videography <i>Ahmad Zamsuri, Fadli Suandi and Rizki Novendra</i>	188
Green Building Performance Analysis in the Stimi Campus Building <i>Dian Febrianti and Samsunan</i>	194
Towing Service Ordering System based on Android: Study Case - Department of Transportation, Pekanbaru <i>Panji Rachmat Setiawan, Yudhi Arta and Rendi Sutisna</i>	200
Biosurvey of Mercury (Hg), Cadmium (Cd), and Lead (Pb) Contamination in Reclamation Island-Jakarta Bay <i>Salmi Salma, Achmad Sjarmidi and Salman</i>	205
Expert System to Detect Early Depression in Adolescents using DASS 42 <i>Nesi Syafitri, Yudhi Arta, Apri Siswanto and Sonya Parlina Rizki</i>	211
Geotechnics Analysis: Soil Hardness on Stability of Davit Kecil's Weir in Ulu Maras, Kepulauan Anambas, Kepulauan Riau <i>Miftahul Jannah, Dewandra Bagus Eka Putra, Firman Syarif, Joni Tripartadi, Nopiyanto and Husnul Kausarian</i>	219
Support for Heritage Tourism Development: The Case of Ombilin Coal Mining Heritage of Sawahlunto, Indonesia <i>Jonny Wongso, Desi Ilona, Zaitul and Bahrul Anif</i>	229
Aerial Photogrammetry and Object-based Image Analysis for Bridge Mapping: A Case Study on Bintan Bridge, Riau Islands, Indonesia <i>Husnul Kausarian, Muhammad Zainuddin Lubis, Primawati, Dewandra Bagus Eka Putra, Adi Suryadi and Batara</i>	237
Monitoring Single Site Verification (SSV) System and Optimization BTS Network based on Android <i>Abdul Syukur, Siti Rahmadhani Sabri and Yudhi Arta</i>	243
Characterization of the Ethnobotany of Riau Province Mascot Flora (<i>Oncosperma tigillarum</i> (Jack) Ridl.) <i>Desti, Fitmawati, Putri Ade Rahma Yulis and Maya Novaliza Isda</i>	250
Effect Stocking Density on Growth and Survival rate of Larval Selais Fish (<i>Kryptopterus lois</i>) Cultured in Recirculation System <i>Agusnimar Muchtar and Rosyadi</i>	254
Development of Safety Plan to Improve OHS (Occupational Health and Safety) Performance for Construction of Dam Supporting Infrastructure based on WBS (Work Breakdown Structure) <i>Aprilia Dhiya Ulhaq, Yusuf Latief and Rossy Army Machfudiyanto</i>	258
Design of Web Login Security System using ElGamal Cryptography <i>Yudhi Arta, Hendra Pratama, Apri Siswanto, Abdul Syukur and Panji Rachmat Setiawan</i>	268
Standard Operational Procedures Development for Government Building's Care and Maintenance Work of Outer Spatial and Housekeeping Component to Improve Work Effectiveness and Efficiency using Risk-based Approach <i>Lasita Khaerani, Yusuf Latief and Rossy Army Machfudiyanto</i>	274

A Novel Correlation on MMP Prediction in CO ₂ -LPG Injection System: A Case Study of Field X in Indonesia <i>Prasandi Abdul Aziz, Hendra Dwimax, Tutuka Ariadji, Steven Chandra, Wijoyo Niti Daton and Ressi Bonti</i>	285
Productivity Analysis of Frac-pack Completion in M Well with Sand Problem Indication and High Permeability Formation <i>Herianto, Prasandi Abdul Aziz, Wijoyo Niti Daton and Steven Chandra</i>	291
Emulsion Treatment using Local Demulsifier from Palm Oil <i>Tomri Erfando and Emre Fathan</i>	299
Designing an IoT Framework for High Valued Crops Farming <i>Domingo Junior P. Ngipol and Thelma D. Palaoag</i>	304
Consideration of the Different Pile Length Due to Soil Stress and Inner Forces of the Nailed-slab Pavement System under Concentric Load <i>Anas Puri, Roza Mildawati and Muhammad Solihin</i>	311
Utilization of Agricultural Waste to Be Bioethanol Sources as a Solvent on Paraffin Wax Crude Oil Issues <i>M. K. Afdhol, F. Hidayat, M. Abdurrahman, H. Z. Lubis, R. K. Wijaya and N. P. Sari</i>	315
The Effect of Regeneration Time of Biomass Activated Carbon using Low Temperature to Reduce Filtration Loss in Water-based Drilling Fluid <i>Nur Hadziqoh, Mursyidah, Arif Rahmadani, Idham Khalid and Hasnah Binti Mohd Zaid</i>	322
Improving the Accuracy of Features Weighted k-Nearest Neighbor using Distance Weight <i>K. U. Syaliman, Ause Labellapansa and Ana Yulianti</i>	326
Predicting of Oil Water Contact Level using Material Balance Modeling of a Multi-tank Reservoir <i>Muslim Abdurrahman, Bop Duana Afireksa, Hyundon Shin and Adi Novriansyah</i>	331
Chip Formation and Shear Plane Angle Analysis on Carbon Steel Drilling using Solid Carbide Tools <i>Rieza Zulrian Aldio</i>	337
A Solution to Increase Natuna D Alpha's Resource Utilization by Cryogenic Distillation: Conceptual Design & Sensitivity Study <i>Wijoyo Niti Daton, Ezra Revolin, Siptian Nugrahawan, Prasandi Abdul Aziz, Tutuka Ariadji, Steven Chandra and J. A. Nainggolan</i>	342
Design of Volcanic Educational-based Natural Tourism at Giriloyo, Wukirsari Village, Imogiri District, Bantul Regency, Yogyakarta-Indonesia <i>Sri Mulyaningsih</i>	349
Four Types of Moral Holistic Values for Revolutionizing the Big Data Analytics in IoT-based Applications <i>Norma Alias</i>	357
AUTHOR INDEX	363

Predicting of Oil Water Contact Level using Material Balance Modeling of a Multi-tank Reservoir

Muslim Abdurrahman¹, Bop Duana Afireksa² Hyundon Shin², Adi Novriansyah^{1,3}

¹*Petroleum Engineering Department, Universitas Islam Riau, Pekanbaru, Indonesia*

²*Department of Energy Resources Engineering, Inha University, Incheon, South Korea*

³*Department of Energy and Mineral Resources Engineering, Sejong University, Seoul, South Korea*
muslim@eng.ac.id, afireksa@inha.edu, hyundon.shin@inha.ac.kr, adinovriansyah@eng.uir.ac.id

Keywords: Oil Water Contact, Material Balance, Tank Model, Sand Production, Prediction, Reservoir Modeling.

Abstract: Nowadays, the increase in water production becomes a problem in the oil and gas industry. Besides being a problem, it also becomes extra energy to produce oil and gas. OWC is one of the keys for water production determination for each layer. If the perforation at production well is at OWC or below OWC, the production will be 100% water. In general, the log is used to determine OWC. Besides with log, tank modeling from the material balance equation is also used to determine OWC. WH field located 15 km from Bangko Field in Riau. This primary field has high water production with 97% water cut. Before tank modeling starts, each layer needs to be analyzed based on its reserves, production cumulative and remaining reserves to determine the productive layer, which can be developed in the future. Prediction can be done when history matching and calibration process for both historical data and simulated data by software. Prediction ends in August 2021, which is the end of development contract in WH field. From the results, it can be determined that from C sand, the OOWC and COWC are at 2922 ft and 2883 ft with the cumulative oil production is 6.78 MMSTB. From E sand also can be determined the OOWC at 2368 ft and COWC at 2325 ft with the cumulative oil production is 14.57 MMSTB. From K sand, the OOWC is at 2002 ft and COWC at 1911 ft with the cumulative oil production is 13.5 MMSTB. L sand the OOWC is at 2243 ft and COWC at 2191 ft with the cumulative oil production is 29.17 MMSTB. From the analysis, K sand has the most significant OWC movement, which is 91 ft and it is also validated with the current log data. This sand needs more care to maintain water production.

1 INTRODUCTION

Water production is one of the common problems of the past few years (Hudiman and Permadi, 2016). Water production is also one of the dilemmas in oil and gas industries, on the other side water is known as an energy source in reservoir flow (Daneshy, 2006). Production well at the beginning of development has a bigger oil production than water does. As time goes by, oil production will decrease because of several things, there are formation damage, pump mechanical failure, etc. This also caused by the increase in water production (increasing of water cut), where water movement is faster than oil. With this water production, it can decrease production efficiency and profit for the oil and gas company.

The method that has been used to maintain water production is by doing workover jobs, one of the jobs is by closing the zone, which is not productive or it has 100% water cut which called water shut off

(Noordin, 2009). Water shut off method can be done by using a mechanical method (packer), cementing (squeeze), or using chemical mixtures. These methods can be used in order to maintain water production so it will increase oil production with low expenditures (Stashin, 1989).

Oil water contact is the key to determine water production when the production reaches 100% water cut, OWC must be at or above the perforation. Logging is the common method to determine OWC position either the original one (OOWC) or even current position of OWC (COWC). Besides that, there are several methods to determine OWC position, there are RFT, DST, and other good tests. The following methods including logging data are costly and have some limitations especially in certain reservoir issue (Ghahri et al., 2013). Material balance is a low-cost approach for determining OOWC or even COWC positions (Nwaokorie and Ukakuku, 2012). By material balance also we can study the movement of OWC it-

self.

Material balance is one of several methods used estimating reserves for oil and gas reservoir and thus allows for making the critical decisions concerning development plans and strategies regarding the reservoir. It is also the simplest way to express the conservation of mass in a reservoir. The material balance is zero-dimensional, meaning that it is based on a tank model and does not take into account the geometry of the reservoir, the drainage areas, the position, and orientation of the wells. The other uses of this concept are to determine the size of an aquifer, encroachment angle of the aquifer, estimate the depth of fluid contact, etc (Dake, 1983).

The material balance equation mathematically defines the different producing mechanisms which effectively relates the reservoir fluid and rock expansion to the substance of fluid withdrawal. Several methods have been developed and published applying the material balance equation to the various types of reservoirs and solving the equation to obtain the initial oil in place (N) and the ratio of the initial gas to oil (m) in the reservoir (Havlena and Odeh, 1963). For water drive reservoir diagnostic plot, Campbell plot is used to determine the energy of the aquifer and the OOIP itself by using F/Eowf vs Np plot (Campbell and Campbell, 1978).

The general material balance equation for an oil reservoir is expressed as:

$$F = NE_t + W_e \quad (1)$$

Where the underground withdrawal F equals to the production of oil, water, and gas corrected to reservoir condition:

$$F = N_p(B_o - B_g * R_s) + B_g * (G_p - G_i) + (W_p - W_i) * B_w \quad (2)$$

And the original oil in place is N stock tank barrels and E is the unit per unit expansion of oil (and its dissolved gas), connate water, pore volume compaction, and the gas cap:

$$E = (B_o - B_{oi}) + (R_{si} - R_s) * B_g + m * B_{oi} \left(\frac{B_g}{B_{gi}} - 1 \right) + (1 + m) * B_{oi} * \left(\frac{S_{wc} * C_w + C_f}{1 - S_{wc}} \right) * (P_i - P) \quad (3)$$

WH field is a primary field, which located in Riau Province. This field discovered in July 1972 with the

OOIP is 184.457 MMSTB. In February 2017, the average water cut of this field reached 97%. High water cut becomes a dilemma in this field.

The purpose of this paper is making the tank model of each most productive layer from WH field by using IPM – MBAL software and predict the OWC movement until August 2021, which is the end of the contract for the WH field development. The prediction is used to determine the sand, which has a significant movement of OWC. The log data is needed to validate the OWC movement for each productive sand.

2 GEOLOGY AND RESERVOIR CONDITION

WH is located at Central Sumatera Basin, Indonesia, at Bangko Area in Riau Province. This formation consist of Brown Shale Formation at Pematang Valley as the source rock. The lithofacies of Brown Shale Formation is carbonaceous and algal-amorphous (Katz and Mertani, 1989). Where algal-amorphous is oil prone at the upper and middle part of Brown Shale Formation (Aman, Kamba, and Rangau). Carbonaceous is the gas and light condensate prone, which located at Kiri, Aman, Kamba, and Rangau. The transition facies between algal-amorphous and carbonaceous is also located at Aman, Kamba, and Rangau. Pematang group (fine and medium sandstone from Upper Red Formation) and Sihapas Group come as reservoir rock after the primary migration to the hinge margin basin caused by the Pematang topography, which is asymmetric. The result is, reservoir rocks along steep fault scarp margin and hinge margin, which formed Telisa, Duri, Bekasap, Bangko, Pematang, and Petani formation with a total of thickness reached 3300 ft.



Figure 1: WH Field Map

WH field reservoir properties from the log data, core, single well-tracer, and volumetric data are as follows:

Table 1: WH Field Reservoir Properties

Formation GOR, SCF/STB	26.4
Oil Gravity, API	34.5
Gas Gravity, sp. Gravity	0.8
Water Salinity, ppm	20000
Connate Water Saturation, %	21
Porosity, %	25

3 METHODOLOGY

In this section, the methodology, which applied in this paper will be discussed in order to build the sand predictive material balance equation models by using IPM – MBAL software.




Figure 2: General IPM - MBAL Workflow

3.1 Data Gathering

Proper data acquisition has to be carried out in order to build a good material balance equation model or MBAL model. Most of these data are acquired at the early phase of field development. Either using well tests (RFT, MDT, Swab, PBU, etc) or core test (RCAL or SCAL) data acquired are, Pressure, Production data, PVT, Rock properties, OOIP from the volumetric calculation, and PV fraction vs depth. Porosity, permeability, and water connate saturated also are obtained from existing well logs and core data. Original oil in place (OOIP) obtained by calculating the rock properties (porosity, water connate saturation, formation volume factor) and net pay thickness and area from well-logs to get the OOIP mathematically. Effort should be made in order to understand the uncertainties related to the reservoir parameters, which used to calculate OOIP. In cases when the MBAL initialize volumes are different from the volumetric calculated volumes, basically due to the high uncertainty of the MBAL data which is used in the simulation.

3.2 Sand Selection

Sand selection is needed to filter which sand is suitable to model and develop in the future. The screening criteria of this section initial volumetric OOIP, production cumulative, and remaining reserves. In this case, when the remaining reserves are too low for a layer, it will not profit to develop. C, E, K, and L are the selected sand based on these screening criteria, which are suitable to model and develop.

3.3 Material Balance Model

The understanding of building a material balance model for each productive layer is needed to make a sand predictive model in material balance. It requires basic and fundamental knowledge related to the reservoir structure, type, and the aquifer effect to the reservoir itself. Several analytical models of the aquifer were tested in a bid to model the geometry of the reservoir. Carter Stacy, Van Everdingen, Van Everdingen modified, Hurst-Van Everdingen modified, etc are the available aquifer models at the software. After aquifer model selection (in this case, Hurst-Van Everdingen modified model was selected), the model already established to connect the reservoir volume. The predicted OOIP which generated by the software can be compared with the volumetric OOIP. In this case, the generated OOIP is matched to the volumetric OOIP for all layers (see Fig 2 for initialization model plots).

3.4 History Matching

With the aquifer model being the key of uncertainty, encroachment angle, ReD, aquifer permeability, and inner/outer ratio were regressed upon the reservoir pressure history matching process and production data assuming reservoir volume reproduced to stock tank condition. The regression needs to be done repeatedly until the deviation is lower than 5. It needs to be done in order to validate the model due to the aquifer model uncertainties.

3.5 Simulation

At this part, reservoir pressure over time is simulated from the production history data. This simulated reservoir pressure is compared to the measured reservoir pressure at the field from the input data to see the MBAL model could replicate the actual or current reservoir pressure which is given by the same reservoir energy and properties (see Fig 3 to Fig 6). Sim-

ulated OWC from the MBAL were calibrated with logged OWC for modeled sands (Fig 7).




Figure 3: IPM – MBAL Initialization Output




Figure 4: Pressure and Cumulative Production History Match from K Sand




Figure 5: Pressure and Cumulative Production History Match from L Sand




Figure 6: Pressure and Cumulative Production History Match from E Sand

3.6 Calibration

Material balance model calibration is needed to match the end of history matching point with the prediction




Figure 7: Pressure and Cumulative Production History Match from C Sand

starting point in order to make prediction more validated. In this section, pseudo-prediction will be generated by using the prediction tool. Since the goal is to predict using tank model, a well prediction model was not used in this case. For the constraint, history production rate and time will be used to generate pseudo-prediction to calibrate the model. Once both points matched, prediction can be generated next.

3.7 Prediction

After the model already matched and validated, the next thing is the prediction of the field performance. Prediction generated until the end of contract of this field development (August 2021). The models were further calibrated by running pseudo-prediction for existing sands. Results were compared with the outcome from another method in determining the height of OWC as shown in Fig 8.




Figure 8: OWC Prediction

4 RESULT

Various results were discussed during the study which involved saturation reservoir with concurrently oil production from the oil rim. Well logs will be adopted to verify results from MBAL models. Table 3 shown material balance results the OWC from MBAL has compared well with the log data. For the production forecast, it predicted using no well prediction which

assumed the sand production rate is decline naturally due to the pressure loss at the reservoir. Prediction rate will be generated by software as long the reservoir pressure and aquifer is enough to provide energies. From the result, K sand has significant movement of OWC, the contact moves from 2002 ft at 1973 to 1911 ft at 2012. This 91 ft movement in 48 years from prediction makes this sand needs more concern due to the water production maintenance. The other sand has a certain movement less than 55 ft in 48 years.

Table 2: Predicted OOWC vs Log OOWC

Sand	MBAL OOWC (ft)	Log OOWC (ft)	Error (%)
C	2922	2925	0.103
E	2368	2366	0.085
K	2002	2002	0.000
L	2243	2246	0.134

Table 3: Predicted COWC vs Log COWC

Sand	MBAL COWC in 2021 (ft)	MBAL COWC in 2014(ft)	Log COWC in 2014 (ft)
C	2922	2925	0.103
E	2368	2366	0.085
K	2002	2002	0.000
L	2243	2246	0.134

5 CONCLUSION AND RECOMMENDATION

- Sand predictive Material Balance Models have been proved to be a quick alternative tool to determine OWC movement as reservoir simulation in the sand analysis.
- Good surveillance acquisition data is needed to provide input data. The accuracy of each data needs to be concerned as pre-requisite to make validate models.
- Sand K has the most significant move of OWC due to water production maintenance. It reached 91 ft in 48 years of prediction. The other sands have certain movement below 55 ft.
- Lift tables are needed and also validated to make well predictive models.

REFERENCES

- Petroleum Experts IPM-MBAL Manual.*
- Campbell, R. A. and Campbell, J. M. (1978). Mineral property economics. *Petroleum Property Evaluation*, 3.
- Dake, L. P. (1983). *Fundamentals of reservoir engineering*. Elsevier.
- Daneshy, A. A. (2006). Selection and execution criteria for water-control treatment. In *SPE Symposium and Exhibition on Formation Damage Control*, Los Angeles.
- Ghahri, P., Berthereau, G., Milner, S., Orta, M. E., Sikandar, A. S., et al. (2013). Estimated fluid contact using material balance technique and volumetric calculation improves reservoir management plan. In *SPE Offshore Europe Oil and Gas Conference and Exhibition*. Society of Petroleum Engineers.
- Havlena, D. and Odeh, A. S. (1963). The material balance as an equation of a straight line. *Journal of Petroleum Technology*, pages 896–900.
- Hudiman, A. and Permadi, B. Y. (2016). Analisa penentuan laju air produksi yang optimum untuk memperlambat water coning di lapisan tipis. *JTMGB*, 10(1):17–22.
- Katz, B. J. and Mertani, B. (1989). Central sumatra — a geochemical paradox. In *Proc 18th Indon Pet Assoc Ann Con*, volume 1, pages 403–425, Jakarta.
- Noordin, F. M., e. a. (2009). Case study: Water shut off mechanism in small, remote platform-process & challenge. In *SPE European Formation Damage Conference*, pages 27–29, Netherlands.
- Nwaokorie, C. and Ukakuku, I. (2012). Well predictive material balance evaluation: A quick tool for reservoir performance analysis. In *SPE Nigerian Annual International Conference and Exhibition*, Abuja.
- Stashin, K. (1989). An analytical approach to determining oil/water contact rise at utikuma field. In *40th Annual Technical Meeting of The Petroleum Society*, Banff. Petro Society of CIM.

APPENDIX

API	:	American Petroleum Institute
Bo	:	Current oil volume factor
Boi	:	Initial oil volume factor
Bg	:	Current gas volume factor
Bw	:	Current water volume factor
Cf	:	Formation compressibility
COWC	:	Current Oil Water Contact
Cw	:	Water compressibility
DST	:	Drill Stem Test
Et	:	Total expansion of fluid
F	:	Fahrenheit
FT	:	Feet
Gi	:	Cumulative gas injection
Gp	:	Cumulative gas production
IOIP	:	Initial Oil in Place
IPM	:	Integrated Production Modeling
M	:	Gas oil Ratio
MBAL	:	Material Balance Modeling Software
MSTB	:	Thousand Stock Tank Barrel
MMSTB	:	Million Stock Tank Barrel
N	:	Initial Oil in Place
OOIP	:	Original Oil in Place
OOWC	:	Original Oil Water Contact
OWC	:	Oil Water Contact
PBU	:	Pressure Build-Up Test
ppm	:	Part per Million
PSIG	:	Pound Square Inch Gauge
PV	:	Pore Volume
PVT	:	Pressure Volume Temperature
RCAL	:	Routine Core Analysis
RFT	:	Repeat Formation Test
Rs	:	Current solution gas oil ratio
Rsi	:	Initial solution gas oil ratio
SCAL	:	Special Core Analysis
SCF	:	Standard Cubic Feet
STB	:	Stock Tank Barrel
Swc	:	Connate water saturation
We	:	Water influx
Wi	:	Cumulative water injection
Wp	:	Cumulative water production

REPUBLIK INDONESIA
REPUBLIC OF INDONESIA

IDN PASPOR
PASSPORT

JENIS / TYPE

KODE NEGARA / COUNTRY CODE

NOMOR PASPOR / PASSPORT NO.

P

IDN

X1158173

NAMA LENGKAP / FULL NAME

MUSLIM BIN DARBI ABDURRAHMAN

KEBANGSAAN / NATIONALITY

INDONESIA

TGL. LAHIR / DATE OF BIRTH

TGL. BERKAS / DATE OF ISSUE

TEMPAT LAHIR / PLACE OF BIRTH

16 APR 1979

LM

DEDAP

TGL. PENGELUARAN / DATE OF ISSUE

TGL. MADIS BERLAKU / DATE OF EXPIRY

25 MAR 2021

25 MAR 2026

NO. REG.

KANTOR YANG MENGELUARKAN / ISSUING OFFICE

1A53BL2470-VRP

PEKANBARU



P<IDNABDURRAHMAN<<MUSLIM<BIN<DARBI<<<<<<<<<<<<<<

X1158173<3IDN7904163M26032541471071604000160