

PROCEEDINGS



The Second International Conference on Science,
Engineering and Technology

**"Sustainable Development in Developing
Country for Facing Industrial Revolution 4.0"**

September 5-7, 2019

SKA Convention & Exhibition Center, Pekanbaru, Riau, Indonesia

Editors:

Arbi Haza Nasution
Evizal Abdul Kadir
Luiz Moutinho

Organizer :



Co-Organizers :



UNIVERSITI
TEKNOLOGI
MARA



Infrastructure
University
Kuala Lumpur

Bank Name: Bank Syariah Mandiri
Bank Account Number: 7131069493
Branch: KK UIR Pekanbaru
Branch Address: Jl. Kaharuddin Nasution No.113, Komp UIR
SWIFT Code: BSMDIDJA

Please transfer the full registration fee to our account and you will be responsible to pay for any bank charges incurred. Please note that the fee must be transferred under the registrant's name and should be stated clearly on the payment slip. Please include the paper ID information on the payment slip. Copy of the payment slip of the bank remittance must be emailed to conference@uir.ac.id for payment confirmation, with an email header / title "ICoSET – {paper ID}". for detail information, please contact us via email: conference@uir.ac.id

ORGANIZING COMMITTEE

Steering Committee

- Prof. Dr. H Syafrinaldi SH, MCL (Universitas Islam Riau, Indonesia)
(<https://scholar.google.com/citations?user=vyNCL9AAAAAJ&hl=en&oi=sra>)
(<https://scholar.google.com/citations?user=vyNCL9AAAAAJ&hl=en&oi=sra>)
- (<https://scholar.google.com/citations?user=vyNCL9AAAAAJ&hl=en&oi=sra>) Prof. Toru Ishida (Kyoto University, Japan) (<http://www.ai.soc.i.kyoto-u.ac.jp/~ishida/>)
- Prof. Ee-Peng Lim (Singapore Management University, Singapore)
(<https://scholar.google.com/citations?user=r0wOAikAAAAJ&hl=en>)
- Prof. Ir. Dr Sharul Kamal Abdul Rahim (Universiti Teknologi Malaysia, Malaysia)
(<https://www.scopus.com/authid/detail.uri?authorId=16025721900>)
- Prof. Josaphat Tetuko Sri Sumantyo, Ph.D (Chiba University, Japan)
(<https://scholar.google.com/citations?hl=en&user=mHBpxUsAAAAJ>)

General Chair

- Dr. Arbi Haza Nasution, M.IT (Universitas Islam Riau, Indonesia)
(<https://scholar.google.com/citations?hl=en&user=l-wxoBYAAAAJ>)

General Co-Chair

- Dr. Eng. Muslim, ST., MT - (Universitas Islam Riau, Indonesia)
(<https://scholar.google.com/citations?user=-5BNcU8AAAAJ&hl=en&oi=sra>)

Technical Programme Chair

- Dr. Evizal Abdul Kadir, ST., M.Eng (Universitas Islam Riau, Indonesia)
(<https://scholar.google.com/citations?hl=en&user=lvncBFcAAAAJ>)

Programme Committee

- Prof. Dr. Tengku Dahril, M.Sc - (Universitas Islam Riau, Indonesia)
(<https://scholar.google.co.id/citations?user=6yV21REAAAAJ&hl=en>)
(<https://scholar.google.co.id/citations?user=6yV21REAAAAJ&hl=en>)
- (<https://scholar.google.co.id/citations?user=6yV21REAAAAJ&hl=en>)Prof. Dr. Hasan Basri Jumin, M.Sc - (Universitas Islam Riau, Indonesia)
(<https://scholar.google.com/citations?user=kQDyht0AAAAJ&hl=en>)
(<https://scholar.google.com/citations?user=kQDyht0AAAAJ&hl=en>)
- (<https://scholar.google.com/citations?user=kQDyht0AAAAJ&hl=en>)Prof. Dr. Sugeng Wiyono, MMT - (Universitas Islam Riau, Indonesia)
(<https://scholar.google.co.id/citations?user=XA6V0bsAAAAJ&hl=en>)
(<https://scholar.google.co.id/citations?user=XA6V0bsAAAAJ&hl=en>)
- (<https://scholar.google.co.id/citations?user=XA6V0bsAAAAJ&hl=en>)Prof. Zainal A. Hasibuan, MLS., Ph.D - (University of Indonesia, Indonesia)
(<https://scholar.google.co.id/citations?user=tpzw4SgAAAAJ&hl=en>)
(<https://scholar.google.co.id/citations?user=tpzw4SgAAAAJ&hl=en>)
- (<https://scholar.google.co.id/citations?user=tpzw4SgAAAAJ&hl=en>)Prof. Josaphat Tetuko Sri Sumantyo, Ph.D - (Chiba University, Japan)
(<https://scholar.google.co.id/citations?user=mHBpxUsAAAAJ&hl=en&oi=ao>)
(<https://scholar.google.co.id/citations?user=mHBpxUsAAAAJ&hl=en&oi=ao>)
- (<https://scholar.google.co.id/citations?user=mHBpxUsAAAAJ&hl=en&oi=ao>)Prof. Dr. Eko Supriyanto - (Universiti Teknologi Malaysia, Malaysia)
(<https://scholar.google.com.my/citations?user=5JBLV3AAAAAJ&hl=en>)
(<https://scholar.google.com.my/citations?user=5JBLV3AAAAAJ&hl=en>)
- (<https://scholar.google.com.my/citations?user=5JBLV3AAAAAJ&hl=en>)Prof. Dr. Zailuddin Arifin - (Universiti Teknologi MARA, Malaysia)
- Prof. Jhon Lee, B.Sc, M.Sc., Ph.D - (Kyungdong University Korea)
(<https://scholar.google.com/citations?user=H1xJbvMAAAAJ&hl=id>)
(<https://scholar.google.com/citations?user=H1xJbvMAAAAJ&hl=id>)
- (<https://scholar.google.com/citations?user=H1xJbvMAAAAJ&hl=id>)Prof. Ahmed A. Al Absi - (Kyungdong University Korea) (<https://scholar.google.com/citations?user=GCxzsogAAAAJ&hl=en>)
(<https://scholar.google.com/citations?user=GCxzsogAAAAJ&hl=en>)
- (<https://scholar.google.com/citations?user=GCxzsogAAAAJ&hl=en>)Prof. Wisup Bae, Ph.D - (Sejong University, Korea)
- Prof. Kyuro Sasaki - (Kyushu University, Japan)
(<https://scholar.google.com/citations?user=RidGLtUAAAAJ&hl=id>)
(<https://scholar.google.com/citations?user=RidGLtUAAAAJ&hl=id>)
- (<https://scholar.google.com/citations?user=RidGLtUAAAAJ&hl=id>)Prof. Adiwijaya - (Telkom University, Indonesia) (<https://scholar.google.co.id/citations?user=zkaTrOE0rbwC&hl=en>)

- (<https://scholar.google.co.id/citations?user=zkaTrOE0rbwC&hl=en>)
- (<https://scholar.google.co.id/citations?user=zkaTrOE0rbwC&hl=en>)Prof. Ir. Asep Kurnia Permadi, M. Sc, Ph.D - (Institut Teknologi Bandung, Indonesia)
(https://www.researchgate.net/profile/Asep_Permadi)
(https://www.researchgate.net/profile/Asep_Permadi)
 - (https://www.researchgate.net/profile/Asep_Permadi)Assoc. Prof. Dr. Azhan Hashim Ismail (Universiti Teknologi MARA, Malaysia)
(<https://scholar.google.com.my/citations?user=irGmToYAAAAJ&hl=en>)
(<https://scholar.google.com.my/citations?user=irGmToYAAAAJ&hl=en>)
 - (<https://scholar.google.com.my/citations?user=irGmToYAAAAJ&hl=en>)Assoc. Prof. Yuichi Sugai - (Kyushu University, Japan) (https://scholar.google.com/citations?user=BWeV_Q4AAAAJ&hl=en)
(https://scholar.google.com/citations?user=BWeV_Q4AAAAJ&hl=en)
 - (https://scholar.google.com/citations?user=BWeV_Q4AAAAJ&hl=en)Assoc. Prof. Dr. Sonny Irawan (Universiti Teknologi Petronas, Malaysia)
(<https://scholar.google.co.id/citations?user=ljHO3J4AAAAJ&hl=id>)
(<https://scholar.google.co.id/citations?user=ljHO3J4AAAAJ&hl=id>)
 - (<https://scholar.google.co.id/citations?user=ljHO3J4AAAAJ&hl=id>)Assoc. Prof. Hussein Hoteit (King Abdullah University of Science and Technology, Saudi Arabia)
(https://scholar.google.com/citations?user=e6KK_P4AAAAJ&hl=en)
(https://scholar.google.com/citations?user=e6KK_P4AAAAJ&hl=en)
 - (https://scholar.google.com/citations?user=e6KK_P4AAAAJ&hl=en)Assoc. Prof. Dr. Anas Puri, ST., MT - (Universitas Islam Riau, Indonesia)
(<https://scholar.google.co.id/citations?user=DTGbUogAAAAJ&hl=en>)
(<https://scholar.google.co.id/citations?user=DTGbUogAAAAJ&hl=en>)
 - (<https://scholar.google.co.id/citations?user=DTGbUogAAAAJ&hl=en>)Kuen-Song Lin, Ph.D - (Yuan Ze University, Taiwan) (https://scholar.google.com.tw/citations?hl=zh-TW&user=_xGZjCQAAAAJ&view_op=list_works&sortby=pubdate)
(https://scholar.google.com.tw/citations?hl=zh-TW&user=_xGZjCQAAAAJ&view_op=list_works&sortby=pubdate)
 - (https://scholar.google.com.tw/citations?hl=zh-TW&user=_xGZjCQAAAAJ&view_op=list_works&sortby=pubdate)Dr. Shukor Sanim Mohd Fauzi (Universiti Teknologi MARA, Malaysia)
(<https://scholar.google.com/citations?user=kekCT9IAAAAAJ&hl=en>)
(<https://scholar.google.com/citations?user=kekCT9IAAAAAJ&hl=en>)
 - (<https://scholar.google.com/citations?user=kekCT9IAAAAAJ&hl=en>)Dr. Inkyo Cheong - (Inha University, Korea) (<http://www.ftainfo.net/eng/>)
(<http://www.ftainfo.net/eng/>)
 - (<http://www.ftainfo.net/eng/>)Ahn, Young Mee, Ph.D - (Inha University, Korea)
 - Hitoshi Irie, Ph.D - (Chiba University, Japan)
(<https://scholar.google.co.jp/citations?user=BcDlekAAAAAJ&hl=ja>)
(<https://scholar.google.co.jp/citations?user=BcDlekAAAAAJ&hl=ja>)
 - (<https://scholar.google.co.jp/citations?user=BcDlekAAAAAJ&hl=ja>)Julie Yu-Chih Liu, Ph.D - (Yuan Ze University, Taiwan) (<https://scholar.google.com.sg/citations?>)

- user=8TEk1X8AAAAJ&hl=en)
 (<https://scholar.google.com.sg/citations?user=8TEk1X8AAAAJ&hl=en>)
- (<https://scholar.google.com.sg/citations?user=8TEk1X8AAAAJ&hl=en>)Liang Chih Yu, Ph.D - (Yuan Ze University, Taiwan) (<https://scholar.google.com/citations?user=ACYmxKgAAAAJ&hl=en>)
 (<https://scholar.google.com/citations?user=ACYmxKgAAAAJ&hl=en>)
 - (<https://scholar.google.com/citations?user=ACYmxKgAAAAJ&hl=en>)Chia-Yu Hsu, Ph.D - (Yuan Ze University, Taiwan) (<https://scholar.google.com/citations?user=I23ksWUAAAAJ&hl=en>)
 (<https://scholar.google.com/citations?user=I23ksWUAAAAJ&hl=en>)
 - (<https://scholar.google.com/citations?user=I23ksWUAAAAJ&hl=en>)Dr. Amit Pariyar - (University Malaysia Sarawak, Malaysia) (<https://scholar.google.co.in/citations?user=Oop4ilQAAAAJ&hl=en>)
 (<https://scholar.google.co.in/citations?user=Oop4ilQAAAAJ&hl=en>)
 - (<https://scholar.google.co.in/citations?user=Oop4ilQAAAAJ&hl=en>)Dr. Madi Abdullah Naser - (Sebha University, Libya)
 - Dr. Nguyen Xuan Huy - (Ho Chi Minh City University of Technology, Vietnam) (<https://scholar.google.com.vn/citations?user=CKUUSwEAAAAJ&hl=vi>)
 (<https://scholar.google.com.vn/citations?user=CKUUSwEAAAAJ&hl=vi>)
 - (<https://scholar.google.com.vn/citations?user=CKUUSwEAAAAJ&hl=vi>)Dr. Chunqiu Li - (Beijing Normal University, China) (<https://scholar.google.com/citations?user=b8sYKJIAAAAAJ&hl=en>)
 (<https://scholar.google.com/citations?user=b8sYKJIAAAAAJ&hl=en>)
 - (<https://scholar.google.com/citations?user=b8sYKJIAAAAAJ&hl=en>)Dr. Goh Thian Lai - (Universiti Kebangsaan Malaysia, Malaysia)
 (<https://scholar.google.com/citations?user=dlz4g9wAAAAJ&hl=en>)
 (<https://scholar.google.com/citations?user=dlz4g9wAAAAJ&hl=en>)
 - (<https://scholar.google.com/citations?user=dlz4g9wAAAAJ&hl=en>)Dr. Syahrir Ridha (Universiti Teknologi Petronas) (<https://scholar.google.com/citations?user=ttSY4KwAAAAJ&hl=id>)
 (<https://scholar.google.com/citations?user=ttSY4KwAAAAJ&hl=id>)
 - (<https://scholar.google.com/citations?user=ttSY4KwAAAAJ&hl=id>)Dr. Kemas Muslim L. - (Telkom University, Indonesia) (<https://scholar.google.co.id/citations?user=-Az5738AAAAJ&hl=id>)
 (<https://scholar.google.co.id/citations?user=-Az5738AAAAJ&hl=id>)
 - (<https://scholar.google.co.id/citations?user=-Az5738AAAAJ&hl=id>)Dr. Moch. Arif Bijaksana - (Telkom University, Indonesia) (<https://scholar.google.com/citations?user=eQIK7QkAAAAJ&hl=id>)
 (<https://scholar.google.com/citations?user=eQIK7QkAAAAJ&hl=id>)
 - (<https://scholar.google.com/citations?user=eQIK7QkAAAAJ&hl=id>)Dr. Satria Mandala - (Telkom University, Indonesia) (https://scholar.google.com/citations?user=0JiEa_4AAAAJ&hl=id)
 (https://scholar.google.com/citations?user=0JiEa_4AAAAJ&hl=id)

- (https://scholar.google.com/citations?user=0JiEa_4AAAAJ&hl=id)Dr. Wahyudi Sutopo - (Solo State University, Indonesia) (<https://scholar.google.co.id/citations?user=wYQMP-EAAAAJ&hl=en>) (<https://scholar.google.co.id/citations?user=wYQMP-EAAAAJ&hl=en>)
- (<https://scholar.google.co.id/citations?user=wYQMP-EAAAAJ&hl=en>)Dr. Zulfatman - (University of Muhammadiyah Malang, Indonesia) (<https://scholar.google.com.my/citations?user=qBVdv1kAAAAJ&hl=en>) (<https://scholar.google.com.my/citations?user=qBVdv1kAAAAJ&hl=en>)
- (<https://scholar.google.com.my/citations?user=qBVdv1kAAAAJ&hl=en>)Dr. Suranto AM - (UPN Veteran Yogyakarta, Indonesia) (<https://scholar.google.co.id/citations?user=M7F6OFvtslIC&hl=en>) (<https://scholar.google.co.id/citations?user=M7F6OFvtslIC&hl=en>)
- (<https://scholar.google.co.id/citations?user=M7F6OFvtslIC&hl=en>)Dr. Eng. Husnul Kausarian, B.Sc (Hons)., M.Sc - (Universitas Islam Riau, Indonesia) (<https://scholar.google.co.id/citations?user=wfa0gW8AAAAJ&hl=id>) (<https://scholar.google.co.id/citations?user=wfa0gW8AAAAJ&hl=id>)

Publication and Relationship Chair (<https://scholar.google.co.id/citations?user=wfa0gW8AAAAJ&hl=id>)

- (<https://scholar.google.co.id/citations?user=wfa0gW8AAAAJ&hl=id>)Dr. Syafriadi, S.H., M.H. (Universitas Islam Riau, Indonesia)

Financial Chair

- Ause Labellapansa, ST., M.Cs., M.Kom (Universitas Islam Riau, Indonesia) (<https://scholar.google.co.id/citations?user=tFaFz20AAAAJ&hl=en>)

Editorial Chair

- Yudhi Arta, S.Kom., M.Kom. (Universitas Islam Riau, Indonesia) (<https://scholar.google.co.id/citations?user=5W5gl-EAAAAJ&hl=id>)

Editorial Board

- Khairul Umam Syaliman, S.T., M.Kom (Universitas Islam Riau, Indonesia)
- Winda Monika, S.Pd., M.LIS (Universitas Islam Riau, Indonesia) (<https://scholar.google.com/citations?user=OcrvgOIAAAAJ&hl=en&oi=ao>)
- Panji Rachmat Setiawan, S.Kom., M.M.S.I. (Universitas Islam Riau, Indonesia)
- Rizdqi Akbar Ramadhan, S.Kom., M.Kom. (Universitas Islam Riau, Indonesia)
- Anggiat (Universitas Islam Riau, Indonesia)
- Arif Lukman Hakim (Universitas Riau, Indonesia)

ORGANIZER



Proceedings

Proceedings of the Second International Conference on Science, Engineering and Technology

September 5-7, 2019, in Riau, Indonesia



Editors: Arbi Haza Nasution ; Evizal Abdul Kadir and Luiz Moutinho

Affiliation: Department of Informatics Engineering, Faculty of Engineering, Universitas Islam Riau, Pekanbaru, Indonesia

ISBN: 978-989-758-463-3

Conference Link: <http://icoset.uir.ac.id/2019/>

Foreword: In the name of Allah, Most Gracious, Most Merciful Assalamu'alaikum Wr. Wb., Welcome to the Second International Conference on Science Engineering and Technology (ICoSET 2019). The advancement of today's computing technology, science, engineering and industrial revolution 4.0 play a big role in the sustainable development of social, economic, education, and humanity in developing countries. Institute of higher education is one of many parties that need to be involved in the process. Academicians and researchers should promote the concept of sustainable development. The Second International Conference on Science,

Engineering and Technology (ICoSET 2019) is organized to gather researchers to disseminate their relevant work on science, engineering and technology. The conference is co-located with The Second International Conference on Social, Economy, Education, and Humanity (ICoSEEH 2019) at SKA Co-EX Pekanbaru Riau. I would like to express my hearty gratitude to all participants for coming, sharing, and presenting your research at this joint conference. There is a total of 84 manuscripts submitted to ICoSET 2019. However only high-quality selected papers are accepted to be presented in this event, with the acceptance rates of ICoSET 2019 is 70%. We are very grateful to all steering committees and both international and local reviewers for their valuable work. I would like to give a compliment to all co-organizers, publisher, and sponsors for their incredible supports. Organizing such prestigious conferences was very challenging and it would be impossible to be held without the hard work of the program committee and organizing committee members. I would like to express my sincere gratitude to all committees and volunteers from Singapore Management University, Kyoto University, Kyushu University, University of Tsukuba, Khon Kaen University, Ho Chi Minh City University of Technology, University of Suffolk, Universiti Teknologi Malaysia, Infrastructure University Kuala Lumpur, Universiti Malaya, Universiti Kebangsaan Malaysia, Universiti Utara Malaysia, Universiti Teknologi Mara, and Universiti Pendidikan Indonesia for providing us with so much support, advice, and assistance on all aspects of the conference. We do hope that this event will encourage collaboration among us now and in the future. We wish you all find the opportunity to get rewarding technical programs, intellectual inspiration, and extended networking. Pekanbaru, 27th August 2019 Dr. Arbi Haza Nasution, M.IT Chair of ICoSET 2019

(Less)

Volumes:

Vol. 1 - 978-989-758-463-3

Papers

Authors

Show papers

Design of Community-based Ecotourism at Cengkehan and Giriloyo, Wukirsari Village, Imogiri District, Bantul Regency, Special Region of Yogyakarta

P. 5 - 10

Suhartono , Sri Mulyaningsih , Desi Kiswiranti , Sukirman , Nurwidi A. A. T. Heriyadi , Muchlis and Iva Mindhayani

DOI:10.5220/000900390

Prototype Storage Locker Security System based on Fingerprint and RFID Technology

P. 11 - 14

Apri Siswanto , Hendra Gunawan and Rafiq Sanjaya

DOI:10.5220/000906290

Feasibility Study of CO2 Flooding under Gross-split Mechanism: Simulation Approach

P. 15 - 19

Muslim Abdurrahman , Wisup Bae , Adi Novriansyah , Dadan Damayandri and Bop Duana Afrireksa

DOI:10.5220/000906320

Online Classroom Attendance System based on Cloud Computing

P. 20 - 25

Sri Listia Rosa and Evizal Abdul Kadir

DOI:10.5220/000906390

-
- Analysis of Porosity and Permeability on Channel Deposit Sandstone using Pore-gas Injection and Point Counting in Sarilamak Area, West Sumatra** P. 26 - 30
Bayu Defitra , Tiggi Choanji and Yuniarti Yuskar DOI:10.5220/000906470
-
- A Simulation Study of Downhole Water Sink Guidelines Plot Application using Real Field Data** P. 31 - 34
Praditya Nugraha DOI:10.5220/000906550
-
- Groundwater Exploration using 2D Electrical Resistivity Imaging (ERI) at Kulim, Kedah, Malaysia** P. 35 - 40
Adi Suryadi , Muhammad Habibi , Batara , Dewandra Bagus Eka Putra and Husnul Kausarian DOI:10.5220/000906560
-
- Risk Identification in Management System Process Integration Which Have Impact on the Goal of Management System Components** P. 41 - 48
Nastasia Ester Siahaan , Leni Sagita and Yusuf Latief DOI:10.5220/000909140
-
- The Performance of 3D Multi-slice Branched Surface Reconstruction on CPU-GPU Platform** P. 49 - 54
Normi Abdul Hadi and Norma Alias DOI:10.5220/000909270
-
- Tile-based Game Plugin for Unity Engine** P. 55 - 63
Salhazan Nasution , Arbi Haza Nasution and Arif Lukman Hakim DOI:10.5220/000910370
-
- Image Segmentation of Nucleus Breast Cancer using Digital Image Processing** P. 64 - 67
Ana Yulianti , Ause Labellapansa , Evizal Abdul Kadir , Mohana Sundaram and Mahmud Othman DOI:10.5220/000910590
-
- An Integrated Framework for Social Contribution of Diabetes Self-care Management Application** P. 68 - 73
Zul Indra , Liza Trisnawati and Luluk Elvitaria DOI:10.5220/000910610
-
- Spatiotemporal Analysis of Urban Land Cover: Case Study - Pekanbaru City, Indonesia** P. 74 - 79
Idham Nugraha , Faizan Dalilla , Mira Hafizhah Tanjung , Rizky Ardiansyah and M. Iqbal Hisyam DOI:10.5220/000910630
-
- The Effectiveness of Rice Husk Biochar Application to Metsulfuron Methyl Persistence** P. 80 - 84
Subhan Arridho , Saripah Ulpah and Tengku Edy Sabli DOI:10.5220/000911960
-
- Digital Forensics: Acquisition and Analysis on CCTV Digital Evidence using Static Forensic Method based on ISO /IEC 27037:2014** P. 85 - 89
Rizdqi Akbar Ramadhan , Desti Mualfah and Dedy Hariyadi DOI:10.5220/000912040

Testing the Role of Fish Consumption Intention as Mediator	P. 90 - 97
Junaidi , Desi Ilona , Zaitul and Harfiandri Damanhuri	DOI:10.5220/000912060
Segmentation of Palm Oil Leaf Disease using Zoning Feature Extraction	P. 98 - 101
Ause Labellapansa , Ana Yulianti and Agus Yuliani	DOI:10.5220/000912210
Analysis of Economy in the Improvement of Oil Production using Hydraulic Pumping Unit in X Field	P. 102 - 108
Muhammad Ariyon , Novia Rita and Tribowo Setiawan	DOI:10.5220/000912940
Construction Design and Performance of Dry Leaf Shredder with Vertical Rotation for Compost Fertilizer	P. 109 - 113
Syawaldi	DOI:10.5220/000912960
The Impact of Additively Coal Fly Ash toward Compressive Strength and Shear Bond Strength in Drilling Cement G Class	P. 114 - 119
Novrianti , Dori Winaldi and Muhammad Ridho Efras	DOI:10.5220/000912980
Impact of Vibration of Piling Hammer on Soil Deformation: Study Case in Highway Construction Section 5 Pekanbaru-Dumai	P. 120 - 124
Firman Syarif , Husnul Kausarian and Dewandra Bagus Eka Putra	DOI:10.5220/000912990
Combination Playfair Cipher Algorithm and LSB Steganography for Data Text Protection	P. 125 - 129
Apri Siswanto , Sri Wahyuni and Yudhi Arta	DOI:10.5220/000914450
Fire Detection System in Peatland Area using LoRa WAN Communication	P. 130 - 134
Evizal Abdul Kadir , Hitoshi Irie and Sri Listia Rosa	DOI:10.5220/000914510
Forest Fire Monitoring System using WSNs Technology	P. 135 - 139
Evizal Abdul Kadir , Sri Listia Rosa and Mahmud Othman	DOI:10.5220/000914520
Multi Parameter of WSNs Sensor Node for River Water Pollution Monitoring System (Siak River, Riau-Indonesia)	P. 140 - 145
Evizal Abdul Kadir , Abdul Syukur , Bahruddin Saad and Sri Listia Rosa	DOI:10.5220/000914530
Analysis for Gerund Entity Anomalies in Data Modeling	P. 146 - 150
Des Suryani , Yudhi Arta and Erdisna	DOI:10.5220/000914560
The Incidence of Rhinoceros Beetle Outbreak in Public Coconut Plantation in Tanjung Simpang Village, Indragiri Hilir, Riau Province	P. 151 - 154

Mobile Application of Religious Activities for the Great Mosque Islamic Center Rokan Hulu with Push Notification P. 155 - 162

Salhazan Nasution , Arbi Haza Nasution and Fitra Yamita

DOI:10.5220/000914590

An Augmented Reality Machine Translation Agent P. 163 - 168

Arbi Haza Nasution , Yoze Rizki , Salhazan Nasution and Rafi Muhammad

DOI:10.5220/000914630

The Community Perception of Traditional Market Services in Pekanbaru City, Riau Province P. 169 - 174

Puji Astuti , Syaifullah Rosadi , Febby Asteriani , Eka Surya Pratiwi and Thalia Amanda Putri

DOI:10.5220/000914650

Separation of Crude Oil and Its Derivatives Spilled in Seawater by using Cobalt Ferrite Oxide P. 175 - 181

Mohammed A, Samba , Ibrahim Ali Amar , Musa Abuadabba , Mohammed A. Alfroji , Zainab M. Salih and Tomi Erfando

DOI:10.5220/000914690

Study of Open Space Utilization in Pekanbaru City, Riau Province P. 182 - 187

Mira Hafizhah T. , Febby Asteriani , Mardianto and Angelina Rulan S.

DOI:10.5220/000914910

Application of Augmented Reality as a Multimedia Learning Media: Case Study of Videography P. 188 - 193

Ahmad Zamsuri , Fadli Suandi and Rizki Novendra

DOI:10.5220/000914920

Green Building Performance Analysis in the Stimi Campus Building P. 194 - 199

Dian Febrianti and Samsunan

DOI:10.5220/000914930

Towing Service Ordering System based on Android: Study Case - Department of Transportation, Pekanbaru P. 200 - 204

Panji Rachmat Setiawan , Yudhi Arta and Rendi Sutisna

DOI:10.5220/000915000

Biosurvey of Mercury (Hg), Cadmium (Cd), and Lead (Pb) Contamination in Reclamation Island-Jakarta Bay P. 205 - 210

Salmita Salman , Achmad Sjarmidi and Salman

DOI:10.5220/000915120

Expert System to Detect Early Depression in Adolescents using DASS 42 P. 211 - 218

Nesi Syafitri , Yudhi Arta , Apri Siswanto and Sonya Parlina Rizki

DOI:10.5220/000915820

Geotechnics Analysis: Soil Hardness on Stability of Davit Kecil's Weir in Ulu Maras, Kepulauan Anambas, Kepulauan Riau P. 219 - 228

Support for Heritage Tourism Development: The Case of Ombilin Coal Mining Heritage of Sawahlunto, Indonesia P. 229 - 236

Jonny Wongso , Desi Ilona , Zaitul and Bahrul Anif

DOI:10.5220/000918540

Aerial Photogrammetry and Object-based Image Analysis for Bridge Mapping: A Case Study on Bintan Bridge, Riau Islands, Indonesia P. 237 - 242

Husnul Kausarian , Muhammad Zainuddin Lubis , Primawati , Dewandra Bagus Eka Putra , Adi Suryadi and Batara

DOI:10.5220/000918580

Monitoring Single Site Verification (SSV) System and Optimization BTS Network based on Android P. 243 - 249

Abdul Syukur , Siti Rahmadhani Sabri and Yudhi Arta

DOI:10.5220/000918610

Characterization of the Ethnobotany of Riau Province Mascot Flora (Oncosperma tigillarum (Jack) Ridl.) P. 250 - 253

Desti , Fitmawati , Putri Ade Rahma Yulis and Mayta Novaliza Isda

DOI:10.5220/000918620

Effect Stocking Density on Growth and Survival rate of Larval Selais Fish (Kryptopterus lais) Cultured in Recirculation System P. 254 - 257

Agusnimar Muchtar and Rosyadi

DOI:10.5220/000918630

Development of Safety Plan to Improve OHS (Occupational Health and Safety) Performance for Construction of Dam Supporting Infrastructure based on WBS (Work Breakdown Structure) P. 258 - 267

Aprilia Dhiya Ulhaq , Yusuf Latief and Rossy Armyn Machfudiyanto

DOI:10.5220/000918650

Design of Web Login Security System using ElGamal Cryptography P. 268 - 273

Yudhi Arta , Hendra Pratama , Apri Siswanto , Abdul Syukur and Panji Rachmat Setiawan

DOI:10.5220/000918680

Standard Operational Procedures Development for Government Building's Care and Maintenance Work of Outer Spatial and Housekeeping Component to Improve Work Effectiveness and Efficiency using Risk-based Approach P. 274 - 284

Lasita Khaerani , Yusuf Latief and Rossy Armyn Machfudiyanto

DOI:10.5220/000918720

A Novel Correlation on MMP Prediction in CO₂-LPG Injection System: A Case Study of Field X in Indonesia P. 285 - 290

Prasandi Abdul Aziz , Hendra Dwimax , Tutuka Ariadji , Steven Chandra , Wijoyo Niti Daton and Ressi Bonti

DOI:10.5220/000935980

Productivity Analysis of Frac-pack Completion in M Well with Sand Problem Indication and High Permeability Formation P. 291 - 298

Herianto , Prasandi Abdul Aziz , Wijoyo Niti Daton and Steven Chandra

DOI:10.5220/000935990

Emulsion Treatment using Local Demulsifier from Palm Oil	P. 299 - 303
Tomi Erfando and Emre Fathan	DOI:10.5220/000936010
Designing an IoT Framework for High Valued Crops Farming	P. 304 - 310
Domingo Junior P. Ngipol and Thelma D. Palaoag	DOI:10.5220/000936450
Consideration of the Different Pile Length Due to Soil Stress and Inner Forces of the Nailed-slab Pavement System under Concentric Load	P. 311 - 314
Anas Puri , Roza Mildawati and Muhammad Solihin	DOI:10.5220/000936490
Utilization of Agricultural Waste to Be Bioethanol Sources as a Solvent on Paraffin Wax Crude Oil Issues	P. 315 - 321
M. K. Afdhol , F. Hidayat , M. Abdurrahman , H. Z. Lubis , R. K. Wijaya and N. P. Sari	DOI:10.5220/000936690
The Effect of Regeneration Time of Biomass Activated Carbon using Low Temperature to Reduce Filtration Loss in Water-based Drilling Fluid	P. 322 - 325
Nur Hadziqoh , Mursyidah , Arif Rahmadani , Idham Khalid and Hasnah Binti Mohd Zaid	DOI:10.5220/000938550
Improving the Accuracy of Features Weighted k-Nearest Neighbor using Distance Weight	P. 326 - 330
K. U. Syaliman , Ause Labellapansa and Ana Yulianti	DOI:10.5220/000939090
Predicting of Oil Water Contact Level using Material Balance Modeling of a Multi-tank Reservoir	P. 331 - 336
Muslim Abdurrahman , Bop Duana Afrireksa , Hyundon Shin and Adi Novriansyah	DOI:10.5220/000940460
Chip Formation and Shear Plane Angle Analysis on Carbon Steel Drilling using Solid Carbide Tools	P. 337 - 341
Rieza Zulrian Aldio	DOI:10.5220/000940620
A Solution to Increase Natuna D Alpha's Resource Utilization by Cryogenic Distillation: Conceptual Design & Sensitivity Study	P. 342 - 348
Wijoyo Niti Daton , Ezra Revolin , Siptian Nugrahawan , Prasandi Abdul Aziz , Tutuka Ariadji , Steven Chandra and J. A. Nainggolan	DOI:10.5220/000942720
Design of Volcanic Educational-based Natural Tourism at Giriloyo, Wukirsari Village, Imogiri District, Bantul Regency, Yogyakarta-Indonesia	P. 349 - 356
Sri Mulyaningsih	DOI:10.5220/000943570
Four Types of Moral Holistic Values for Revolutionizing the Big Data Analytics in IoT-based Applications	P. 357 - 362



SCITEPRESS - SCIENCE AND TECHNOLOGY PUBLICATIONS, LDA.

RESOURCES

Proceedings

Papers

Authors

Ontology

CONTACTS

Science and Technology
Publications, Lda
Avenida de S. Francisco Xavier,
Lote 7 Cv. C,
2900-616 Setúbal, Portugal.

Phone: +351 265 520 185
Fax: +351 265 520 186
Email: info@scitepress.org

EXTERNAL LINKS

PRIMORIS

INSTICC

SCITEVENTS

CROSSREF

**PROCEEDINGS
SUBMITTED FOR
INDEXATION BY:**

dblp

Ei Compendex

SCOPUS

Semantic Scholar

Google Scholar

Microsoft Academic

Geotechnics Analysis: Soil Hardness on Stability of Davit Kecil's Weir in Ulu Maras, Kepulauan Anambas, Kepulauan Riau

Miftahul Jannah¹, Dewandra Bagus Eka Putra¹, Firman Syarif², Joni Triparadi³, Nopiyanto³ and Husnul Kausarian¹

¹*Department of Geological Engineering, Universitas Islam Riau, Pekanbaru, Indonesia*

²*Department of Civil Engineering, Universitas Islam Riau, Pekanbaru, Indonesia*

³*Water Resources, Department of Public Works and Housing, Kepulauan Anambas, Indonesia*

Keywords: Geotechnics, Weir Stability, Sieve Analysis, Direct Shear Stress, Kepulauan Riau.

Abstract: Davit Kecil's weir is an irrigation area that located in Ulu Maras Village, East Jemaja District, Kepulauan Anambas Regency, Kepulauan Riau Province. The needs of a geotechnical study are important to determine the soil properties and soil stability of the study area, those parameters will be used to identify the stability of the weir structure. Methods used are field study by taking soil samples and conduct laboratory analysis such as sieve analysis, hydrometer analysis, atterberg limits and direct shear stress that useful for soil resistance identification. Based on the laboratory test result, Hb.2 and Hb.3 are non- plastic soils with uniformity coefficient are 20.92 – 45.38 and coefficient of gradation is 6 – 15.68. So, the soils as categorized as very good on uniformity and good on gradation. The value of direct shear stress with cohesion (c) is 0.06 and ϕ obtained were in the range of 33.78 – 34.33. Soil grain size identified from sieve analysis is gravel-clay. Based on the analysis result, the stability of Davit Kecil's weir that was observed from normal water condition and flood water condition is categorized into strong-safe weir characterized by sufficient eccentricity and bearing capacity control. In addition, the weir is withstand rolling and sliding failures.

1 INTRODUCTION

Weir is an across building on river channel that functions to raise the river's water level. Weir is a solution in various problems that related to water resources, utilization, management and preservation (Sadono et al., 2017). It was commonly built from soil and rock materials (Athani et al., 2015), that collected a water reserve as a reservoir in order to maintain stable water supply both in rainy and dry seasons (Sompie et al., 2015). Weir is a building that perpetually related with the water (Harseno and Daryanto, 2008). It could also be defined as a building that planted in the river or water flow to deflect water into irrigation (Gunasti, 2016; Putra et al., 2016).

Jemaja's irrigation area is located in Jemaja Island, Kepulauan Anambas Regency, Kepulauan Riau Province. Based on the regulation from Ministry of Public Works and Housing (PUPR) No.14/PRT/M/2015 about The Criteria and Stipulation of Irrigation Area Status, Kepulauan Anambas Regency has the authorization of irrigation

area as wide as ± 386 ha. A study by BWS Sumatra IV said this time around 637,48 ha Irrigation Area was indicated as irrigation area and $\pm 793,43$ ha that has the potency to be convert into irrigation area.

As a follow-up, the management of irrigation that could be utilized effectively and optimally then developed an irrigation area that potentially as an irrigation area. Other than that, the aims to plan the development irrigation area should estimating the technique, economical and environmental aspects.

The weir conditions need to fulfill several factors to be stable and able to control a flood condition. The weir construction should be calculated the strength of bearing capacity of subsurface soil, the weir must be able to hold-out a seepage caused by river water flow and water infiltration into the soil, the weir height must be able to fulfill the minimum water level which is needed for the whole irrigation area and the form of a boiler must be calculated so the water can transport a sand, gravel and any stones from upstream and not cause damage to the weir's body (Erman and M., 2010).




Figure 1: The administration map of Kepulauan Anambas regency.

2 METHODOLOGY

Methods used in this study are field survey, laboratory analysis and the calculation of dam stability. The explanation of each analysis is as follows:

2.1 Field Survey

The field survey was done to obtain primary data such as planning location, identified soil layers by using borehole data in several points. In addition, drilling is done to take soil sample which would be analyzed in the laboratory (Susanto H, 2014). Field survey also conducted by using hand bore that useful to find out the soil layers on the subsurface. The standard procedure that used in hand bore work is ASTM D – 1452 – 80. There are 2 boreholes that can be seen in table (1) and figure (1) below.

Based on the Regional Geology Map (Samodra, 1995), in this two points, the study area was include in Granit Anambas Formation. There are granite, granodiorite and syenite in this formation. The general soil condition is grey, brown and pink in colour.

Table 1: Borehole location and soil testing.

No	Location name	Coordinates	
		X	Y
1	HB.2	N2° 55' 19.64"	E1052° 44' 17.83"
2	HB.3	N2° 55' 18.50"	E1052° 44' 18.64"




Figure 2: The topography map in the study area shows hand bore points and weir location

2.2 Laboratory Test

Laboratory test consists of undisturbed and disturbed samples taken from selected locations (Sompie et al., 2015). Laboratory test used to determine the most effective and suitable location of dam construction in the study area. Several laboratory tests had been conducted such as sieve analysis, hydrometer analysis, atterberg limits and direct shear stress.

2.2.1 Sieve and Hydrometer Analysis

Sieve and hydrometer analysis are the methods to determine the soil grain size at the borehole points. Soil classification calculated based on particle size from sieve and hydrometer analysis (ASTM, 2007).

There are uniformity coefficient (Cu) and coefficient of gradation (Cc) that obtained from sieve and hydrometer curve. The calculation (1) and (2) are:

$$C_u = \frac{D_{60}}{D_{10}} \tag{1}$$

$$C_c = \frac{D_{30}^2}{D_{10} \times D_{60}} \tag{2}$$

where:

C_c = coefficient of gradation




Figure 3: The USCS triangle

- C_u = uniformity coefficient
- D_{10} = diameter of 10% finer
- D_{30} = diameter of 30% finer
- D_{60} = diameter of 60% finer

2.2.2 Atterberg Limit

Atterberg Limit used to identify the soil properties such as Liquid Limit (LL), Plastic Limit (PL) and Plasticity Index (PI). The type of soil can be determined based on the Plasticity Index's (PI) value and then the value is inserted into the plasticity chart. When the atterberg limit's status is non-plastic, the triangle (figure 3) can be used.

Other than that, here is the formula of Atterberg Limits to calculated Plastic limit from ASTM D 424-54 (3), Liquid limit from ASTM D 422 - 66 (4) and Plasticity index from ASTM D 424 - 74 (5).

$$w = \left(\frac{m_2 - m_3}{m_3 - m_1} \right) \times 100\% \quad (3)$$

$$LL = w \times \left(\frac{N^{0.121}}{25} \right) \quad (4)$$

$$PI = LL - PL \quad (5)$$

wherein:

- w = water content (%)
- N = number of beats
- m_1 = container mass (gr)
- m_2 = container mass + wet soil (gr)
- m_3 = container mass + dry soil (gr)
- PI = Plastic Index (%)
- LL = Liquid limit (%)
- PL = Plastic limit (%)

2.2.3 Direct Shear Stress

This test is used to determine the soil shear stress after its experienced a consolidation by loaded with two-way drainage. On the soil mechanics calculation, the direct shear stress is stated as cohesion (c) and deep friction angle (ϕ) (Adama, 2017). The deep friction angle used to determine the main material in the weir.

2.3 Weir Stability

Weir stability analysis is useful to indicating the forces that worked on the weir. The calculation used are own gravity (G), Earthquake force (K), hydrostatic force (W), Mud pressure (L) and uplift pressure (Px). To calculated own gravity and hydrostatic force the weir was partially divide into several shape such as triangles, rectangulars or trapezoid (Ali, 2014). The earthquake coefficient depends on the construction site. In this study area, K is 0,15. According to Radjulaini (2012), on the construction by using stone should not occur tensile stress. Moment of resistance (Mt) must greater than the moment of rolling (Mg) with the safety factor between 1.5-2. The construction should not shift with the safety factor is 1.2-2.

$$E = Wbs.\alpha \quad (6)$$

$$L_p = \frac{\gamma_s \cdot h^2}{2} \cdot \left(\frac{1 - \sin \phi}{1 + \sin \phi} \right) \quad (7)$$

$$P_x = H_x - \frac{L_x}{L} \cdot \Delta H \quad (8)$$

wherein:

- E = earthquake forces (ton)
- Wbs = own gravity in the vertical direction (ton)
- α = earthquake coefficient
- L_p = force located at 2/3 of the depth of the top of the mud that works horizontally (m)
- γ_s = mud specific gravity ($\gamma_s = 1.6 \text{ kN/m}^3$)
- H = thick mud (m)
- ϕ = friction angle in mud ($\phi=20^\circ$)
- Px = uplift force on x point (kg/m^2)
- Hx = height x (m)
- Δ = high difference (m)
- L = total length of creep line on the weir (m)
- Lx = length of creep line until x point (m)

Dam stability in terms of rolling, sliding, eccentricity and soil bearing capacity were calculated. The dam stability analysis is observed from 2 (two) water level conditions, that is normal water condition and flood water condition. The following are formulas used in this calculation.

$$F_x = \frac{\sum MT}{\sum MG} > 1.25 \tag{9}$$

$$F_x = \frac{\sum V \cdot \tan \phi}{\sum H} > 1.00 \tag{10}$$

$$a = \frac{\sum MT - \sum MG}{\sum H} \tag{11}$$

$$e = \frac{B}{2} - a < \frac{B}{6}$$

$$\sigma = \frac{\sum V}{B} \times \left(1 \pm \frac{6e}{B}\right) < \sigma_{ijin} \tag{12}$$

where:

F_x = safety value

$\sum V$ = total of vertical force

$\sum H$ = total of horizontal force

$\sum MT$ = total of the moment of resistance

$\sum MG$ = total of the moment of rolling

e = eccentricity

σ = soil stress ($\sigma_{ijin} = 3.75 \text{ kg/m}^2$)

3 RESULT AND DISCUSSION

The result and discussion of each analysis that has been done in this study are:

3.1 Field Survey

The following are soil layers in the drill point at a depth of 4 meters.

In this location (figure 4), the description of layers soil are:

- At depth 30 – 100 cm there is silty sand, the colour is brownish yellow, solid and low plasticity.
- At depth 100 – 400 cm there is silty clay with sand insert, the colour is yellow, rather soft – medium, medium – high plasticity.

In this location, the description of layer soil (figure 5) is:

- At depth 0 – 50 cm there is sandy-silt with fine sand grains, the colour is brownish yellow, rather loose and hard.
- At depth 50 – 400 cm there is sand with medium sand grains, the colour is yellow, rather loose – solid.




Figure 4: The sediment log at HB.2

3.2 Laboratory Test

The result of laboratory analysis in the study area are sieve and hydrometer analysis, atterbeg limit and direct shear stress.

3.2.1 Sieve and Hydrometer Analysis

There are the result of sieve and hydrometer analysis from the soil samples taken at 3.5 – 4.00 m in each




Figure 5: The sediment log at HB.3

borehole. Based on the table below, the value will be plotted into the grain-size curve (figure 6).

From the curve, it could be seen that the result of grain size curve has gap graded because it has a combination of more than 2 fractions with the similar gradation. The type of grain size on sieve analysis from the curve above are gravel – fine sand.

Whereas, hydrometer analysis indicated the grain size type as silt – clay. Based on the classification of grain size, the type of soil is sandy loam (SM) with texture non-sticky and non-plastic (figure 7).

The uniformity coefficient (Cu) calculation and coefficient of gradation were carried out using the diameter value that obtained from the curve are $D_{10} = 0.006$, $D_{30} = 0.15852$ and $D_{60} = 0.2723$.

So, the value of Cu and Cc based on the diameter by curve are 45.38 and 15.68. Accordingly, the soil sample has a very good grain uniformity and good gradation.

For HB.3, the result of sieve and hydrometer analysis are (table 3):

From the curve above, indicated the gap graded

Table 2: Result of Sieve and hydrometer analysis of HB.2

	Sieve number	HB.2	
		Diameter (mm)	Percentage (%)
S I E V E	0	0.00	100.0
	4	4.75	96.80
	10	2.00	95.60
	20	0.85	95.10
	30	0.6	94.20
	40	0.425	89.00
	60	0.25	64.70
	100	0.15	29.50
	200	0.075	29.00
H Y D R O M E T E R		0.073	27.07
		0.052	26.14
		0.038	25.22
		0.028	23.37
		0.019	18.75
		0.011	15.06
		0.008	13.21
		0.006	9.52
		0.003	8.59
	0.001	4.9	

Table 3: Result of Sieve and hydrometer analysis of HB.3

	Sieve number	HB.3	
		Diameter (mm)	Percentage (%)
S I E V E	0	0.00	100.0
	4	4.75	97.80
	10	2.00	97.20
	20	0.85	96.70
	30	0.6	95.50
	40	0.425	94.60
	60	0.25	89.70
	100	0.15	65.50
	200	0.075	28.90
H Y D R O M E T E R		0.073	27.02
		0.052	26.09
		0.038	25.17
		0.028	21.48
		0.019	17.80
		0.011	15.03
		0.008	12.26
		0.006	8.58
		0.003	5.81
	0.001	3.96	

soil and has a combination of more than 2 fractions with the same gradation. The type of grain size from sieve analysis are gravel – fine sand. Whereas, from




Figure 6: The grain size curve of HB.2




Figure 7: Type soil in HB.2

Table 4: Atterberg Limit analysis result

Drill no.	Depth (m)	Atterberg limits		
		Wl(%)	Wp(%)	Ip(%)
HB.2	3.50- 4.00	*NP	*NP	*NP
HB.3	3.50- 4.00	*NP	*NP	*NP

*NP = non-plastic

This sample has non-plastic properties because at that depth, the soil layers are clay-silt with sand insertion (HB.2) and medium sand (HB.3).

3.2.3 Direct Shear Stress

This test was done with three-loads, those are 13.4 kg, 28,4 kg and 54.80 kg. After that the value of normal stress and shear stress would be plotted into shear stress graph (figure 10 and figure 11).

The result of direct shear stress from the graph above could be seen in the table below (Table 5).

Table 5: The direct shear stress's value

Bore Number	Cohesion (kg/cm ²)	Friction Angle (degree)
(2)	0.06	34.33
(3)	0.06	33.78

From the table above, could be determined the material that used is stone. Whereas the volume weight is 22 kN/m³.

hydrometer analysis shows silt – clay grain size. Soil type determine from the grain class (figure 9).

The uniformity coefficient (Cu) and coefficient of gradation were calculated with diameter value that determine from the curve are $D_{10} = 0.00698$, $D_{30} = 0.075892$ and $D_{60} = 0.146$.

So, the value of Cu and Cc are 20.92 and 6. Accordingly, the soil sample has very good uniformity of grain and good gradation.

3.2.2 Atterberg Limits

The atterberg limit analysis that performed were liquid limits, plastic limits and index plastic. The test carried out using the sample from 3,50 m – 4,00 m depth in each borehole. The following are the results of liquid limit, plastic limit and plasticity index.




Figure 8: The grain size curve of HB.3




Figure 9: The grain size curve of HB.3




Figure 11: The shear stress graph of HB.3




Figure 10: The shear stress graph of HB.2

3.3 Weir Stability

Weir stability is determined based on the calculation of workforces. The result of forces that worked at Davit Kecil's Dam during normal water condition and

flood water condition.

Table 6: a. The forces that worked at Davit Kecil's Weir in normal water condition

No	Kind of forces	Vertical styles		Horizontal styles	
		V	Direction	H	Direction
1.	Own gravity	-43.07	↓		
2.	Earthquake force			7.69	→
3.	Hydrostatic pressure	0.26	↓	7.28	→
4.	Mud pressure	0.2	↓	5.71	→
5.	Uplift-pressure	8.00	↓	-10.99	←
Total		-34.6		9.79	

The forces that work on normal and a flood condition could be seen by moment direction. On the table above could be seen that MT is -180.21 (normal

Table 7: b. The forces that worked at Davit Kecil’s Weir in normal water condition









No	Kind of forces	Moment			
		MT	Direction	MG	Direction
1.	Own gravity	-180.20			
2.	Earthquake force			17.35	
3.	Hydrostatic pressure	-1.48		24.25	
4.	Mud pressure	-1.15		19.87	
5.	Uplift-pressure	11.33		-32.75	
Total		-171.50		28.72	

Table 8: a. The forces that worked at Davit Kecil’s Weir in normal water condition
















No	Kind of forces	Vertical styles		Horizontal styles	
		V	Direction	H	Direction
1.	Own gravity	-43.07			
2.	Earthquake force			7.69	
3.	Hydrostatic pressure	3.17		15.28	
4.	Mud pressure	0.2		5.71	
5.	Uplift-pressure	-11.06		-15.27	
Total		-34.6	-50.75		13.42

Table 9: b. The forces that worked at Davit Kecil’s Weir in flood water condition

No	Kind of forces	Moment			
		MT	Direction	MG	Direction
1.	Own gravity	-180.20			
2.	Earthquake force			17.35	
3.	Hydrostatic pressure	-14.95		57.77	
4.	Mud pressure	-1.15		19.87	
5.	Uplift-pressure	15.39		-53.32	
Total		-180.92		41.67	

condition) and -180.208 (flood condition). So, the vertical direction from this force is rotated to the right or counter-clockwise (Figure 12).

On the earthquake force, the MG value is 17.35 so as to turn the left or clockwise (Figure 13).

These hydrostatic forces have a two-moment, those are MT and MG that have a different direction. On the normal condition, the MT (righting moment) value is -1.481 and on the flood condition, the MT




Figure 12: Own gravity on the weir




Figure 13: Earthquake force on the weir

(righting moment) value is -14.950. The vertical direction of this force is changed by turn the right or counter-clockwise (Figure 14).

While MG on the normal condition is 24.25 and on the flood condition is 57.77. So the horizontal direction from this force is turned the left or clockwise (Figure 15).

From the table above (6b) (7b), noted that MT value in both conditions is the same, that is -1.15 on the normal and flood condition. So, the vertical direction of this force is changed by turn the right or counter-clockwise (Figure 16).

On the MG, the value of mud pressure is 19.87 on both conditions. So the horizontal direction this force is to turn the left or clockwise (figure 17).

On the uplift-pressure, the MT’s value is 11.33 in normal condition and flood condition is 15.39. So




Figure 14: A hydrostatic force of MT




Figure 16: Mud pressure of MT




Figure 15: A hydrostatic force of MG




Figure 17: Mud pressure of MG

the horizontal direction of MT is turned the right or counter-clockwise (figure 18).

On the uplift-pressure, the MG's value is -32.75 in normal condition and flood condition is -53.32. So the horizontal direction of MG is turned the left or clockwise (figure 19).

The calculation of weir stability are reviewed from rolling, sliding, eccentricity and soil bearing capacity for each water level conditions, there are normal water condition and flood water condition. The calculation can be seen in the table below.

Based on the calculation above, the control of stability weir by rolling in normal and flood water conditions as strong, that is $\geq 1,5$. Davit Kecil's weir is strong to against shear because in the normal water condition the value is $\geq 1,5$ and flood water condition is $\geq 1,00$. This weir is also safe to eccentricity control

Table 10: The calculation of stability at Davit Kecil's Weir in normal water condition and flood water condition

No.	Weir stability	Water level conditions	
		Normal	Flood
1.	Rolling stability	5.971	-4.341
2.	Sliding stability	-2.676	3.706
3.	Eccentricity stability	a	4.127 m
		e	-0.127 m
4.	Soil bearing capacity	c	0.391
			kg/cm^3
		c	0.474
			kg/cm^3

with value $-0,127 \geq 1,333$ in normal water condition and in flood water condition is $1,256 \geq 1,333$. The soil bearing capacity at this weir is done twice in water level conditions with the terms of value $\leq \sigma_{ijin}$ is 3,75




Figure 18: Uplift-pressure of MT




Figure 19: Uplift-pressure of MG

kg/cm^3 . The normal water condition with value σ_1 is $0,391 kg/cm^3$ and σ_2 is $0.474 kg/cm^3$, while in flood water condition with value σ_1 is $1.232 kg/cm^3$ and σ_2 is $0,037 kg/cm^3$. So it is concluded that Davit Kecil's weir in 2 water level conditions has fulfilled that are strongly resist of rolling, strongly resist of sliding, safe of eccentricity and strongly resist of soil bearing capacity.

4 CONCLUSION

Based on the result and discussion in the study area above, then conclusions could be drawn as follows:

- Safety factor to rolling mode is greater than the

minimum safety factor requirement.

- Safety factor to sliding mode is greater than the minimum safety factor.
- Safety factor to eccentricity mode is safe.
- Safety factor to bearing soil capacity is in the range of requirement value for wire building.

ACKNOWLEDGMENTS

Thanks to the Department of Public Works and Housing (Dinas PUPR) Kepulauan Anambas that giving permission and access to the study area.

REFERENCES

Adama, R. A. (2017). *Correlation of Soil Bearing Capacity with Shear Strength Using Vane Shear and Direct Shear Stress Tools*. Universitas Lampung (Thesis).

Ali, I. M. (2014). *Tinjauan Kestabilan Bendung Alopohu di Kabupaten Gorontalo*. Universitas Negeri Gorontalo (Thesis).

ASTM (2007). *Astm d422-63: Standard test method for particle-size analysis of soils*.

Athani, S. S., Solanki, C., Dodagoudar, G., et al. (2015). Seepage and stability analyses of earth dam using finite element method. *Aquatic Procedia*, 4:876–883.

Erman, M. M. and M. (2010). *Desain Bendung Tetap untuk Irigasi*. Bandung: Alfabeta.

Gunasti, Z. K. N. S. A. (2016). Kajian teknis dam sembah patrang kabupaten jember. *Jurnal Rekayasa Infrastruktur Hexagon*, 1(1).

Harseno, E. and Daryanto, E. (2008). Tinjauan tinggi tekanan air di bawah bendung dengan turap dan tanpa turap pada tanah berbutir halus. *Majalah Ilmiah UKRIM Edisi*, 2.

Putra, D. B. E., Choanji, T., et al. (2016). Preliminary analysis of slope stability in kuok and surrounding areas. *Journal of Geoscience, Engineering, Environment, and Technology*, 1(1):41–44.

Sadono, K. W., Goji, P., Rachdian, E. S., and Tommy, S. (2017). Analisis geologi teknik pada kegagalan bendung cipamingkis, bogor. *Provinsi Jawa Barat. Proceeding Seminar Nasional Kebumihan ke*, 10.

Samodra, H. (1995). *Geological Map of The Tarempa and Jemaja Sheet*. Riau.

Sompie, O. B. A., S., D., and Ilyas, T. (2015). (2015). *Pengaruh Proses Konsolidasi Terhadap Deformasi dan Faktor Keamanan Lereng Embankment (Studi Kasus Bendungan Kosinggolan)*. *Prosiding seminar Teknik Sipil*, 1.



CERTIFICATE

ICoSET 2019

== as Presenter ==

This Is To Certify That

Miftahul Jannah

(Dewandra Bagus Eka Putra, Firman Syarif, Joni Triardi, Nopiyanto, Husnul Kausarian)

Has Presented At

ICoSET 2019

(THE 2ND INTERNATIONAL CONFERENCE ON SCIENCE, ENGINEERING, AND TECHNOLOGY)

**“SUSTAINABLE DEVELOPMENT IN DEVELOPING COUNTRY
FOR FACING INDUSTRIAL REVOLUTION 4.0”**

on

September 5-7, 2019

at

SKA Convention and Exhibition Center
Pekanbaru - Indonesia

Organized by Universitas Islam Riau



Rector Of UIR

Prof. Dr. H. Syafrinaldi, SH., MCL

General Chair

Dr. Arbi Haza Nasution, M.IT

CO-ORGANIZERS :



UTM
UNIVERSITI TEKNOLOGI MALAYSIA

**Infrastructure
University**
Kuala Lumpur