

Effect of Thickness on the Photocatalytic Performance of ZnO/SBR Composites

by Muslim Abdurrahman

Submission date: 26-May-2023 10:03AM (UTC+0700)

Submission ID: 2102108375

File name: kness_on_the_Photocatalytic_Performance_of_ZnOSBR_composites.pdf (5.72M)

Word count: 3238

Character count: 19759

2023

Science Letters

VOLUME 17
ISSUE 1, JANUARY



Fakulti
Sains Gunaan

PENERBIT  PRESS
UNIVERSITI TEKNOLOGI MARA

E-ISSN: 2682-8626

(/)

≡ MENU

OPEN ACCESS



ISSN: 1675-7785
eISSN: 2682-8626

[Submit Your Paper \(/index.php?id=2\)](/index.php?id=2)

[Guide For Authors \(/index.php?id=18\)](/index.php?id=18)

[Manuscript Template \(http://scilett-fsg.uitm.edu.my/images/Manuscript.docx\)](http://scilett-fsg.uitm.edu.my/images/Manuscript.docx)

[Abstracting/Indexing \(/index.php/abstracting-indexing\)](/index.php/abstracting-indexing)

Publications

[2022](#)

[2021](#)

[2020](#)

[2019](#)

[2018](#)

[2017](#)

[2016](#)

[ISSUE 1 \(/index.php?id=6\)](#)
[ISSUE 2 \(/index.php?id=11\)](#)



<https://scholar.google.com/citations?user=XHuY-pMAAAJ&hl=en>

1 Editorial Board

Editor-in-Chief

Assoc. Prof. Dr. Ali H. Jawad

School of Chemistry and Environmental Studies, Faculty of Applied Sciences, Universiti Teknologi MARA, Shah Alam, Selangor, Malaysia

Email: ali288@uitm.edu.my (mailto:ali288@uitm.edu.my)

Wastewater Treatment, Photocatalysis, Adsorption, Materials Chemistry, Heterogeneous Catalysis, Porous Materials, Carbon Nanotubes, Environmental Chemistry, Titanium Dioxide, Chitosan



[https://www.scopus.com/authid/detail.uri?](https://www.scopus.com/authid/detail.uri?authorid=36011774300)


authorid=36011774300
https://scholar.google.com.my/citations?user=_uMgRvcAAAAJ&hl=en

1 Advisory Editor

Prof. Dr. Bassim H. Hameed

Department of Chemical Engineering, College of Engineering, Qatar University

E-mail: b.hammedi@qu.edu.qa (mailto:b.hammedi@qu.edu.qa)
(/)




1
Managing Editor

Dr. Mohd Shafiq Aazmi

Faculty of Applied Sciences, Universiti Teknologi MARA (UiTM), Shah Alam, Selangor, Malaysia

Email: shafiqazmi@uitm.edu.my (mailto:shafiqazmi@uitm.edu.my)

Metagenomics, Molecular Biology



1
International Editors

Prof. Raphaël Schneider

Université de Lorraine

Laboratoire Réactions et Génie des Procédés, UMR CNRS 7274, France

E-mail: raphael.schneider@univ-lorraine.fr (mailto:raphael.schneider@univ-lorraine.fr)

Quantum dots, Nanocrystals, Surface functionalization, Fluorescence, Catalysis, Photocatalysis




Prof. Dr. Lee D. Wilson

Department of Chemistry, University of Saskatchewan, Canada

E-mail: lee.wilson@usask.ca (mailto:lee.wilson@usask.ca)

Physical Chemistry, Water, Solution Chemistry, Hydration Phenomena, Macromolecules, Polymers, Biomaterials, Membranes, Porous Materials, Sorption Phenomena, Hydrophobic Effect, Carbohydrates, Self-Assembly, Colloids & Surfactants, Molecular Recognition, Materials & Environmental Science, Chemical Separations



1
Prof. Dr. Emad Yousef

Department of Chemistry, College of Science

Al-Nahrain University, Baghdad, Iraq

E-mail: emadyousef@gmail.com (mailto:emadyousef@gmail.com)




1
Assoc. Prof. Dr. Volkan Degirmenci

School of Engineering, University of Warwick Coventry, CV4 7AL, United Kingdom

E-mail: v.degirmenci@warwick.ac.uk (mailto:v.degirmenci@warwick.ac.uk)

New Catalytic Systems, Biomass, Transition Metal Complexes, Mesoporous & Microporous materials, Hierarchical Mesoporous Zeolites, Silica, Heat & Mass Transfer, Reactor Design



1
Asst. Prof. Dr. Rangabhashiyam Selvasembian

Department of Biotechnology, School of Chemical and Biotechnology, SASTRA Deemed University, Tirumalaisamudram, Thanjavur - 613401, Tamilnadu, INDIA.

E-mail: rambhashiyam@gmail.com (mailto:rambhashiyam@gmail.com)

Bioremediation, Biosorption, Wastewater treatment, Separation Technology




Dr. Zaharaddeen N. Garba

Chemistry Department, Faculty of Physical Sciences, Ahmadu Bello University, Zaria, Nigeria

E-mail: dinigetso2000@gmail.com (mailto:dinigetso2000@gmail.com)

Adsorption, Wastewater treatment



National Editors

1

Assoc. Prof. Dr. Mohd Azmuddin Abdullah

(7)

Institute of Marine Biotechnology, Universiti Malaysia Terengganu,

21030, Kuala Nerus, Terengganu, Malaysia

E-mail: azmuddin@umt.edu.my (mailto:azmuddin@umt.edu.my)

1

Water & Wastewater Treatment, Environmental Analysis, Bioengineering, Biomaterials, Bioenergy, Cell Culture, Natural Products



5

(<https://www.scopus.com/authid/detail.uri?authorid=55595499800>)



authorid=55595499800)

(<https://scholar.google.com/my/citations?user=rg0JhcAAAAJ&hl=en>)

1

Assoc. Prof. Dr. Megat Ahmad Kamal Megat Hanafiah

Department of Chemistry, Faculty of Applied Sciences, Universiti Teknologi MARA Cawangan Pahang, Malaysia

E-mail: makmh@uitm.edu.my (mailto:makmh@uitm.edu.my)

Surface Science (Adsorption), Spectroscopic Analysis, Environmental Pollution



11

(<https://www.scopus.com/authid/detail.uri?authorid=15135440300>)



authorid=15135440300)

(https://scholar.google.com/my/citations?hl=en&user=huGoM7sAAAAJ&view_op=list_works&sortby=pubdate)

Dr. Muhammad Fareez Ismail

10

School of Biology, Faculty of Applied Science, Universiti Teknologi MARA, 40450 Shah Alam, Selangor, Malaysia.

E-mail: fareezismail@uitm.edu.my (mailto:fareezismail@uitm.edu.my)

Microencapsulation, Polymers, Pharmacology, Oncology



6

(<https://orcid.org/0000-0001-6993-5339>)



user=nbPcOQAAAAJ&hl=en)

(<https://scholar.google.com/my/citations?user=nbPcOQAAAAJ&hl=en>)

4

Dr. Mohd Lokman Ibrahim

School of Chemistry & Environment, Faculty of Applied Science, Universiti Teknologi MARA, 40450 Shah Alam, Selangor, Malaysia.

E-mail: mohd_lokman@uitm.edu.my (mailto:mohd_lokman@uitm.edu.my)

Catalysis, Photocatalysis, Renewable Energy, Biodiesel production



6

(<https://www.scopus.com/authid/detail.uri?authorid=56109432600>)



authorid=56109432600)

(<https://scholar.google.com/my/citations?user=LvZCMysAAAAJ&hl=en>)

1

Dr. Sumiyah Sabar

Chemical Sciences Programme, School of Distance Education (SDE)


Universiti Sains Malaysia

E-mail: sumiyahs@usm.my (mailto:sumiyahs@usm.my)

Environmental chemistry, Wastewater treatment, Titanium dioxide, Polysaccharide, Photo degradation



(<https://www.scopus.com/authid/detail.uri?authorid=6506359391>)



authorid=6506359391)

(<http://scholar.google.com/citations?user=wxyWkjwAAAAJ>)

Dr. Ahmed Saud Abdulhameed

Physical Therapy Department, Al-Mansour University College

Baghdad, Iraq

E-mail: ahmedchem339@gmail.com (mailto:ahmedchem339@gmail.com)

Environmental Chemistry, Polymer Composites, Wastewater treatment, Adsorption, Response Surface Methodology



(<https://orcid.org/0000-0002-6281-5868>)



authorid=6506359391)

(<https://scholar.google.com/my/citations?user=zByJcd4AAAAJ&hl=en>)

Webmaster

Language Editor

(<https://scholar.google.com/citations?user=rNNA6UQAAAAJ&hl=en&oi=sra>)

1

Gov Links

University Links

Student Links

Contact



(<https://www.malaysia.gov.my/portal/index>)



(<http://www.mohe.gov.my/>)



(<http://upu.moe.gov.my/web/>)



(<http://www.mampu.gov.my/ms/>)



(<http://www.jpa.gov.my/index.php?lang=ms>)



(<http://www.mqa.gov.my/>)



(<http://www.treasury.gov.my/index.php/en/>)



(<http://akept.mohe.gov.my/>)



(/images/icon/budaya_perdana_uitm.pdf)



(/images/icon/hilai_etika_warga_uitm.pdf)



(<https://www.mdec.my/>)



(<http://mycc.my/>)

- **UITM Main** (<https://www.uitm.edu.my/index.php/en/>)
- Registrar (<https://pendaftar.uitm.edu.my/>)
- Library (<http://library.uitm.edu.my/v4/index.php/en/>)
- Academic Affairs (HEA) (<https://hea.uitm.edu.my/v3/>)
- Student Affairs (HEP) (<https://hep1.uitm.edu.my/main/>)
- Career & Linkages (<https://www.uitm.edu.my/index.php/en/career-linkages>)
- Alumni (<https://alumni.uitm.edu.my/>)
- Vendor (<https://www.uitm.edu.my/index.php/en/vendor>)

- Student Portal (<https://istudent.uitm.edu.my/nsp/home/main.asp>)
- Academic Calender (<https://hea.uitm.edu.my/v3/index.php/calendar/academic-calendars>)
- Intake Calender (<http://pengambilan.uitm.edu.my/kalendar-pengambilan>)
- e-HEP (<https://hep1.uitm.edu.my/main/>)
- i-learn (<http://i-learn.uitm.edu.my/>)
- Fine-Portal (<https://myfinancial.uitm.edu.my/new/>)
- IPSIS (<https://ipsis.uitm.edu.my/v2/>)
- InED-ePJJ/PLK (<https://ined.uitm.edu.my/>)
- International Students Admission (<https://study.uitm.edu.my/>)
- WebOPAC (<http://library.uitm.edu.my/opac.html>)
- JobShop UiTM (http://www.jobshop.uitm.edu.my/index.php?option=com_content&view=frontpage&Itemid=1)
- PTPTN (<https://www.ptptn.gov.my/>)
- Counselling2U (<https://counselling2u.uitm.edu.my/ap-admin/login.cfm>)

**Faculty
Sciences
Universiti T
40450 Shah
Selangor D:
Malaysia**

Telephone :
Fax : +603 5

Official emai
scienceletter

Staff Links

- i-Staff Portal (https://aplikasi.uitm.edu.my/Portal_1-Staff/skrin/)
- HR2U (<https://hr2u.uitm.edu.my/hr2u/>)
- Salam Email (<https://myfinancial.uitm.edu.my/new/>)
- FinePortal (<https://myfinancial.uitm.edu.my/new/>)
- i-learn (<https://i-learn.uitm.edu.my/v3/login>)
- SIMS (<https://sims.uitm.edu.my/>)
- AIMS (<https://aims.uitm.edu.my/curriculum/>)
- PRISMa (<https://prisma.uitm.edu.my/prisma/>)
- Turnitin (<https://www.turnitin.com/>)

2023

DOI: <https://doi.org/10.24191/sl.v17i1>

Published: 2023-01-16

Science
Letters

VOLUME 17
ISSUE 1 JANUARY

Articles Normal Issue

Adsorption of Lead (II) From Aqueous Solution by Using Modified and Unmodified Banana Peels

Siti Kartina Abdul Karim, Nurul Asfa Hadira Abdul Halek, Nurain Johar

1-15

[PDF](#)

Review of Issues and Challenges in the Growing Use of Herbal-Based Products

Salini Devi Rajendran, Nitty Hirawaty Kamarulzaman

16-31

[PDF](#)

Effect of Thickness on the Photocatalytic Performance of ZnO/SBR composites

Razif Muhammed Nordin, Nadia Latiff, Wan Izhan Nawawi, Hairy Pauzi, Mohd Mohd Bashree Abu Bakar, Muhammad NorHayati, Muhammad Khairul Afdhol, Muslim Abdurrahman

32-38

[PDF](#)

An Overview on the Development of Chemical Desulfurization Technology for Organic Sulphur Coal

Syarifah Nursyimi Azlina Syed Ismail, Nurnasulhah Kasim, Mohd Fauzi Abdullah, Siti Nurlia Ali, Mohd Azlan Mohd Ishak, Razi Ahmad

39-55

[PDF](#)

Optimization of Biodiesel Production via In-Situ Esterification for Spent Bleaching Earth Waste (SBEW) using Response Surface Methodology

Asnida Yanti Ani, Mohd Azlan Mohd Ishak, Izzati Halid, Muhammad Luqman Md Ali

56-66

[PDF](#)

Catalytic Pyrolysis of Torrefied Empty Fruit Bunch (EFB) with Sulphated Zirconia

Alina Rahayu Mohamed, Nur Annashuha Zakry, Razi Ahmad, Nur Nasulhah Kasim

67-78

[PDF](#)

Nano-optical Properties of Sputtered Indium Tin Oxide on Black Silicon for Heterojunction Solar Cells

Mohd Zamir Pakhuruddin, Auwal Abdulkadir, Azlan Abdul Aziz

79-95

[PDF](#)

Impact of Annealing Towards Anti-reflection Properties of Al₂O₃ on Silicon

Mohd Zamir Pakhuruddin, Halo Dalshad Omar, Md. Roslan Hashim

96-104

[PDF](#)

Phylogenetic Analysis and Comparative Genomics of *Brucella melitensis* In Human Brucellosis

Jama'ayah Mohamed Zahidi, Rohaidah Hashim, Faiz Foong Abdullah

105-120

[PDF](#)

Antioxidant Activity of Ethanolic Extract of Purple and Orange Sweet Potato (*Ipomoea batatas* L.)

Agustono Wibowo

121-131

[PDF](#)

The Effect of Temperature on Chemical Composition of Oil from Direct Liquefaction of Mukah Balingian Coal in Tetralin-Glycerol Mixed Solvent System

Siti Nurlia Ali

132-144

[PDF](#)



[Home](#) / [Editorial Team](#)

Editor-In-Chief

Dr. Ali H. Jawad

School of Chemistry and Environmental Studies, Faculty of Applied Sciences, Universiti Teknologi MARA, Shah Alam, Selangor, Malaysia

Wastewater Treatment, Photocatalysis, Adsorption, Materials Chemistry, Heterogeneous Catalysis, Porous Materials, Carbon Nanotubes, Environmental Chemistry, Titanium Dioxide, Chitosan

Advisory Editor

Prof. Dr. Bassim H. Hameed

Department of Chemical Engineering, College of Engineering, Qatar University

Reaction Engineering – Adsorption

Managing Editor

Dr. Mohd Shafiq Aazmi

Faculty of Applied Sciences, Universiti Teknologi MARA (UiTM), Shah Alam, Selangor, Malaysia

Metagenomics, Functional Food and Molecular Biology

Language Editors

Reena Abd. Rashid

School of Chemistry and Environmental Studies, Faculty of Applied Sciences, Universiti Teknologi MARA (UiTM), Shah Alam, Selangor, Malaysia

Forensic Entomology, Forensic Sciences

[Make a Submission](#)

Effect of Thickness on the Photocatalytic Performance of ZnO/SBR Composites

N. Latiff¹, R. Nordin^{1,2,3,4*}, W. I. Nawawi¹, M. Z. Salihin^{5,6}, H. Pauzi⁷, M.B.A. Bakar⁸,
M.K. Afdhol⁴, M. Abdurrahman⁴ and M. NorHayati⁹

¹Department of Chemistry, Faculty of Applied Sciences, Universiti Teknologi MARA, Perlis Branch, Arau Campus, 02600 Arau, Perlis, Malaysia

²Green and Functional Polymer Research Group, Universiti Teknologi MARA, 40450 Shah Alam, Selangor, Malaysia

³Advanced Technology Training Center, Manpower Department, Ministry of Human Resource, 34600 Kamunting Taiping, Perak, Malaysia

⁴Department of Petroleum Engineering, Faculty of Engineering, Universitas Islam Riau, Jl. Kaharuddin Nasution No.113 Km. 11, Pekanbaru, Riau – 28284, Indonesia

⁵Faculty of Chemical Engineering Technology, Universiti Malaysia Perlis, Arau 02600, Malaysia.

⁶Biomedical and Nanotechnology Research Group, Center of Excellence Geopolymer and Green Technology, Universiti Malaysia Perlis, Arau 02600, Malaysia

⁷Science and Engineering Research Center, Universiti Sains Malaysia, Engineering Campus, 14300 Nibong Tebal, Pulau Pinang, Malaysia

⁸Faculty of Bioengineering and Technology, Universiti Malaysia Kelantan, Jeli Campus, 17600 Jeli, Kelantan Malaysia

⁹Centre of Foundation Studies, Universiti Teknologi MARA Selangor Branch, Dengkil Campus, 43800, Dengkil, Selangor, Malaysia

Corresponding author: razifmn@uitm.edu.my

Accepted: 9 December 2022; Published: 21 January 2023

ABSTRACT

Photocatalyst of zinc oxide/styrene butadiene rubber (ZnO/SBR) composite with 80/9 (wt./wt.) concentration were prepared by conventional rubber processing technique. The composite was mixed using two-roll mills at 27 °C for 10 min and compressed into a flat sheet with a thickness ranging from 0.15 to 1.08 mm. The characteristics of photocatalyst were studied by Fourier-transform infrared spectroscopy (FTIR) and ultraviolet-visible spectroscopy (UV-Vis). The photocatalyst activity of ZnO/SBR was evaluated using methylene blue (MB) as a pollutant under visible light. The ZnO/SBR with 0.54 mm thickness showed the highest performance of photodegradation of MB compared to other thicknesses. This is due to the sheet buoyancy increasing the light-capturing ability.

Keywords: Styrene Butadiene Rubber, Zinc Oxide, Methylene Blue, Photocatalytic, Visible Light

INTRODUCTION

16

Zinc oxide (ZnO) is an efficient and the most investigated photocatalyst. It is used in many applications [1], for example, chemical sensors, biosensors, solar cells, semiconductors and drug delivery. This is credited to its unique properties like low cost, nontoxicity, high photocatalytic activity with a broad range of absorption energy and being commercially available. However, it had yet to be fully utilised for wastewater treatment due to the costly and time-consuming post-treatment recovery of loose ZnO particles. Thus, extensive research from the government and industry are carried out to immobilise photocatalyst on various substrates such as glass, reactor walls, and synthetic and natural polymers [2]. Among those, polymeric substrates are very promising in wastewater treatment.

Styrene butadiene rubber (SBR) is actively investigated as a substrate in a photocatalyst. SBR offers a wide range of qualities, such as lightweight, easily processed, economically friendly and crack endurance. However, SBR is typically used in applications such as chewing gum, shoe heels, pneumatic and rubber. The current research work by Nordin et al. [3] showed that ZnO/SBR give the highest photocatalysis performance at 80/20 (wt%) compared to ZnO blended with natural rubber (NR), epoxidised natural rubber (ENR) and ethylene propylene diene monomer (EPDM) substrates. In order to expand the usage of ZnO/SBR, it is essential to investigate the effect of photocatalyst thickness on the floating properties. This property is valuable, especially for the photocatalytic degradation of dyes in situations whereby natural sunlight is to be used as the light source. Therefore, this study studied the effect of increasing the thickness of ZnO/SBR sheets ranging from 0.15 mm to 1.08 mm on the photocatalysis of methylene blue.

EXPERIMENTAL

Materials

Styrene butadiene rubber (SBR) 1502, with a styrene content of 23.5 %, was supplied by the Malaysian Rubber Board (MRB), Selangor (Malaysia). ZnO (99.8 % purity) was purchased from CHEMETAL (Malaysia) Sdn. Bhd., Selangor (Malaysia) and methylene blue (MB) (373.88 g/mol) was obtained from HmbG Chemicals, Hamburg (Germany). In this study, the particle sizes of ZnO were in the range of 38–90 μm .

Composites preparation

The preparation of ZnO/SBR at a ratio of 80:20 (wt%) was carried out on a laboratory-sized two-roll mill (160×320 mm) model K-160 (China) friction ratio of rollers 1:1.4 for about 10 min. The samples were compression moulded into a specific thickness using a hydraulic press at 150 bars at 27 °C for 2 min.

Photocatalytic degradation of methylene blue (MB)

The photocatalytic degradation was investigated using MB solution as a model pollutant under visible light (7.5 W Vis-LED lamp, Philips). Photocatalytic degradation was carried out in a 29.61 l closed rectangular compartment (31.9 cm height, 34.9 cm length and 26.6 cm width) equipped with an exhaust fan in a photoreactor. About 2 g square-shaped (3×3 cm) photocatalyst samples were set afloat in a petri dish containing 60 mL MB solution (1.0 mg/l). The solutions were stirred for 15 min at 100 rpm in the dark to achieve adsorption-desorption equilibrium before testing. The photoreactor was then irradiated with constant stirring, and 5 ml of MB solution was collected at regular intervals (20 min) and centrifuged (630 rpm for 10 min). The distance between the petri dish and the Vis lamp was fixed to 10 cm. The concentration of MB was calculated through a calibration curve of the absorbance at $\lambda_{\max} = 661$ nm using a portable UV-Vis spectrophotometer (HACH DR 1900, United States of America). The photocatalytic degradation (D %) of MB was calculated from Equation (1):

$$D \% = \frac{C_0 - C_t}{C_0} \times 100 \quad (1)$$

where C_0 is the initial concentration of MB (mg/l) and C_t is the concentration of MB (mg/l) at irradiation time (t).

RESULTS AND DISCUSSION

Floatability test

The floatability of the ZnO/SBR sheet depends on the right thickness. Setting the right thickness is essential in a way that it could affect light adsorption and photocatalytic performance. The thickness of the ZnO/SBR 80/20 sheet varies at 0.15, 0.30, 0.54 and 1.08 mm. With or without agitation, the 0.15 mm sheet thickness float at the air-water interface while the 1.08 mm sink at the bottom of the petri dish, as shown in Figure 1.




Figure 1: Photograph of (a) float and (b) sink ZnO/SBR sheet

Photocatalytic analysis of ZnO/SBR sheets

Figure 2 illustrates MB molecules' adsorption and photocatalytic decomposition with different ZnO/SBR sheet thicknesses at 360 minutes of irradiation. The thickest sheet has the highest adsorption capacity compared to any other sheet thickness (inset of Figure 2). Also, MB dye continuously decomposed for all sheet thicknesses during the entire irradiation time. The 0.54 mm sheet thickness shows the highest removal efficiency, while the thickest sheet (1.08 mm) has the lowest efficiency. Several reasons can explain the factor that leads to these results. First, the increased amount of ZnO with various sheet thicknesses followed the sequence: $1.08 > 0.54 > 0.30 > 0.15$ mm. This sequence also suggests the adsorptions of MB dye on these sheets 0.15 mm. Bensouici et al. [4] reported that thicker sheet has a larger amount of mass matter, reflecting the higher adsorption process. Furthermore, the 0.54 and 1.08 mm sheets have the advantage of having both sides for adsorption due to direct contact with the MB solution (Figure 3).

Meanwhile, the light intensity decreases in an orderly manner of $0.15 > 0.30 > 0.54 > 1.08$ mm. Voudoukis and Oikonomidis [5] reported that light intensity is inversely proportional to the distance of the light. Between these four sheets, the thinnest sheet has the greatest light intensity compared to other sheet thicknesses due to the closest distance between the sheet and light. Additionally, light travel at a different rate in a different medium. Light travels faster in the air between air and water due to water being denser than air [6]. The floated sheet will get more light than the sunk sheet (Figure 3). It is well known that light is responsible for the redox reactions that happen as it involves the separation of charge on the surface to generate electrons and holes. As photocatalytic is light and catalyst-dependent, the optimum condition is achieved by a 0.54 mm thickness sheet with a balanced amount of light and catalyst.




Figure 2: The remaining MB over irradiation time of ZnO/SBR with different thicknesses and its adsorption capacity (inset)




Figure 3: Adsorption sites and light penetration for different ZnO/SBR sheet thicknesses

CONCLUSION

This study concludes that ZnO/SBR sheet with 0.54 mm thickness shows the highest efficiency (95%) and faster degradation of MB than other thicknesses. It is found that sheet buoyancy increases the light-capturing ability and dissolved oxygen. The thickest sheets have the lowest efficiency, with only 67.7 % MB dye degraded, which is attributed to light intensity reduction. Therefore, it is essential to know that the sheet thickness is not directly proportional to the photocatalytic activity.

10 ACKNOWLEDGMENTS

The authors would like to thank Universiti Teknologi MARA, Perlis Branch, and Faculty of Applied Sciences for providing the facilities and financial support for this research.

8 AUTHOR'S CONTRIBUTION

All the authors have accepted responsibility for the entire content of this submitted manuscript and approved the submission.

CONFLICT OF INTEREST STATEMENT


The authors declare no conflicts of interest regarding this article.

REFERENCES

- [1] Kołodziejczak-Radzimska, A., & Jesionowski, T. (2014). Zinc oxide—from synthesis to application: a review. *Materials*, 7(4), 2833-2881. doi.org/10.3390/ma7042833
- [2] Sohrabi, S., Moraveji, M. K., & Iranshahi, D. (2020). A review on the design and development of photocatalyst synthesis and application in microfluidic reactors: Challenges and opportunities. *Reviews in Chemical Engineering*, 36(6), 687-722. doi.org/10.1515/revce-2018-0013
- [3] Nordin, R., Latiff, N., Yusof, R., Nawawi, W.I., Salihin, M.Z., Ishak, Z.A.M. (2020). Effect of several commercial rubber substrates for zinc oxide in the photocatalytic degradation of



- methylene blue under visible irradiation. *eXPRESS Polymer Letters*, 14(9), 838-847. doi.org/ 10.3144/expresspolymlett.2020.69
- [4] Bensouici, F., Bououdina, M., Iratni, A., Toubane, M., & Tala-Ighil, R. (2015). Effect of thickness on photocatalytic activity of TiO₂ thin films. In *Progress in Clean Energy, Volume 1* (pp. 763-776). Springer, Cham. doi.org/10.1007/978-3-319-16709-1_56
- [5] Voudoukis, N., & Oikonomidis, S. (2017). Inverse square law for light and radiation: A unifying educational approach. *European Journal of Engineering and Technology Research*, 2(11), 23-27. doi.org/10.24018/ejeng.2017.2.11.517
- [6] Brody, J., Griffin, L., & Segre, P. (2010). Measurements of the speed of light in water using Foucault's technique. *American Journal of Physics*, 78(6), 650-653. doi.org/10.1119/1.3373942



Effect of Thickness on the Photocatalytic Performance of ZnO/SBR Composites

ORIGINALITY REPORT

32%
SIMILARITY INDEX

28%
INTERNET SOURCES

21%
PUBLICATIONS

15%
STUDENT PAPERS

PRIMARY SOURCES

1	scilett-fsg.uitm.edu.my Internet Source	10%
2	www.readkong.com Internet Source	4%
3	Razif Nordin, Nadia Latiff, Rizana Yusof, Wan Izhan Nawawi, M.Z. Salihin, Zainal Arifin Mohd Ishak. "Photocatalytic Degradation of Methylene Blue Using Zinc Oxide/Styrene Butadiene Rubber Photocatalyst", Materials Science Forum, 2020 Publication	3%
4	Submitted to Universiti Teknologi MARA Student Paper	3%
5	matematika.unpad.ac.id Internet Source	2%
6	docs.google.com Internet Source	1%
7	www.keyword-suggest-tool.com Internet Source	1%

8	www.degruyter.com Internet Source	1 %
9	doaj.org Internet Source	1 %
10	www.researchgate.net Internet Source	1 %
11	Vardan Galstyan, Abderrahim Moumen, Gayan W.C. Kumarage, Elisabetta Comini. "Progress towards chemical gas sensors: Nanowires and 2D semiconductors", Sensors and Actuators B: Chemical, 2022 Publication	1 %
12	www.tandfonline.com Internet Source	1 %
13	iomps2019.com Internet Source	1 %
14	rcsst.umk.edu.my Internet Source	1 %
15	research.utm.my Internet Source	1 %
16	www.beilstein-journals.org Internet Source	1 %
17	adv-fac.tbzmed.ac.ir Internet Source	1 %

Exclude quotes On

Exclude matches < 1%

Exclude bibliography On