

[JGEET] Editor Decision

JGEET (J. Geoscience Eng. Environ. Technol.) <admin@journal.uir.ac.id> 11 September 2022 pukul 19.59 Kepada: Muhammad Ariyon <aryonmuhammad76@gmail.com>

Muhammad Ariyon:

We have reached a decision regarding your submission to Journal of Geoscience, Engineering, Environment, and Technology, "Economic Feasibility Analysis of Fishing Job Operation in Well YS13".

Our decision is: Revisions Required

JGEET (J. Geoscience Eng. Environ. Technol.) Department of Geological Engineering, Faculty of Engineering, Universitas Islam Riau jgeet@journal.uir.ac.id

Reviewer A: Recommendation: Revisions Required

Paper Number:

36287-1

Paper Title:

Economic Feasibility Analysis of Fishing Job Operation in Well YS13

Date:

10 September 2022

[1] Articles's content rating

Evaluation Criteria

Rounding numbers 1 to 5 evaluate each of these evaluation criteria of the articles contentwhere:

- 5 means complete suitability for publication
- 1 absolute grounds for refusal of the article.

The paper is written under "Instructions for Authors".

4

Paper title reflects the content and purpose of the research.

4

Summary includes information important for understanding the content of the paper.

5

The introduction clearly defines the purpose and objective of the work/research.

5

Worked out a review of previous research in the treated area.

3

The methodology is clearly defined.

3

Showing results support the applied methodology and conclusions.

2

The conclusion is based and contributes to the discharge of treated problems

2

Article is a contribution by the theory / practice.

3

[2] Articles's organization rating

Rounding numbers 1 to 5 evaluate each of these evaluation criteria of the articles contentwhere5 means complete suitability for publication while1 absolute grounds for refusal of the article.

Article organization assessment criteria

The article is well organized and conforms to the "Instructions for authors".

3

The extent of the article is appropriate (up to 16 A4 pages).

5

Figures, tables and pictures are corresponding.

4

Terminology and measurement units are aligned with the metrology rules.

3

The references reflect the topicality of the article.

3

References are cited as directed by (Harvard system).

4

The article is written in standard language, relevant and interesting.

3

[3] Reviewer's recommendation

Choose one of the options, You state the article should:

Conditionally accept with the necessary as recommended by reviewer

[4] General remarks and recommendations of reviewer

There are numerous minor change / edits that need to be made, including definitions of terms and consistent use of abbreviations. However, the large issue is one of the approach taken. There are three elements here:

The way that the "probability of success" is used. As shown here, this is the range in successful outcomes - from very high (85% of predicted) to very low (5% of predicted) - but in all cases, these are all some level of success. Hence this is not the probability of success but rather the range of outcomes.
 The economic outcome is highly dependent on the Ps chosen, yet why a certain level was chosen was not clearly explained.

3. What is missing for a proper economic analysis is the related cost of failure and chance of failure. In other words, what happens if the fishing operation fails? Any NPV should be offset against the cost of failure and the chance of that occurring in an Estimated monetary value (EMV) calculation = (chance of success x value of success) - (chance of failure x cost of failure). That would determine if the procedure should go ahead or not. In some deep and challenging wells, the chance of failure will be high and the cost will be high and as such the fishing operation should not be undertaken.

JOURNAL OF GEOSCIENCE, ENGINEERING, ENVIRONMENT, AND TECHNOLOGY

Department of Geological Engineering

JI. Kaharuddin Nasution No 113 Perhentian Marpoyan, Pekanbaru, Riau 28284 e-mail : jgeet@journal.uir.ac.id, web : http://journal.uir.ac.id/index.php/JGEET

A-10190-Article Text-36287-1-4-20220802_edits.docx 982K http://journal.uir.ac.id/index.php/JGEET



Journal of Geoscience, Engineering, Environment, and Technology Vol xx No xx 20xx

RESEARCH ARTICLE

E-ISSN : 2541-5794 P-ISSN : 2503-216X

Economic Feasibility Analysis of Fishing Job Operation in Well YS13 Muhammad Ariyon^{1*}, Bella Santika¹

¹ Department of Petroleum Engineering, Faculty of Engineering, Islamic University of Riau, Jalan Kaharuddin Nst No. 113 Marpoyan, Pekanbaru, Riau, Indonesia

* Corresponding author : aryonmuhammad76@gmail.com Tel: +62 813 2151 4121 Received: Oct 1, 2022; Accepted: Nov 20, 2022. DOI: 10.24273/jgeet.2016.1.2.001

Abstract

Oil consumption in Indonesia has increased from year to year. However, the increasing demand for oil and natural gas is inversely proportional to oil and gas production, which always declines from year to year. One of the factors causing the decline in production is the well damage. Well YS13 is a well that is damaged in the form of fish in the well. A fishing job is the most appropriate option to solve the problem of the presence of fish in the well because the fish in the well must be removed to continue well production activities or drilling activities. This study aimed to determine the economic feasibility of fishing job activities to be carried out at the YS13 well. The research begins with the preparation of the required data, then calculate the predicted production of the YS13 well with the decline curve method, estimates the cost of the fishing job, and economic fishing time (EFT). And determines the economic feasibility of the fishing job project by calculating profit indicators, namely Net Present Value (NPV), Internal Rate of Return (IRR), and Pay Out Time (POT). The results of calculations using the decline curve method, obtained that the total production for 20 months is 4293.52 bbl. The EFT value is 3 days with Ps = 10% and the total cost of fishing is \$28.657,70. The economic value of the project with discount rate = 12%, MARR = 12%, NPV = \$147.367,20, IRR = 114%, and POT = 1.44. From the results of the calculation of the economic feasibility, the project is considered feasible to be carried out.

Keywords: Fishing Job, Decline Curve, Economic Fishing Time (EFT), NPV, IRR.

1. Introduction

Oil and gas are indispensable resources for the community in supporting daily activities. Hence, it contributes significantly to the economy and industry of a country and is one of the economic and income supports of the state(Erziyanti, 2019). Oil consumption in Indonesia is increasing year after year. In 2015, oil demand was recorded at 1.5 million barrels of oil a day (bopd), and it grew to 1.6 million bopd in 2016 (and 1.6 million bopd in 2017[Taher, 2019]. However, the increasing demand for oil and gas production, which has been in decline for the last few years.

The condition of old wells is <u>often</u> the cause of not optimal exploitation activities resulting in a decrease in the amount of production(Utama, 2014). In addition to the condition of old wells, another factor that causes a decrease in production is damage to wells that still have potential(Wibisono, 2018). One of the damages to the well is the presence of fish in the well which hinders well production activities. Fish is material or equipment left in the well₂, it can be stuck pipe, broken pipe, drill collar, bit, hand tool, cable, etc. (Degeare, 2015).

This fish or equipment left behind needs to be removed to continue the operation to be carried out. Most fish occur during drilling activities, but it is possible for fish to occur in wells that are already operating. Fish in operating wells will certainly hamper production activities which can lead to a decrease in the <u>number amount</u> of production. Therefore, the fish in the well <u>should be removed if deemed</u> <u>economically viablemust be removed</u>. Activities that can be used to remove fish from boreholes are fishing job operations(Lyons and Plisga, 2005). Well YS13 is a directional well that was completed in 2012 and has a potential <u>production</u> of 20 BOPD. Howeve, in 2014 the ESP (Electric Submersible Pump) circuit broke and was left in the well which caused the production process to stop. Therefore, it is necessary to carry out well maintenance to produce the wells again. Well maintenance carried out is a fishing job operation to remove a series of ESP left in the well. The fishing job activity is a well maintenance activity that requires a large amount of money due to time and the equipment needed and are inputs to determine if the for its implementation and time constraints so that the activity can still be considered profitable(Adkins, 1993).

An analysis of the economic feasibility of this well maintenance activity needs to be carried out to make a decision on whether the activity should be carried out or not. To determine the <u>economic</u> feasibility of well YS13, maintenance activities will be calculated from the Net Present Value (NPV), Internal Rate of Return (IRR), <u>dan and</u> Pay Out Time (POT)(Ariyon, Setiawan and Reza, 2020)(William, Kartoatmodjo and Prima, 2017).

2. Methods

2.1 Fishing Job Operation

Fishing is an operation used to solve downhole problems in oil and gas wells. Fishing is a technique of removing lost or trapped objects from the wellbore. The missing object is called fish. Fish can be stuck pipe, broken pipe, drill collar, bit, hand tool, cable, etc(Johnson *et a.*, 2012). – Fishing job is part of planning in drilling and workover operations(Degeare, 2015)

- The factors that cause the occurrence of fish include: 1. mechanical failure such as, pump failure, lifting
- equipment, subsurface equipment

1

First Author et al./ JGEET Vol xx No xx/20xx

Commented [AS1]: Was oil demand the same in 2016 and 2017? If so, reword the sentence to read "and it grew to 1.6 million bopd

Commented [AS2]: Production must have increased in the past as new fields were found only now to decrease.

2. deviation factor, dogleg, and crooked hole

3 human error.

Fishing can be called a risk management strategy. When fishing is successful, the well will be safe and if not, it will suffer a considerable loss (Degeare, 2015). Cost fishing is the cost incurred during fishing job activities carried out. The cost of fishing will be even greater if there is an increase in rig cost and due to excessive depth or indepth, as well as more complex wells.

Daily Fishing Cost = equipt cost + rig cost + operator cost (1)

The YS13 well is an off-production well that will be reactivated by carrying out fishing operations to retrieve fish left in the well. To calculate the fishing economy of the YS13 well, the Economic Fishing Time (EFT) parameter is used.

	Ps ×LPO	(0)
	EFT= DFC	(2
EFT	: Economic Fishing Time (days)	
Ps	: Probability of Success (%)	
LPO	: Loss Potential Oil (\$)	
DFC	: Daily Fishing Cost (\$/day)	

The probability of success is used to determine the time that will be used in a fishing operation. The percentage value of Ps ranges from 5% to 85%. The percentage is obtained from operations that have been carried out previously, although no fishing operation is exactly the same_(Kemp, 1986). Loss potential oil is the potential oil that will be produced if a fishing job is carried out, the value used is the cumulative income from the well (Pertamina, 2015). Daily fishing cost is the cost used in fishing operations per day.

2.2 Decline Curve Analysis

Production from time to time will cause a decrease in pressure which will cause a decline in the production rate per unit of time. This is due to the limited volume of the oil reservoir. The combination of time, production rate, and cumulative production can be used to determine the remaining reserves and production life of a well or oil and gas field_(Lyons, Plisga and Lorenz, 2015). Decline curve analysis is a method used to estimate oil and gas reserves based on production data after a certain time interval (Irwin, 2015).



Fig. 1. Decline curve plot

Decline curves are generally divided into three types based on the exponent decline (b): 1. Exponential (b=0): curve tends to be straight (constant slope)

2. Hyperbolic (0<b<1) : curve tends to be flat 3. Harmonic (b=1): Steep curve (steep decline from beginning)

2.2.1 Trial Error & X2 Chisquare-Test Method

The trial error & X2 chisquare-test method is a method that estimates the price of q assuming various prices of b and determines the smallest difference between q_actual and q_forecast that has been calculated previously (Rukmana and Kristanto, 2011). In addition to the trial error & x2 chisquare-test method, there is also a loss ratio method which is also often used in research.

The calculation procedure for this method is as follows (Rukmana and Kristanto, 2011):

- Create a tab that contains: time (t), q_{actual}, q_{forecast} a. and Di with various prices b, and X2
- b. Assume the value of b is from 0 to 1 (b = 0 for exponential, b = 0.1 - 0.9 for hyperbolic, b = 1 for harmonic) Calculate D_i with equations:
- с.

$$Di = \frac{\ln \left(\frac{q_i}{q_t}\right)}{t_t}$$

(3)

(4)

(6)

b) b = 0.1 - 0.9

$$Di = \frac{\left(\frac{q_i}{q_t}\right)^b - 1}{b.t_t}$$

$$Di = \frac{\left(\frac{q_i}{q_t}\right) - 1}{t_t}$$
(5)

Calculate $q_{forecast}$ with equations: d. a) b = 0

$$Di = q_n e^{-\alpha_i t}$$

$$Di = q_i (1 + bD_i t)^{-1/b}$$
 (7)

c) b = 1

e

$$Di = q_i(1 + D_i t)^{-1}$$
 (8)

The value of $q_i = q_{actual}$, the value of D_i is obtained from step 3 and the value of t = dtCalculate the X² equation (difference between

actual and forecast) using the chisquare-test equation:

$$X^{2} = \Sigma \left[\frac{(fi - Fi)^{2}}{Fi} \right]$$
(9)

where : fi = observation data (actual) data points being analyzed

- Fi = expected data (estimate) Repeat the calculation procedure in steps 3 to 5 to
- f. calculate the next steps.
- Determine \sum the smallest value of X². The smallest g. value of $\sum X^2$ shows the most suitable curve to

First Author et al./ JGEET Vol xx No xx/20xx

Commented [AS4]: Is 'q' here production rate? If so, it should be defined in the text or a footnote. Also, be consistent of using "q" or "Q" but not both as shown here.

Commented [AS3]: I am sorry but I do not believe that this is the correct definition of the probability of success. As used here, this is the range in successful outcomes - from very high (85% of predicted) to very low (5% of predicted) - but in all cases these are some level of success. What is missing is the related cost of failure and chance of failure. In other words, what happens if the fishing operation fails? Any NPV should be offset against the cost of failure and the chance of that occurring in an EMV calculation.

represent the data points being analyzed with the price of:

- a) Exponential decline : b= 0 b) : b = 0.1 – 0.9
- Hyperbolic decline c) Harmonic decline : b = 1

2.3 Economic feasibility

Oil and gas activities carried out in the oil and gas industry must be carried out with precise calculations so that there are no lossesthe potential for financial loss are minimized. For this reason, it is necessary to carry out an economic analysis of the activities to be carried out (Rahman and Damayanti, 2021). This analysis will determine whether the activity is feasible or not. The economic analysis carried out is to calculate the feasibility parameter for oil and gas activities, namely the Net Present Value (NPV), Internal Rate of Return (IRR), dan Pay Out Time (POT) (Novrianti, 2017).

2.3.1 Net Present Value (NPV)

NPV is a method of calculating net value at the present time. The present time in question is the initial time of calculation in year 0 in the calculation of investment cash flow_(Drs. M. Giatman, 2006). NPV is used to assess the feasibility of a project. If the NPV is positive, then the project is worth doing, because it will provide benefits(Shereih, 2017).

$$NPV = NFC_0 + \frac{NFC_1}{(1+i)^3} + \frac{NFC_2}{(1+i)^2} + \dots + \frac{NFC_n}{(1+i)^n}$$
(10)
FC_0 = cash flow year-0
FC_n = cash flow year-n

= discount rate i

N Ν

2.3.2 Internal Rate of Return (IRR)

IRR or Internal Rate of Return is the interest price that causes the value of cash inflow to be equal to cash outflow if this cash flow is discounted for a certain time (Fiqri, 2013). IRR can be interpreted as the interest rate that causes NPV = 0(Shereih, 2017). The value of the IRR can be expressed in the following equation:

$$IRR = i_1 + \left(\frac{NPV_1}{NPV_1 - NPV_2}\right) \times (i_2 - i_1)$$
(11)

NPV₁ = Net Present Value (+) NPV₂ = Net Present Value (0) i1 = discount rate (NPV (+))

= discount rate (NPV (0)) i2

2.3.3 Pay Out Time (POT)

Pay out time (POT) is the time required to return capital or investment(Sari, 2011). POT is calculated to find out how long it will take for the investment to be returned(Drs. M. Giatman, 2006). The POT value can be expressed in the following equation:

$$POT = n_1 + (n_2 - n_1) \left(\frac{Cumulative NCF_1}{(Cumulative NCF_1 + Cumulative NFC_2)} \right)$$
(12)

POT = Pay out time

NFC₁ = Net cash flow 1

NFC₂ = Net cash flow 2

- = year when cumulative NCF is negative (-) nı = year when cumulative NCF is positive (+) n_2

3. Results

3.1 Production Forecast

| | | - | |

Determination of the type of decline curve with the Trial-Error method is carried out by calculating the estimated production rate at various exponential decline values (b), namely from b = 0 to b = 1. The X² Chi-Square method is used to determine the decline curve that best fits the q vs t graph in the previous Trial-Error method. From the production data used in the calculation of this method. it is found that the most suitable type of decline curve is the exponential type with b = 0 and the decline rate value 0 14086

Table 1 Trial-Error & X2 Chi-Square Tabulation

1 1

Q(BOPD) 1138						mad in	1000								the second data	10					Harmo
1138	=q	0	=	1.0	= p=	0.2	=q	03	=q	0.4	= p=	60	= p=	0.6	=q	0.7	= p=	0.8	-a	6.0	=
1138	Di=	0.14086	Di=	0.15685	Di=	0.17531	Di=	0.19665	Di=	0.2214	Di=	0.250166	Di= 0	1.283663	Di=	0.322754	Di =	368461	Di=	0.422008	Di=
1138	ob	R	ab	x	6	R	0b	x	аb	R	0 b	ĸ	0b	R	66	8	0b	ĸ	0b	z	8
	988.55	0.15	974.06	0.17	957.96	0.19	940.15	0.21	920.54	0.24	01.668	0.27	875.81	0.30	850.74	0.34	824.02	0.38	795.83	0.43	766.47
985	742.95	0.33	723.05	0.36	69'102	0.40	678.97	0.45	655.03	0.50	630.06	0.56	604.31	0.63	578.09	0.70	551.73	0.78	525.57	0.87	499.93
1240	812.83	0.53	783.13	0.58	752.24	0.65	720.49	0.72	688.20	0.80	65579	0.89	623.66	: 66.0	592.21	60'1	18:195	121	532.76	1.33	505.31
2241	127590	0.76	1219.69	0.84	1162.88	0.93	1106.16	1.03	1050.22	1.13	995.75	1.25	943.34	1.38	893.50	1.51	846.61	\$971	802.92	1.79	762.54
1030	509.31	1.02	484.13	1.13	459.32	1.24	435.17	1.37	411.95	1.50	389.89	1.64	369.14	: 62.1	349.83	1.94	332.01	2.10	315.68	2.26	300.81
1033	443.74	1.33	420.31	1.46	397.74	0971	376.26	1.75	356.03	1.90	337.18	2.06	319.77	2.23	303.82	2.40	16.983	2.57	276.16	2.74	264.31
1270	473.69	1.68	448.02	1.83	423.78	2.00	401.13	2.17	380.18	2.34	36096	2.52	343.45	2.70	327.60	2.88	313.31	3.05	300.48	3.23	288.98
1216	393.91	2.09	372.76	2.26	353.13	2.44	335.09	2.63	318.63	2.82	3 03.72	3.00	290.28	3.19	278.21	3.37	267.42	3.55	257.78	3.72	249.17
6511	323.30	2.55	306.69	2.75	291.51	2.94	27.75	3.14	265.33	3.33	25420	3.52	244.24	3.70	235.36	3.88	227.45	4.05	220.42	4.21	214.16
1041	254.38	3.09	242.36	3.29	231.53	3.49	221.80	3.69	213.12	3.88	20538	4.07	15.861	4.24	192.41	4.41	186.99	4.56	182.18	4.71	16:171
1022	217.02	3.71	208.05	3.91	200.05	4.11	192.94	4.30	186.63	4.48	181.04	4.64	176.10	4.80	171.72	4.95	167.85	5.09	164.41	5.22	161.36
570	105.17	4.42	101.63	4.61	98.50	4.79	95.74	4.96	93.31	5.11	91.16	5.25	89.26	5.39	87.59	5.51	86.11	5.62	84.79	5.72	83.63
598	9584	5.24	93.52	5.40	91.48	5.54	89.68	5.67	88.12	5.79	86.74	5.90	85.52	5.99	84.45	6.08	83.50	91.6	82.66	6.24	1618
655	0116	61.9	8992	6.28	88.89	6.37	87.98	6.44	87.19	6.51	86.49	6.57	85.88	6.62	85.34	6.67	84.86	17.9	84,44	6.75	84.06
138	16.63	7.27	16.63	7.27	16.63	7.27	16.63	7.27	16.63	7.27	16.63	7.27	16.63	7.27	16.63	7.27	16.63	7.27	16.63	7.27	16.63
		40.35		42.14		43.96		45.78		47.60		49.42		51.23		53.01		54.77		56.50	

The estimated production of the YS13 well is calculated using the exponential decline curve method. Estimated

First Author et al./ JGEET Vol xx No xx/20xx

production is calculated from April 1, 2022 – November 1, 2023 (20 months), the YS13 well is capable of producing 4293.52 bbl of oil.

Table	2	Forecast	Production

Time (t)	q (BOPD)	Np (bbl/month)
1-Apr-22	20	600.00
1-May-22	17.37	521.16
1-Jun-22	15.09	452.69
1-Jul-22	13.11	393.21
1-Aug-22	11.38	341.54
1-Sep-22	9.89	296.67
1-0ct-22	8.59	257.69
1-Nov-22	7.46	223.83
1-Dec-22	6.48	194.42
1-Jan-23	5.63	168.87
1-Feb-23	4.89	146.68
1-Mar-23	4.25	127.41
1-Apr-23	3.69	110.67
1-May-23	3.20	96.13
1-Jun-23	2.78	83.50
1-Jul-23	2.42	72.53
1-Aug-23	2.10	63.00
1-Sep-23	1.82	54.72
1-0ct-23	1.58	47.53
1-Nov-23	1.38	41.28

3.2 Economic of Fishing

The economic calculation of fishing jobs in the YS13 well is carried out with several parameters, namely production potential of 20 bopd, an oil price of \$74.73 per bbl, estimated time of economic production for 13 months, and production cost (ESP rental) of \$249.55 per day.

In table 3, the well production and income generated are calculated for 20 months. However, in the 14th month, production was deemed uneconomical because the income was smaller than the cost of production.

Table 3 Production Income

Time (month)	Production (bopd)	Cumulative Production	h	ncome (\$)	Cum	ulative Income
		(bbl/bulan)				(3)
1	20	600	s	44,838.00	s	44,838.00
2	17.37	521.16	s	38,946.58	s	83,784.58
3	15.09	452.69	s	33,829.26	\$	117,613.85
4	13.11	393.21	s	29,384.32	\$	146,998.17
5	11.38	341.54	s	25,523.42	\$	172,521.58
6	9.89	296.67	s	22,169.81	s	194,691.39
7	8.59	257.69	s	19,256.84	s	213,948.23
8	7.46	223.83	s	16,726.62	s	230,674.86
9	6.48	194.42	s	14,528.85	s	245,203.71
10	5.63	168.87	s	12,619.86	s	257,823.57
11	4.89	146.68	s	10,961.69	s	268,785.26
12	4.25	127.41	\$	9,521.40	s	278,306.66
13	3.69	110.67	\$	8,270.35	s	286,577.01
14	3.20	96.13	\$	7,183.68	s	293,760.69
15	2.78	83.50	\$	6,239.79	s	300,000.49
16	2.42	72.53	\$	5,419.93	s	305,420.41
17	2.10	63.00	\$	4,707.78	s	310,128.20
18	1.82	54.72	\$	4,089.21	s	314,217.41
19	1.58	47.53	\$	3,551.92	s	317,769.33
20	1.00	41.00		2 005 22	~	220.054.55

To calculate the economics of fishing jobs, it is necessary to calculate the economic fishing time (EFT). EFT is the time limit for carrying out fishing operations that are still considered economical. To calculate it, daily fishing cost data is needed, as also the probability of success. In table 4, it can be seen the costs needed to carry out fishing operations per day. The EFT calculation is highly dependent on the probability of success (Ps) value. In the fishing operation, the YS13 Ps well is determined at 10% and the EFT is obtained for 3 days. With a duration of 3 days, the fishing operation requires a total cost of \$ 28,657.70.

Table 4	Daily	Fiching	Ioh	Cost
Table 4	Dality	risining	JUD	COSL

3BM Fishing Tools Fishing Jars	\$ \$ \$	246.84 3,500.00 2,000.00
3BM Fishing Tools	\$ \$	246.84 3,500.00
BBM	\$	246.84
supervise	\$	62.23
Daily operation	\$	4,247.04

Table 5 Probability of Success and EFT Well YS13

Probability of Success (%)	Economic Fishing Time (Days)
5%	1
10%	3
15%	4
20%	6
25%	7
30%	9
35%	10
40%	11
45%	13
50%	14
55%	16
60%	17
65%	19
70%	20
75%	21
80%	23
85%	24

3.3 Economic Feasibility

In table 6, it can be seen that the economic parameters of the YS13 well used in the economic feasibility analysis of the YS13 well fishing job are assessed from the NPV, IRR, and POT. Produce the YS13 well, requires production costs in the form of ESP rental with a total of \$ 7486.50 per month. The cash flow of the YS13 well can be seen in table 7.

Table 6 Economic Feasibility	Parameters	
------------------------------	------------	--

Capex	\$ 28,657.70
Oil Price	\$ 74.73
i (<i>discount rate</i>) /year	12%
MARR	12%
ESP rent (/day)	\$ 249.55

Commented [AS6]: Need to define MARR

Commented [AS5]: Since the Ps is a critical factor, the authors need to define how they arrived at the 10% Ps value.

Table 7 Cash Flow Well YS13

Time (month)	Np (bbl/month)	Cash In	Cash Out	Ne	t Cash Row	С	umulative NCF
0	0	\$	\$ 28,657.70	\$	(28,657.70)	\$	(28,657.70)
1	600.00	\$ 44,838.00	\$ 7,486.50	\$	37,351.50	\$	8,693.80
2	521.16	\$ 38,946.58	\$ 7,486.50	\$	31,460.08	\$	40,153.88
3	452.69	\$ 33,829.26	\$ 7,486.50	\$	26,342.76	\$	66,496.64
4	393.21	\$ 29,384.32	\$ 7,486.50	\$	21,897.82	\$	88,394.47
5	341.54	\$ 25,523.42	\$ 7,486.50	\$	18,036.92	\$	106,431.38
6	296.67	\$ 22,169.81	\$ 7,486.50	\$	14,683.31	\$	121,114.69
7	257.69	\$ 19,256.84	\$ 7,486.50	\$	11,770.34	\$	132,885.03
8	223.83	\$ 16,726.62	\$ 7,486.50	\$	9,240.12	\$	142,125.15
9	194.42	\$ 14,528.85	\$ 7,486.50	\$	7,042.35	\$	149,167.51
10	168.87	\$ 12,619.86	\$ 7,486.50	\$	5,133.36	\$	154,300.87
11	146.68	\$ 10,961.69	\$ 7,486.50	\$	3,475.19	\$	157,776.06
12	127.41	\$ 9,521.40	\$ 7,486.50	\$	2,034.90	\$	159,810.96

3.3.1 Net Present Value (NPV)

Calculation of NPV in well YS13 using a discount rate (i) of 12% per year or 1% month, the results obtained are NPV = \$147,367.20 for 12 months. With a positive NPV value, the fishing operation on the YS13 well is considered feasible because it is considered economical.

Table 8 Net Present Value	(NPV) Well YS13
---------------------------	-----------------

Time (month)		Net Cash Flow		PV Factor	PV	
	0	\$	(28,657.70)	-		
	1	\$	37,351.50	0.9901	\$	36,981.68
	2	\$	31,460.08	0.9803	\$	30,840.20
	3	\$	26,342.76	0.9706	\$	25,568.02
	4	\$	21,897.82	0.9610	\$	21,043.38
	5	\$	18,036.92	0.9515	\$	17,161.51
	6	\$	14,683.31	0.9420	\$	13,832.34
	7	\$	11,770.34	0.9327	\$	10,978.41
	8	\$	9,240.12	0.9235	\$	8,533.10
	9	\$	7,042.35	0.9143	\$	6,439.10
	10	\$	5,133.36	0.9053	\$	4,647.16
	Total PV			\$	176,024.90	
			NPV		s	147.367.20

3.3.2 Internal Rate of Return (IRR)

The internal rate of return (IRR) of the YS13 well is calculated using Goal Seek in Microsoft Excel so that the NPV value = 0. From the calculations carried out, the IRR value = 114%, which means the project is considered feasible because the IRR is greater than MARR (12%).

Table 9 Internal Rate of Return	(IRR) Well	YS13
	•		

Time (month)	Ne	et Cash Flow	PV Factor	PV
0	\$	(28,657.70)	-	
1	\$	37,351.50	0.4669	\$ 17,438.75
2	\$	31,460.08	0.2180	\$ 6,857.64
3	\$	26,342.76	0.1018	\$ 2,680.91
4	\$	21,897.82	0.0475	\$ 1,040.47
5	\$	18,036.92	0.0222	\$ 400.13
6	\$	14,683.31	0.0104	\$ 152.08
7	\$	11,770.34	0.0048	\$ 56.92
8	\$	9,240.12	0.0023	\$ 20.86
9	\$	7,042.35	0.0011	\$ 7.42
10	\$	5,133.36	0.0005	\$ 2.53
	Total PV			\$ 28,657.70
NPV			\$ (0.00)	

3.3.3 Pay Out Time (POT)

According to calculations already done, the POT of the YS13 well was acquired at 1.44 months. The project is declared feasible and capital refunds can be accomplished in a relatively short period of time.

4. Conclusions

Based on research already done it can be concluded that:

- The production of the YS13 well is capable of producing 4293.52 bbl of oil in the period 1 April 2022

 1 November 2023 (20 months).
- The results of the economic analysis of fishing wells YS13 with a probability of success of 10% obtained the EFT value is 3 days and requires a total cost of \$ 28,657.70.
- Economic feasibility analysis on YS13 well with a capital of \$ 47,012.59, oil price \$ 74.73/bbl, discount rate 12% per year, and production cost (ESP rental) \$249.55/day. Obtained an NPV value of \$ 147,367.20, an IRR of 114%, and a POT of 1.44 months, which is considered a feasible project to do.

References

Adkins, C. S. (1993) 'Economics of fishing', JPT, Journal of Petroleum Technology, 45(5), pp. 402–404. doi: 10.2118/20320-PA.

Ariyon, M., Setiawan, A. and Reza, R. (2020) 'Economic Feasibility Study of Onshore Exploration Oil Field Development using Gross Split Contract Economic Feasibility Study of Onshore Exploration Oil Field Development using Gross Split Contract', *IOP Conference Series: Materials Science and Engineering.* doi: 10.1088/1757-899X/847/1/012030.

Degeare, J. (2015) The guide to oilwell fishing operations: tools, techniques, and rules of thumb. 2nd edn, Gulf Professional Publishing. 2nd edn. Oxford. doi: 10.1016/c2013-0-01347-3.

Erziyanti, M. O. (2019) Kerjasama Indonesia-Tiongkok Di Sektor Migas (Studi Kasus: Joint Operating Body Pertamina-Petrochina East Java Di Blok Tuban Dalam Meningkatkan Produksi Minyak Periode 2012-2017), Universitas Pembangunan Nasional Veteran. Universitas Pembangunan Nasional Veteran.

Fiqri, A.; S. I. (2013) 'Analisis Keekonomian Psc No Cost Recovery Dan Pengaruh Penggunaan Sliding Scale Share Before Tax Pada Pengembangan Lapangan Cbm "Z" Di Cekungan Kutai', *Ahmad Fiqri dan Syamsul Irham*, 53(9), pp. 1689–1699.

Giatman, M (2006) *Ekonomi Teknik*. Edited by A. Aliludin. Jakarta: PT Raja Grafindo Persada.

Irwin, R. W. (2015) 'Penentuan Isi Awal Minyak dan Peramalan Produksi-nya dengan Decline Curve Analysis di Lapangan "R", *Seminar Nasional Cendekiawan 2015*, pp. 411-421.

Johnson, E. et al. (2012) 'Landing the big one-the art of fishing', Oilfield Review, 24(4), pp. 26–35.

Kemp, G. (1986) *Oilwell Fishing Operations: Tools and Techniques.* Houston: Gulf Publishing Company.

Lyons, W. C. and Plisga, G. J. (2005) *Standard Handbook of Petroleum & Natural Gas Engineering*. 2nd edn. Oxford: Gulf Professional Publishing.

Lyons, W. C., Plisga, G. J. and Lorenz, M. D. (2015) Standard Handbook of Petroleum and Natural Gas Engineering. Third, Standard Handbook of Petroleum and Natural Gas Engineering. Third. Oxford: Gulf Professional Publishing. doi: 10.1016/B978-0-12-383846-9.09991-4.

Novrianti, N. (2017) 'Studi Kelayakan Pekerjaan Pemilihan Zona Produksi dan Squeeze off Cementing pada Sumur MY05', Journal of Earth Energy Engineering, 6(2), pp. 1–8. doi: 10.25299/jeee.2017.vol6(2).755.

Pertamina (2015) Keekonomian Fishing Sumur R. Aceh Tamiang: Report PT. Pertamina Hulu Rokan Zona 1 Field Rantau.

Rahman, H. and Damayanti, S. M. (2021) 'Financial Feasibility Study of Oil and Gas Well in Indonesia Case Study: New Oil and Gas Well in PT ABC', European Journal of Business and Management Research, 5(6), pp. 1-9. doi: 10.24018/ejbmr.2020.5.6.626.

Rukmana, D. and Kristanto, D. (2011) Teknik Reservoir: Teori dan Aplikasi. Yogyakarta: Pohon Cahaya.

Sari, N. (2011) Ekonomi Teknik. Surabaya: Yayasan Humaniora.

Shereih, K. (2017) Economics Modeling for Petroleum Exploration and Production Projects Considering Risk and imprecise Data. Berlin: Technischen Universität Berlin.

Taher, W. P. (2019) 'Langkah Strategis Meningkatkan Produksi Minyak Bumi', Bulletin SKK Migas. Available at: https://skkmigas.go.id.

Utama, E. R. (2014) 'Analisis Faktor-Faktor Yang Mempengaruhi Impor Minyak Mentah Di Indonesia', Journal of Economics and Policy, 7(1), pp. 85–91. doi: 10.15294/jejak.v7i1.3845.

Wibisono, K. (2018) 'Pengelolaan Lapangan "Tua" Studi Kasus Lapangan Sembakung, Kalimantan Utara', Prosiding Seminar Nasional Cendekiawan, pp. 423-428.

William, Kartoatmodjo, T. and Prima, A. (2017) 'Studi Kelayakan Keekonomian Pada Pengembangan Lapangan', Seminar Nasional Cendekiawan, pp. 273-278.



sa/4.0/).

© 2016 Journal of Geoscience, Engineering, Environment and Technology. All rights reserved, the san open access article distributed under the eterms of the CC BY-SA License (http://creativecommons.org/licenses/by-

First Author et al./ JGEET Vol xx No xx/20xx



► 🕅 39403 Article Text, Revisi Paper M_A	riyon.docx	December 13, 2022	Article	Article Text	
Review Discussions			Add dis	cussion	
Name	From	Last Reply	Replies	Closed	
	No Items				