eecsi 2018

Organizer: UMM Universitas Muhammadiyah Malang

Sponsored by: RISTEKDIKTI

Technical Co.Sponsorship: IEEE Indonesia Section

CONFERENCE PROGRAM AND ABSTRACT

2018 5th International Conference on Electrical Engineering, Computer Science and Informatics

Indexed by: Scopus®

October 16 - 18, 2018

Ijen Suites Resort & Convention Malang, Indonesia

Co.Organizers:

Universitas Diponegoro Semarang

Universitas Ahmad Dahlan

Universitas Islam Sultan Agung UNISSULA

iaes Institute of Advanced Engineering and Science

UTM Universiti Teknologi Malaysia

EECSI 2018 Partners and Supporters

Organizer:

UMM
UNIVERSITAS MUHAMMADIYAH MALANG

Sponsored by:

RISTEKDIKTI

Technical Co.Sponsorship:

IEEE
INDONESIA SECTION

Co.Organizers:

Universitas Diponegoro Semarang

Universitas Ahmad Dahlan

Universitas Sriwijaya

Universitas Islam Sultan Agung
UNISSULA

iaes
Institute of Advanced Engineering and Science

UTM
UNIVERSITI TEKNOLOGI MALAYSIA

Foreword from Rector of Universitas Muhammadiyah Malang

The advent of the next generation of technology, renown as Technology 4.0, is unavoidably incessant. This so-called technology has offered a new horizon in various aspects of man-beings' lives. To be particular in the fields of electrical engineering, electronics, computer science, computer engineering, and informatics, Technology 4.0 plays its potent role to underpin the future advancement of technology for the coming generations. Scientific forum titled as the 2018 5th International Conference on Electrical Engineering, Computer Science, and Informatics (EECSI 2018) hosted by University of Muhammadiyah Malang in collaboration with a number of universities is the manifestation of continuous effort to aim for the ever-changing technology.

Hereby, I would like to congratulate the Faculty of Engineering, University of Muhammadiyah Malang for their effort in organizing the 2018 5th International Conference on Electrical Engineering, Computer Science, and Informatics (EECSI 2018). I appreciate all co-organizers such as Universitas Diponegoro, Universitas Ahmad Dahlan, Universitas Sriwijaya, Universitas Islam Sultan Agung, Universitas Budi Luhur, and Universiti Teknologi Malaysia

for their support in this mutual collaboration. Without the full and valuable supports from the international committee, international reviewers, and steering committee, this international conference remains a detached discourse without high commitment to conduct.

The expression of my high gratitude is devoted to the Ministry of Research, Technology, and Higher Education (Kemenristekdikti) Republic of Indonesia, IEEE Indonesia Section, and IAES Indonesia Section for their support to this event as the sponsors and technical co-sponsorship, respectively. Expectantly, this would be the initial and continual collaboration in the future.

To all speakers, presenters, and participants, thank you for participating and welcome to this conference. The success of this conference owes so much on your participation and contribution in promoting the knowledge, information, and robust creativity. To end with, this conference expectedly becomes an arena to build mutual ties among the academicians, researchers, industries, and society.

All the best to EECSI 2018

Dr. H. Fauzan, M.Pd
Rector Universitas Muhammadiyah Malang
Malang, Indonesia

Organizing Committee of EECSI 2018 Conference

Steering Committee

- Adam Skorek, IEEE MGA Awards and Recognation Chair (R7) Trois-Rivières, QC, Canada
- Pekik Argo Dahono, IEEE Indonesia Chapters Chair (EdSoc/EDS/PELS/SPS)
- Mochamad Ashari, Telkom University, Bandung, Indonesia
- Tumiran, Universitas Gadjah Mada, Yogyakarta, Indonesia
- Hermawan, Universitas Diponegoro, Semarang, Indonesia
- Zainudin Nawawi, Universitas Sriwijaya, Palembang, Indonesia
- Rahmat Budiarto, Albaha University, Baha, Saudi Arabia
- Sri Arttini Dwi Prasetyowati, Universitas Islam Sultan Agung, Semarang, Indonesia
- Kartika Firdausy, Universitas Ahmad Dahlan, Yogyakarta, Indonesia
- Siti Nurmaini, Universitas Sriwijaya, Palembang, Indonesia
- Ahmad Mubin, Universitas Muhammadiyah Malang, Indonesia

General Chair

- Tole Sutikno, IAES Indonesia

General Co-Chair

- Zulfatman, Universitas Muhammadiyah Malang, Indonesia
- Anton Yudhana, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

Finance and Treasurer

- Wiwiek Fatmawati, Universitas Islam Sultan Agung, Semarang, Indonesia
- Lailis Syafa'ah, Universitas Muhammadiyah Malang, Indonesia
- Lina Handayani, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

Publication Chairs

- Munawar A. Riyadi, Universitas Diponegoro, Semarang, Indonesia
- Balza Achmad, Universitas Gadjah Mada, Yogyakarta, Indonesia
- Yuda Munarko, Universitas Muhammadiyah Malang, Indonesia
- Wahyu A. Kusuma, Universitas Muhammadiyah Malang, Indonesia

Publicity Chairs

- Imam Much Ibnu Subroto, Universitas Islam Sultan Agung, Semarang, Indonesia
- Maskur, Universitas Muhammadiyah Malang, Indonesia
- Son Ali Akbar, Universitas Ahmad Dahlan, Yogyakarta, Indonesia
- Sam F. Chaerul, Universitas Islam Sultan Agung, Semarang, Indonesia
- Ahmad Heryanto, Universitas Sriwijaya, Palembang, Indonesia

Public Relations Chairs

- Aina Musdholifah, Universitas Gadjah Mada, Yogyakarta, Indonesia
- Amrul Faruq, Universitas Muhammadiyah Malang, Indonesia
- Reza Firsandaya Malik, Universitas Sriwijaya, Palembang, Indonesia
- Muhammad Syafrullah, Universitas Budi Luhur, Jakarta, Indonesia
- Muhammad Qomaruddin, Universitas Islam Sultan Agung, Semarang, Indonesia
- Krisna Adiyarta, Universitas Budi Luhur, Jakarta, Indonesia

Local Arrangement, Exhibits & Registration Chairs

- Ermanu Azizul Hakim, Universitas Muhammadiyah Malang, Indonesia
- M.Irfan, Universitas Muhammadiyah Malang, Indonesia
- Galih Wasis Wicaksono, Universitas Muhammadiyah Malang, Indonesia
- Lailatul Husniah, Universitas Muhammadiyah Malang, Indonesia
- Ilham Pakaya, Universitas Muhammadiyah Malang, Indonesia
- Novendra Setiawan, Universitas Muhammadiyah Malang, Indonesia

Technical Program Chairs

- Munawar A. Riyadi, Universitas Diponegoro, Semarang, Indonesia
- Balza Achmad, Universitas Gadjah Mada, Yogyakarta, Indonesia
- Deris Stiawan, Universitas Sriwijaya, Palembang, Indonesia
- Arief Marwanto, Universitas Islam Sultan Agung, Semarang, Indonesia
- Mudrik Alaydrus, Universitas Mercu Buana Jakarta, Indonesia
- Teddy Mantoro, Sampoerna University, Jakarta, Indonesia
- Sidiq Syamsul Hidayat, Politeknik Negeri Semarang, Semarang, Indonesia

Program Chairs

- Deris Stiawan, Universitas Sriwijaya, Palembang, Indonesia
- Mochammad Facta, Universitas Diponegoro, Semarang, Indonesia
- Agus Eko Minarno, Universitas Muhammadiyah Malang, Indonesia
- Machmud Effendy, Universitas Muhammadiyah Malang, Indonesia
- Fauzi Dwi Setiawan Sumadi, Universitas Muhammadiyah Malang, Indonesia
- Christian Sri Kusuma Aditya, Universitas Muhammadiyah Malang, Indonesia

Technical Program Members

- Syed Mohsen Naqvi, Newcastle University, UK
- Peter Balazs, Austrian Academy of Sciences, Austria
- Mohammed Alghamdi, Al-Baha University
- Marco Baldi, Università Politecnica delle Marche
- Ihsen Ben Mbarek, National Engineering School of Tunis
- Suryadip Chakraborty, Johnson C. Smith University
- July Díaz, Universidad Distrital Francisco José de Caldas
- Saurabh Dixit, Babu Banarsi Das University, Lucknow
- Tresna Dewi, Polytechnic of Sriwijaya, Indonesia
- David Luengo, Universidad Politecnica de Madrid, Spain
- Maria Chiara Caschera, Consiglio Nazionale delle Ricerche, Rome, Italy
- Amir Nakib, Universite de Paris Est Creteil, Vitry-sur-Seine, France
- Pujianto Yugopuspito, Universitas Pelita Harapan, Indonesia
- Jens Klare, Fraunhofer-Gesellschaft, Munich, Germany
- Ramy Atawia, Queen's University, Kingston, Kingston, Canada
- Maxime Leclerc, Thales Research & Technology (TRT), Canada

- Wajeb Gharibi, Jazan University, KSA
- Visvasuresh Victor Govindaswamy, Concordia University
- Muhammad Abu Bakar Sidik, Universitas Sriwijaya, Indonesia
- Saied Abd El-atty, Menoufia University-Faculty of Electronic Engineering
- A. K. M. Mahtab Hossain, University of Greenwich
- Ahmed Mobashsher, The University of Queensland
- Ratan Kumar Mondal, Queensland University of Technology
- Rodrigo Montufar-Chaveznava, Facultad de Ingeniería, Universidad Nacional Autonoma de Mexico
- Michel Owayjan, American University of Science & Technology
- Ljiljana Šeric, University of Split, Crotia
- Hengky Susanto, Hong Kong University of Science and Technology
- Sanjoy Debbarma, National Institute of Technology Meghalaya, Shillong, India
- Bo Kong, PLA University of Science and Technology, Nanjing, China
- Noha El-Ganainy, Arab Academy for Science & Technology and Maritime Transport, Egypt
- Khoirul Anwar, Telkom University, Indonesia
- Muhammad Raza, HUST Wuhan, China
- Xiaojun Li, Texas A&M University, United States
- Marco Guazzone, University of Piemonte Orientale, Italy
- Indra Riyanto, Universitas Budi Luhur, Indonesia
- Kun-Da Wu, HTC Corporation
- Quanxin Zhao, University of Electronic Science and Technology of China

International Committee

- Lech M. Grzesiak, Warsaw University of Technology, Poland
- Leo P. Ligthart, Delft University of Technology, Netherlands
- Malaoui Abdessamad, University of Beni Mellal
- Muhammad Ishtiaq Ahmad, Beijing Institute of Technology
- Diego Arcos-Aviles, Universidad de las Fuerzas Armadas ESPE
- Eduard Babulak, Fort Hays State University
- Alper Bereketli, ASELSAN Inc.
- Tugçe Bilen, Istanbul Technical University
- Yue Cao, Northumbria University
- Arcangelo Castiglione, University of Salerno, Italy
- Di Chen, University of Rostock, Germany
- Fernando Mussoi, Federal Institute of Santa Catarina, Brazil
- Nagendra Kumar Nainar, CISCO
- Abdellah Najid, Institut National des Postes et Télécommunications
- Gabriele Piantadosi, University of Naples Federico II
- Nadia Qasim, King's College London
- Abdalhossein Rezai, ACECR
- Zulhisyam Salleh, Universiti Teknikal Malaysia Melaka
- Hans Schotten, University of Kaiserslautern
- Min Keng Tan, Universiti Malaysia Sabah
- Revak Tyagi, Cisco Systems
- Marcel Wagner, University of São Paulo

- Paolo Crippa, Università Politecnica delle Marche
- George Dekoulis, Aerospace Engineering Institut
- Muftah Fraifer, IDC-University of Limerick
- Felix J. Garcia Clemente, University of Murcia, Spain
- Srideep Ghosh, ELTRON Wireless
- Henry Griffith, Michigan State University
- Berkin Güler, Koc University
- Jun He, University of New Brunswick
- Zhaozheng Hu, Georgia Institute of Technology
- Dimitrios Kallergis, University of Piraeus, Greece
- Fukuro Koshiji, Tokyo Polytechnic University
- Sunil Kumar, The LNM Institute of Information Technology, India
- Takashi Kurimoto, National Institute of Informatics, Japan
- Jia-Han Li, National Taiwan University
- Xiangguo Li, Henan University of Technology, China
- Sukadev Meher, National Institute of Technology, India
- Ronald Mulinde, University of South Australia
- Hao Wu, ZTE Corporation
- Kishore Yalamanchili, Google
- Mohammed Younis, University of Baghdad
- Jing Zhou, University of Science and Technology of China
- Olympia Roeva, Institute of Biophysics and Biomedical Engineering
- Deepika Koundal, National Institute of Technology, Hamirpur
- Domenico Ciuonzo, University of Naples Federico II
- Ravi Subban, Pondicherry University, Pondicherry, India
- Andrea Fiaschetti, Universita degli Studi di Roma La Sapienza, Italy
- Murali Krishna Kadiyala, Wichita State University, United States
- Zhe Zhang, Electrical and Computer Engineering Department, George Mason University
- Parag Chatterjee, Universidad Tecnologica Nacional, Buenos Aires, Argentina
- Mohamed Rehan, AvidBeam Technologies, Cairo, Egypt
- Ahmed Helmy, University of Texas at Dallas, Richardson, United States
- Harikumar Rajaguru, Anna University Chennai, India
- Feng Ouyang, Johns Hopkins University, United States
- Xuanxuan Tang, PLA University of Science and Technology, China

Table of Contents

Conference Schedule

2018 5th International Conference on Electrical Engineering, Computer Science and Informatics (EECSI)

Ijen Suites Resort and Convention

Day/Date	Time	Agenda	Venue
Tuesday, 16 October 2018	07.30-08.30	Registration	Edelweiss Ballroom
	08.30-09.15	Opening Ceremony	Edelweiss Ballroom
	09.15-09.30	Coffee Break	Edelweiss Ballroom
	09.30-12.00	Keynote Speech Session: Prof. Dr. Daniel Thalmann Prof. Dr. Mohd Fua'ad Rahmat Prof. Dr. Fitri Yuli Zulkifli	Edelweiss Ballroom
	12.00-12.30	Lunch Break	Edelweiss Ballroom
	12.30-14.30	Parallel Session 1 (Day 1)	5 Class Rooms at 2nd Floor
	14.30-15.00	Coffee Break	
	15.00-17.00	Parallel Session 2 (Day 1)	5 Class Rooms at 2nd Floor
	18.30-21.00	Gala Dinner + Best Paper Announcement	Tedja Sky Lounge 11th Floor
Wednesday, 17 October 2018	08.00-10.00	Parallel Session 1 (Day 2)	5 Class Rooms at 2nd Floor
	10.00-10.30	Coffee Break	
	10.30-12.30	Parallel Session 2 (Day 2)	5 Class Rooms at 2nd Floor
	12.30-13.30	Closing and Lunch + Best Presenter Announcement	TBA *
	13.30-16.00	Brief Workshop of Academic Writing for Reputable Journal (for Selected Papers and Open Participants) *	Schudeto Room at 2nd Floor
	14.00-20.00	**City Tour (Malang or Batu)	Malang and Batu
Thursday, 18 October 2018	24.00-11.00	**Bromo Tour	Tengger and Bromo

Parallel Session Schedule

Tuesday, 16 October 2018

TIME SLOT	ROOM A	ROOM B	ROOM C	ROOM D	ROOM E
12.30-12.45	Learning Motivation increased due to a Relaxed Assessment in a Competitivee-Learning Environment - **Muhammad Hasibuan**	Modulation Strategies for Indirect Matrix Converter: Complexity, Quality and Performance - **Hendril Purnama**	Sizing Optimization And Operational Strategy Of HRES (PV-WT) Using Differential Evolution Algorithm - **Ilham Pakaya**	Rain Attenuation Statistics over 5G Millimetre Wave Links in Malaysia - **Mustafa Ghanim**	Review on Adjustable Speed Drive Techniques of Matrix Converter Fed Three-Phase Induction Machine - **Arsyad Subrata**
12.45-13.00	Factors Affecting Users' Purchase Intention and Attitudes towards Mobile Advertising - **Clarita Nainggolan**	Sentiment Analysis Based on Appraisal Theory for Assessing Incumbent Electability - **Canrakerta Canrakerta**	A Survey on Topologies and Controls of Z-Source Matrix Converter - **Tri Wahono**	UUID Beacon Advertisements For Lecture Schedule Information - **Wiwin Kristiana**	Indoor Agriculture: Measurement of The Intensity of LED for Optimum Photosynthetic Recovery - **Benediktus Anindito**
13.00-13.15	Implementation Strategy of Knowledge Management System: A Case of Air Drilling Associates - **Siti Hadjar**	Application for the diagnosis of pneumonia based on Pneumonia Severity Index (PSI) values - **Elyza Wahyuni**	A New Algorithm for Designing the Parameter of Damped-Type Double Tuned Filter - **Haposan Napitupulu**	Comparative Performance Analysis of Linear Precoding in Downlink Multi-user MIMO - **Subuh Pramono**	Quasi Z-Source Inverter as MPPT on Renewable Energy using Grey Wolf Technique - **Quota Alief Sias**
13.15-13.30	Success Factors of HRIS: A Case of Ministry of State-owned Enterprise - **Wita Puspitarini**	Impact of Matrix Factorization and Regularization Hyperparameter on a Recommender System for Movies - **Gess Fathan**	Power Demand Forecasting Considering Actual Peak Load Periods Using Artificial Neural Network - **Yuan Octavia DP**	Application of LoRa WAN Sensor and IoT for Environmental Monitoring in Riau Province Indonesia - **Evizal Abdul Kadir**	Analysis of Waveform of Partial Discharge in Air Insulation Measured by RC Detector - **Michael Sinurat**
13.30-13.45	The Utilization of Ontology to Support The Results of Association Rule Apriori - **Dewi Wardani**	Object Detection of Omnidirectional Vision Using PSO-Neural Network for Soccer Robot - **Novendra Setyawan**	Comparison of LFC Optimization on Micro-hydro using PID, CES, and SMES based Firefly Algorithm - **Kadaryono Kadaryono**	Co-channel Interference Monitoring based on Cognitive Radio Node Station - **Arief Marwanto**	Application of Ultra-Wideband Double Layer Printed Antenna for Partial Discharge Detection - **Yuda Hamdani**

TIME SLOT	ROOM A	ROOM B	ROOM C	ROOM D	ROOM E
13.45-14.00	Determination of Router Location for Optimizing Computer Network Using Dominating Set Methods - **Nova Maidah**	DSS Scheme Using Forward Chaining-Simple Multi Attribute Rating Technique For Cocoa Beans Selection - **Januar Adi Putra**	Optimal Power Flow using Fuzzy-Firefly Algorithm - **Dwi Lastomo**	Simulation of Mobile LoRa Gateway for Smart Electricity Meter - **Sugianto Sugianto**	Reliability Analysis of Randu Garut 3 Distribution System Using Section Technique Method - **Jimmy Putra**
14.00-14.15	Evaluating The Semantic Mapping - **Dewi Wardani**	CountNet: End to End Deep Learning for Crowd Counting - **Bryan Wilie**	Low-Frequency Oscillation Mitigation using an Optimal Coordination of CES and PSS based on BA - **Dwi Lastomo**	Fuzzy Logic Controller Design for Leader-Follower Robot Navigation - **Tresna Dewi**	Combined Computational Intelligence Approach for the Power System Optimization Problem - **Arif Afandi**
14.15-14.30	Web-based Campus Virtual Tour Application using ORB Image Stitching - **Didik Prasetya**	Robust Principal Component Analysis for Feature Extraction of Fire Detection System - **Herminarto Nugroho**	Computer Aided Model for an Off-grid Photovoltaic System using Batteries Only - **Emil Lazarescu**	Arm Robot Manipulator Design and Control for Trajectory Tracking; a Review - **Hendra Yudha**	Partial Discharge and Breakdown Strength of Plasma Treated Nanosilica/LDPE Nanocomposites - **Muhammad Abu Bakar Sidik**
14.30-15.00	Coffee Break				
15.00-15.15	User Experience Analysis of The Users Babacucu.Com - **Ahmad Fajar**	Sarcasm Detection on Indonesian Twitter Feeds - **Dwi Rahayu**	Computer Aided Model for a Low Voltage Varistor with Increased Thermal Stability - **Mihaela Frigura-Iliasa**	Magnetorheological Elastomer Stiffness Control for Tunable Vibration Isolator - **Gigih Priyandoko**	Shortest Route at Dynamic Location with Node Combination-Dijkstra Algorithm - **Achmad Fitro**
15.15-15.30	A Measurement Framework for Analyze The Influence of Service Quality and Website Quality on User Sat - **Beny Prasetyo**	Aspect Based Sentiment Analysis approach with CNN - **Budi Mulyo**	Economic Feasibility Study of Rooftop Grid Connected PV System for Peak Load Reduction - **Syafii Syafii**	Improving a Wall-Following Robot Performance with a PID-Genetic Algorithm Controller - **Andi Adriansyah**	Analysis of Consumer Confidence on Mobile Commerce in Indonesia - **Andhika Prabawati**

TIME SLOT	ROOM A	ROOM B	ROOM C	ROOM D	ROOM E
15.30-15.45	Quantitative Strategic Planning Matrix Analysis On The Implementation Of Second Screen Technology - **Jarot S Suroso**	Optimal ANFIS Model for Forecasting System Using Different FIS - **Deasy Adyanti**	Automatic Switching Algorithm for Photovoltaic Power Generation System - **Ivan Husain**	A Review of Solar Tracker Control Strategies - **Ali Basrah Pulungan**	Social Media and User Performance in Knowledge Sharing - **Setiawan Assegaff**
15.45-16.00	Investment Analysis of Smart Connected Motorbike in Machine to Machine Application in Indonesia - **Jarot S Suroso**	Automated Diagnosis System of Diabetic Retinopathy Using GLCM Method and SVM Classifier - **Ahmad Foeady**	Rotor Speed Control Maximum Power Point Tracking for Small Wind Turbine - **Ni Luh Dharmaraditya**	Robust and Accurate Positioning Control of Solar Panel System Tracking based Sun Position Image - **Zulfatman Has**	Analysis of Electronic Medical Record Reception using Expanded Technology Acceptance Model - **Indra Raharjana**
16.00-16.15	Efficiency and Reliability Performance's of the Bioinformatics Resource Portal - **Edy Budiman**	Development of Discrete-Cockroach Algorithm (DCA) for Feature Selection Optimization - **Yusuf Hendrawan**	Stator Flux Oriented Control of Three-Phase Induction Motor with Improved Decoupling Scheme - **Irvan Arif**	Robust Adaptive Sliding Mode Control Design with Genetic Algorithm for Brushless DC Motor - **Zulfatman Has**	Development of Mobile Based Educational Game as Learning Media for Basic Programming in VHS - **Hakkun Elmunsyah**
16.15-16.30	ISO/IEC 9126 Quality Model for Evaluation of Student Academic Portal - **Edy Budiman**	Narrow Window Feature Extraction for EEG-Motor Imagery Classification using k-NN and Voting Scheme - **Adi Wijaya**	Sensorless PMSM Control using Fifth Order EKF in Electric Vehicle Application - **Nanda Avianto Wicaksono**	Active Fault Tolerance Control for Sensor Fault Problem in Wind Turbine Using SMO with LMI Approach - **Nuralif Mardiyah**	Incident and Service Request Management for Academic Information System based on COBIT - **Indra Raharjana**
16.30-16.45	Measurement of IS/IT Investment on the Implementation of ERP and the Effect on company productivity - **Qilbaaini Effendi Muftikhali**	Emotion Recognition using Fisher Face-based Viola-Jones Algorithm - **Kartika Kirana**	Smart Frequency Control using Coordinated RFB and TCPS based on Firefly Algorithm - **Dwi Lastomo**	Vibration Control of Magnetorheological Elastomer Beam Sandwich - **Gigih Priyandoko**	Applying IT Services Business Relationship Management on Security Outsource Company - **Indra Raharjana**

TIME SLOT	ROOM A	ROOM B	ROOM C	ROOM D	ROOM E
16.45-17.00	The Role of Social User and Social Feature on Recommendation Acceptance in Instagram in Indonesia - **Muhammad Aldi Yusron**	Indonesian Id Card Recognition using Convolutional Neural Networks - **M. Octaviano Pratama**		Measurement of Thermal Expansion Coefficient on Electric Cable Using X-Ray Digital Microradiography - **Yessi Affriyenni**	PSS Design Based on Fuzzy Controller with Particle Swarm Optimization Tuning - **Ermanu Hakim**

Wednesday, 17 October 2018

TIME SLOT	ROOM A	ROOM B	ROOM C	ROOM D	ROOM E
08.00-08.15	OCT for non-destructive examination of the internal biological structures of mosquito specimen - **Naresh Kumar Ravichandran**	Individual Factors As Antecedents of Mobile Payment Usage - **Radinal Setyadinsa**	Monitoring The Usage of Marine Fuel Oil Aboard Ketapang Gilimanuk Ship - **Arief Marwanto**	Automatic User-Video Metrics Creations From Emotion Detection - **Darari Nur Amali**	A Relative Rotation between Two Overlapping UAV's Images - **Martinus Tjahjadi**
08.15-08.30	Analysis of EMG based Arm Movement Sequence using Mean and Median Frequency - **Basri Cahyadi**	Determine supporting features for mobile application of NUSANTARA - **Dana Sensuse**	Design of Low Noise Micro Liter Syringe Pump for Quartz Crystal Microbalance Sensor - **Ridha Ikhsani**	Real Time SIBI Sign Language Recognition Based on K-Nearest Neighbor - **Fitrah Humaira**	Human Detection using Aggregate Channel Features with Kalman Filtering Image Processing - **Ramon Garcia**
08.30-08.45	Implementation of Myo Armband on Mobile Application for Post-stroke Patient Hand Rehabilitation - **Tri Bintang Dewantoro**	Knowledge Management Maturity Assessment in Air Drilling Associates using G-KMMM - **Dana Sensuse**	Implementation of the Culinary Recommendation System Using Sentiment Analysis and SAW in Bengkulu - **Yudi Setiawan**	Artificial Neural Network Parameter Tuning Framework For Heart Disease Classification - **Mohamad Haider Abu Yazid**	Automatic Estimation of Human Weight From Body Silhouette Using Multiple Linear Regression - **Hurriyatul Fitriyah**

TIME SLOT	ROOM A	ROOM B	ROOM C	ROOM D	ROOM E
08.45-09.00	Development of Embedded System for Centralized Insomnia System - **Novi Azman**	Measuring Knowledge Management Readiness of Indonesia Ministry of Trade - **Dana Sensuse**	Appropriate Sets of Criteria for Innovation Adoption of IS Security in Organizations - **Sandy Kosasi**	Winter Exponential Smoothing: Sales Forecasting on Purnama Jati Souvenirs Center - **Fahrobby Adnan**	Variance and Symmetrical-based Approach for Optimal Alignment of 3D Model - **Luh Putu Ayu Prapitasari**
09.00-09.15	Performance Analysis of Color Cascading Framework on Two Different Classifiers in Malaria Detection - **Cucun Angkoso**	Personal Extreme Programming with MoSCoW Prioritization for Developing Library Information System - **Gita Marthasari**	Self-Efficacy a Critical Factor of Information System: An Investigation using DeLone McLean - **Tri Suryanto**	Analysis and Design of Decision Support System Dashboard for Predicting Student Graduation Time - **Satrio Wibowo**	The Recognition Of Semaphore Letter Code Using Haar Wavelet And Euclidean Function - **Leonardus Sandy Ade Putra**
09.15-09.30	Monitoring Walking Devices For Calorie Balance In Patients With Medical Rehabilitation Needs - **Wahyu Kusuma**	Analysis on Customer Satisfaction Dimensions in P2P Accommodation using LDA: A Case Study of Airbnb - **Kevin Situmorang**	Improvement of Information Technology Infrastructure in Higher Education using IT Balanced Scorecard - **Clara Hetty Primasari**	Sentiment Analysis Using Support Vector Machine Algorithm - **Fransiska Pinem**	Game Show Themed Adventure, Audience Involvement, Destination Image, and Audience Behavior - **Irwansyah Irwansyah**
09.30-09.45	E-Government Maturity Model to Support System Dynamics in Public Policymaking - **Feldiansyah Nasution**	IDEnet: Inception-Based Deep Convolutional Neural Network for Crowd Counting Estimation - **Samuel Cahyawijaya**	A Conceptual Framework of Cloud-Based Mobile-Retail Application for Textile Cyberpreneurs - **Nik Zulkarnaen Khidzir**	Group Formation Using Multi Objectives Ant Colony System for Collaborative Learning - **Fitra Fahmi**	Visual Emotion Recognition Using ResNet - **Azmi Najid**
09.45-10.00	Comparative Analysis of Forensic Software on Android-based Blackberry Messenger using NIJ Framework - **Imam Riadi**	Multispectral Imaging and Convolutional Neural Network for Photosynthetic Pigments Prediction - **Kestrilia Prilianti**	Implementation of Winnowing Algorithm for Document Plagiarism Detection - **Nurissaidah Ulinnuha**	Smart Traffic Light based on IoT and mBaaS using High Priority Vehicles Method - **Muhammad Mahali**	A Feature-Based Fragile Watermarking of Color Image for Secure E-Government Restoration - **Lusia Rakhmawati**
10.00-10.30	Coffee Break				

TIME SLOT	ROOM A	ROOM B	ROOM C	ROOM D	ROOM E
10.30-10.45	Semi-reactive Switch Based Proxy ARP in SDN - **Fauzi Sumadi**	Substrate Integrated Waveguide Bandpass Filter with Complementary Split Ring Resonator at 2.45 GHz - **Dian Astuti**	A Design of Coreless Permanent Magnet Axial Flux Generator for Low Speed Wind Turbine - **Abdul Yusuf**	Correlation Between Bruto Domestic Products (Gdp) With Duty Schools - **Hardianto Wibowo**	
10.45-11.00	Improvement of Cluster Importance Algorithm with Sentence Position for News Summarization - **Nur Hayatin**	ML-Optimized Beam-based Radio Coverage Processing in IEEE 802.11 WLAN Networks - **Mehdi Guessous**	Design of Hybrid System Power Management Based Operational Control System to Meet Load Demand - **Zulfatman Has**	Mobile Learning: Utilization of Media to Increase Student Learning Outcomes - **Edy Budiman**	
11.00-11.15	Comparison Between A* And Obstacle Tracing Pathfinding In Gridless Isometric Game - **Lailatul Husniah**	Single-Tone Doppler Radar System for Human Respiratory Monitoring - **Rizky Ambarini**	On The Use of Hilbert Transform Method for Enveloping Partial Discharge Signal - **Umar Khayam**	Study of the Android and ANN-based Upper-arm Mouse - **Hartawan Sugihono**	
11.15-11.30	Automatic Game World Generation for Platformer Games Using Genetic Algorithm - **Ali Sofyan Kholimi**	Dual Frequency Continuous Wave Radar for Small Displacement Detection - **Andarining Palupi**	Circuit Simulation for Wind Power Maximum Power Point Tracking with Four Switch Buck Boost Converter - **Machmud Effendy**	FVEC feature and Machine Learning Approach for Indonesian Opinion Mining on YouTube Comments - **Aina Musdholifah**	
11.30-11.45	Middleware for Network Interoperability in IoT - **Eko Sakti Pramukantoro**	A New Method for Minimizing the Unnecessary Handover in High-Speed Scenario - **Hoe Tung Yew**	High Frequency Multiplier by cascading diode with high order bandpass amplifier multiple times - **Kittipong Tripetch**	Clustering human perception of environment impact using Rough Set Theory - **Ani Apriani**	
11.45-12.00	Face RGB-D Data Acquisition System Architecture for 3D Face Identification Technology - **Aldi Bayu Kreshnanda Ismail**	Automate Snort Rule For Xss Detection With Honeypot - Syaifuddin Syaifuddin	Bioelectrical measurement for sugar recovery of sugarcane prediction using artificial neural network - **Sucipto Sucipto**	E-Government Service Evaluation of Batu City Health Dept.using e-Govqual Approach and IPA Analysis - **Evi Wahyuni**	

TIME SLOT	ROOM A	ROOM B	ROOM C	ROOM D	ROOM E
12.00-12.15	Feature Expansion for Sentiment Analysis in Twitter - **Erwin B. Setiawan**	Re-Ranking Image Retrieval on Multi Texton Co-Occurrence Descriptor Using K-Nearest Neighbor - **Yufis Azhar**	Implementation of MEMS Accelerometer for Velocity-based Seismic Sensor - **Amalia Nur'aidha**	Implementation of Obfuscation Technique on PHP Source Code - **Maskur Maskur**	



EECSI 2018
CONFERENCE

Malang, Indonesia

http://eecsi.org/2018

Table of Contents

2018 5th International Conference on Electrical Engineering, Computer Science and Informatics (EECSI)

Application of LoRa WAN Sensor and IoT for Environmental Monitoring in Riau Province Indonesia

Evizal Abdul Kadir[1], Akmar Efendi[2], Sri Listia Rosa[3]
[1,2,3]Department of Informatics Engineering, Faculty of Engineering, Universitas Islam Riau
Jl. Kaharuddin Nasution, Pekanbaru, Riau, Indonesia 28284
email: evizal@eng.uir.ac.id, akmarefendi@eng.uir.ac.id, srilistiarosa@eng.uir.ac.id

Abstract — **Land and forest fires especially in Riau Province, Indonesia, have affected the length and breadth of Indonesia. The fires are normally hampered by seasonal dry conditions such as El Nino effect. In addition, the haze has affected the neighboring countries such as Malaysia, Singapore and south of Thailand. The effects of haze on human health as reported in that particular year were about 20 million people have suffered from respiratory problems and serious deterioration in overall health. There were other effects on environment, economy, flora and fauna in Southeast Asia region due to this disaster. This research proposes to develop a smart monitoring system using Long Range Wide Area Network (LoRa WAN) with low power wireless data communication and Internet of Things (IoT) technology. With LoRa technology, data can be transmitted up to 30 miles which is worthwhile to cover some of Riau Province that have been badly impacted by this disaster. In this article propose to develop sensors system that capable of detecting land and forest fire. The sensors will be located at several locations that has badly impacted previously. LoRa IoT Technology will be deployed to provide a platform for connecting the sensors. An early indication of land or forest fires is vital for quick prevention before they become uncontrollable and overwhelming. The design and development of LoRa sensors give high feasibility to overcome current issues in Riau Province because of land and forest fire.**

Index Terms — **LoRa WAN, IoT, Sensors, Monitoring**

I. INTRODUCTION

Indonesian suffer from badly haze due to land and forest fires that happen almost every year. The location of Indonesia at equatorial causes this country to have longer dry season spans from April to October. Riau province is one of the state that has high threat to land and forest fire due to peatland, particularly in industrial forest areas. Most of the fires occurring in peat forests are serious due to the characteristics of peat which is easily flamed due to continuous dry season. It has been reported that the total economic loss for Riau province in year 2015 due to this disaster was about USD1.65 billion. More worst when it has huge impact on local environment, flora, fauna and human health. Elderly people and children are severely affected due to haze. Furthermore, the impact of this land forest fire is not only in Indonesia or Riau Province but also has caused deterioration in air quality and human health problem in others countries like Malaysia and Singapore. Current detection method is using satellite to detect any hotspot of land and forest fires. Such data however may not sufficient as the satellite cannot provide fine hotspots detection at other potential areas. The local authorities are normally depending on the satellite imagery to make a decision or report from local community and company that operation exploiting the lands [1, 2].

Rapid development and evolution in wireless network technology has dramatically changed and improved the natural environmental monitoring system from satellite to ground level detection methods such as Wireless Sensor Network (WSN) [3, 4]. New data for environmental applications and vital hazard warning such as land and forest detection and flood detection can be provided by such systems. The advantages of ground level detection can be categories in three aspects [5-7]: Sensor Nodes; low-cost, low power, robust, low pollution and environmental disturbance; Communication; low data rate, long range and error detection and correction; Computing; small OS for nodes, microcontrollers and low power system. With the emergence of IoT and Long Range (LoRa) Technology [8-10], the wireless sensor network and connectivity become more reliable, robust and quicker. With these technologies, a smart monitoring system for land and forest fire detection can be developed [11-13].

Therefore, in this research focus on developing ground level smart monitoring system to detect and monitor the environmental behavior in term of temperature, humidity and gasses. Proposing a new technology for monitoring system using low power wireless data communication with LoRa-IoT technology. The integration of sensors with LoRa technology would have an effect to local community where people could access the information through developed real-time database in anytime. This ground level detection method will be deployed in other areas, regions and states in Indonesia. It is anticipated to be quicker and cheaper solution than to satellite data acquisition and this would definitely be beneficial to social welfare and economy development. In addition, the development of real-time database would also require some support from them as a policy maker to understand how the system works and also understand the pattern of the results so that an appropriate action can be taken.

II. LORA WAN MONITORING SYSTEM DEVELOPMENT

Monitoring system is widely use in detection of object or parameters that require continuous in time. Nowadays, many kind of monitoring system based on aim and objective as well as parameters to be monitor. Environmental monitoring for

fire detection is implemented in some of institution or agency to monitor latest status of environmental. Current technology using is mostly from satellite data to detect hotspot of fire, this technology has some weakness and limitation such as only detect when fire already happen and in some case for example in bad weather or cloudy then satellite unable to penetration of cloud and image will not update. New method proposes in this system is use LoRa wireless sensor and IoT. LoRa sensor deploy in the area with high risk of fire to collect data such smoke detection, temperature, particle changing, etc. All the information collected by sensors send to sensor base station as gateway to transfer data collected from monitoring system (data center) because the distance between sensor base station to monitoring system very far away up to 200 km in some area to monitor. To achieve accurate data large number of LoRa sensors will deploy around the area because long range sensor be able to transmit data up to 15 km, mean a base station covering 15 km radius. LoRa sensor based on IoT technology that recently many industries introduced because of advantage long range and low power. Beside LoRa sensor, in every base station attached with high definition camera to analyze sky (environmental) image before and after fire then training data to analyze any changing of environmental image.

Fig. 1. Riau map and number of hotspots based on satellite image [4].

The selected sites which is high potential for forest fire decided as shows in Fig. 1, where the systems will be installed were chosen by previously obtained the approval of the local authorities such as Riau Local Council and the Ministry of Environment and Forestry Indonesia. Again, the established links between Islamic University of Riau with local authorities is necessary for integrating them into decision making process, facilitating the access for installation, monitoring, data analysis and reporting. Developing ground level smart monitoring land and forest fires using LoRa-IoT technology, an early indication can be obtained which improve the decision making in preventing the disaster. This design acquires new design and development with latest wireless LoRa-IoT technology and signal propagation study.

The setup of sensor base stations at difference area to collect information from LoRA sensor and IoT network deploy surrounding. Fig. 2 shows a proposed LoRa WAN sensor deploy and data network diagram for environmental monitoring. Information collected by sensor base station will keep in internal database then send to monitoring system (data center), because of sensor base station locate in rural area that far away up to 200 km then solar panel system will use as power supply for system. Latest technology of communication system also proposes such as 4G technology or even 5G technology for future in order to achieve real-time data to display to monitoring system.



Fig. 2. Proposed LoRa WAN sensor for environmental monitoring.

The sensors be able to detect and gives early warning before fire is happen to authority for prevention action. Next step more sensors and sensor base station setup to cover entire of Riau Province and this project as prototype system to setup in others province in Indonesia. The proposed scenarios of LoRa sensors also opens to analyze behavior and changing of environmental before and after fire by image processing, analyze particle detection, sensor data's and new method of data communication system.

III. LoRa WAN Solution for Monitoring System

Proposed solution for LoRa WAN networks employ the robust LoRa modulation by Semtech technology in order to get long range operation. There is standardize by the LoRa alliance, which has defined frame formats, provisioning, medium access, management messages and security mechanisms, device management. Fig. 3. shows illustrates that LoRa WAN networks form a star topologies around gateways, which act as packet forwarders between end devices and a central network server (NS). The NS is responsible for handling MAC layer processing and acts as a portal between applications running on end devices and application servers (APs). The LoRa WAN standard defines three classes for end devices of networking topology in order to cater to a number of different scenarios which are A, B, and C [14].



Fig. 3. Overview of the LoRa WAN hierarchical architecture based on Semtech proposal

The A class of end devices have their own transceivers in deep sleep for the majority of the time and wake up infrequently to transmit data toward the NS. The wireless medium access in LoRa WAN network follows an ALOHA scheme, which does not employ listen before talk, and is therefore subject to restrictions in most areas in the world while use it. For example, in Europe, the 868-MHz band consists of a number of sub-bands where Radio Duty Cycle (RDC) restrictions range from 0.1% to 10% with 1% being most common [15].

A. LoRa WAN Sensor Node

Solution for the LoRa node as point to collect data of environmental from the sensors installed and the protocol stack of the backbone network to transfer data from the node is shows in Fig. 4. Currently, most of commercially LoRA node (sensor) that available solutions follow by many of system is based on Semtech application notes, whose architecture and block diagram of the system as graphically depicted in Fig. 4. In this case the network backbone use is the internet or at least an intranet network. In this proposed environmental system proposed network is by radio communication which 4G or 5G technology.



Fig. 4. Overview of the LoRa WAN hierarchical architecture based on Semtech proposal

The network gateway forward from LoRa WAN message based on data collected from LoRa node toward network servers can be one or more. The network server authenticates the received message and further forward the user payload to a single or several application servers to make sure all the data collected from the sensors node is stored in database. The application server used is for in charge of admitting nodes to the network and takes care of encrypting or decrypting user data sent and received to or from the end device. In the end, the application server forward node data from the sensors to a user server that actually implements the final user application. Additional to this scenario of proposed network is a network controller, whose aim is collecting reports related to the network status and be able to modify the LoRa WAN network accordingly for example changing the data rate supported by end devices and implementing an Adaptive Data Rate (ADR) scheme as well as can complement the network servers [16].

B. LoRa WAN Networking Architecture

Proposed scenarios of networking architecture in this LoRa WAN as stated in previous section is a network level architecture compatible with regular internet standards for example Internet Protocol version 6 (IPv6), would be highly desirable for a quick integration of the whole LoRa WAN system and its single end nodes within the fast and heterogeneous IoT ecosystem. However, LoRa WAN technologies are highly constrained regarding their transmission capabilities as limited bitrate and reduced packet size. Hence, the straight integration of IPv6 datagrams into LoRa WAN packets is not trivial and compression mechanisms are necessary. Based on this proposed solution is providing IPv6 connectivity to LoRa node by using an LoRa WAN link, but using a Multi-Access Edge Computing (MEC) based architecture to allow this integration by using LoRa technology as accessing network as shows in Fig. 5. The MEC node performs the packet translation tasks for the compression or decompression in order to interconnect the LoRa and IPv6 network segments the bidirectional flows can be established between LoRa WAN and IPv6 nodes [17].



Fig. 5. Architecture of the IPv6 over LoRa WAN networking solution

The proposed solution can contribute of this LoRa WAN network such as:

- A real implementation of IPv6 over LoRa is developed and tested.
- A LoRa node test bench is deployed for providing environmental datas with IPv6 connectivity through LoRa WAN links.
- A base IoT environment for smart environmental data services are setup, which is ready for user to use it.

The other proposed solution for a LoRa WAN network is based on a star-of-stars topology composed of three basic elements in end of devices, a gateways and central network server as shows in Fig. 6 is end-devices, which may correspond to any input such as LoRa node sensors or actuators, communicate with the network server through one or more gateways, while the network server sends LoRa data to end-devices through a specific gateway. End-devices use the LoRa physical layer to exchange data with the gateway, while the gateway and the network server communicate over an IP-based protocol stack [18].



Fig. 6. LoRaWAN (a) system and (b) protocol architecture

C. *LoRa Physical error model*

After LoRa Physical (PHY) error model the interleave, the output data are whitened in order to boost the entropy of the information source. Note that in the Bit Error Rate (BER) in simulations the information bits are drawn from a uniform distribution, therefore the entropy of the information source is already at its maximum. Before passing the whitened bit stream to the modulator, it is reverse gray mapped first. This produces a sequence of integers, which are fed to the LoRa WAN sensor node. At the LoRa sensor node, a sequence of N time-shifted complex baseband up-chirp samples is generated via a phase accumulator as given by (1), where N, the number of samples data per baseband symbol, is equal to $2^{SF}(f_s/BW)$. The input integer determines the time-shift of the up-chirp [14].

$$m(i) = \begin{cases} \exp(-j\pi), & \text{if } i = 0 \\ m(i-1)\exp(jf(i)), & \text{if } i = 1, \ldots, N-1 \end{cases} \quad (1)$$

where the instantaneous frequency $f(i)$ is given by

$$f(i) = -\pi + \frac{i}{N}2\pi, \text{ for } i = 1, \ldots, N-1. \quad (2)$$

Next, the samples of the LoRa WAN symbol are sent over the Additive White Gaussian Noise (AWGN) channel for a given signal to noise ratio (SNR) as per

$$c(i) = m(i) + \sqrt{\frac{E_s}{2\text{SNR}}}[\mathcal{N}(0;1) + j\mathcal{N}(0;1)], \quad \text{for } i = 0, \ldots, N-1 \quad (3)$$

where $\mathcal{N}(0; 1)$ is the standard normal distribution and SNR $= 10^{\text{SNR}_{\text{dB}}/10}$. Note that the energy per symbol is equal to one for the LoRa WAN sensor node.

In the end at the receiver, the LoRa demodulator employs correlation based on demodulation where the received symbol is correlated to all known LoRa symbols. The decision on which symbol was sent, is made by selecting the LoRa symbol with the maximum correlation value. After demodulation, the receiver chain is the reverse of the sender chain. The error rate is measured in the information bits, after error correction of the data demodulation.

IV. CONCLUSION

LoRa WAN system is developed for the environmental monitoring system because applicable for long range sensing up to several miles. Proposed solution for development of the LoRa WAN application in environmental monitoring system as discussed, LoRa node and point to collect data from the sensors installed sent the data to the application server through the IPv6 networking with physical layer used 4G or 5G technology. With the proposed system environmental data can be sent to the application server in minimum time to achieve real time monitoring system.

ACKNOWLEDGMENT

Authors would like to say thank you very much to RISTEKDIKTI Indonesia for funding this research with grant No. 142/KONTRAK/LPPM/2-2018 and Universitas Islam Riau for support the facilities.

REFERENCES

[1] A. P. Vayda, "Explaining Indonesian Forest Fires: Both Ends of the Firestick," *Human Ecology: Contemporary Research and Practice,* pp. 17-35, 2010. Springer Science+Business Media

[2] N. Yulianti, H. Hayasaka, and A. Usu, "Recent Forest and Peat Fire Trends in Indonesia The Latest Decade by MODIS Hotspot Data," *Global Environmental Research,* vol. 16, no. 22, pp. 105-116, 2012.

[3] R. Khajuria and S. Gupta, "Energy optimization and lifetime enhancement techniques in wireless sensor networks: A survey," in *International Conference on Computing, Communication & Automation*, 2015, pp. 396-402.

[4] A. L. Kakhandki, S. Hublikar, and P. Kumar, "An efficient hop selection model to enhance lifetime of wireless sensor network," in *2017 Innovations in Power and Advanced Computing Technologies (i-PACT)*, 2017, pp. 1-5.

[5] C. Chee-Yee and S. P. Kumar, "Sensor networks: evolution, opportunities, and challenges," *Proceedings of the IEEE,* vol. 91, no. 8, pp. 1247-1256, 2003.

[6] D. E. Boubiche *et al.*, "Advanced Industrial Wireless Sensor Networks and Intelligent IoT," *IEEE Communications Magazine,* vol. 56, no. 2, pp. 14-15, 2018.

[7] L. Jie, H. Ghayvat, and S. C. Mukhopadhyay, "Introducing Intel Galileo as a development platform of smart sensor: Evolution, opportunities and challenges," in *2015 IEEE 10th Conference on Industrial Electronics and Applications (ICIEA)*, 2015, pp. 1797-1802.

[8] A. J. Wixted, P. Kinnaird, H. Larijani, A. Tait, A. Ahmadinia, and N. Strachan, "Evaluation of LoRa and LoRaWAN for wireless sensor networks," in *2016 IEEE SENSORS*, 2016, pp. 1-3.

[9] A. Lavric and A. I. Petrariu, "LoRaWAN communication protocol: The new era of IoT," in *2018 International Conference on Development and Application Systems (DAS)*, 2018, pp. 74-77.

[10] D. F. Carvalho, A. Depari, P. Ferrari, A. Flammini, S. Rinaldi, and E. Sisinni, "On the feasibility of mobile sensing and tracking applications based on LPWAN," in *2018 IEEE Sensors Applications Symposium (SAS)*, 2018, pp. 1-6.

[11] H. C. Lee and K. H. Ke, "Monitoring of Large-Area IoT Sensors Using a LoRa Wireless Mesh Network System: Design and Evaluation," *IEEE Transactions on Instrumentation and Measurement,* pp. 1-11, 2018.

[12] E. A. Kadir, A. Siswanto, and A. Syukur, "Performance analysis of wireless LAN 802.11n standard for e-Learning," in *2016 4th International Conference on Information and Communication Technology (ICoICT)*, 2016, pp. 1-6.

[13] E. A. Kadir, "A reconfigurable MIMO antenna system for wireless communications," in *2017 4th International Conference on Electrical Engineering, Computer Science and Informatics (EECSI)*, 2017, pp. 1-4.

[14] F. V. d. Abeele, J. Haxhibeqiri, I. Moerman, and J. Hoebeke, "Scalability Analysis of Large-Scale LoRaWAN Networks in ns-3," *IEEE Internet of Things Journal,* vol. 4, no. 6, pp. 2186-2198, 2017.

[15] N. A. B. Zainal, M. H. Habaebi, I. Chowdhury, and M. R. Islam, "Sensor node clutter distribution in LoRa LPWAN," in *2017 IEEE 4th International Conference on Smart Instrumentation, Measurement and Application (ICSIMA)*, 2017, pp. 1-6.

[16] M. Rizzi, P. Ferrari, A. Flammini, and E. Sisinni, "Evaluation of the IoT LoRaWAN Solution for Distributed Measurement Applications," *IEEE Transactions on Instrumentation and Measurement,* vol. 66, no. 12, pp. 3340-3349, 2017.

[17] R. Sanchez-Iborra, J. Sánchez-Gómez, J. Santa, P. J. Fernández, and A. F. Skarmeta, "IPv6 communications over LoRa for future IoV services," in *2018 IEEE 4th World Forum on Internet of Things (WF-IoT)*, 2018, pp. 92-97.

[18] N. Sornin, M. Luis, T. Eirich, T. Kramp, and O. Hersent, "Lorawan specification," *LoRa alliance,* 2015.

eecsi 2018

2018 5th INTERNATIONAL CONFERENCE ON

ELECTRICAL ENGINEERING, COMPUTER SCIENCE, AND INFORMATICS

October 16-18, 2018
Malang, Indonesia

CERTIFICATE OF APPRECIATION

is awarded to

Evizal Abdul Kadir

In recognition and appreciation of the contribution as

Presenter

for paper entitled:

Application of LoRa WAN Sensor and IoT for Environmental Monitoring in Riau Province Indonesia

Prof. Dr. Syamsul Arifin, M.Si
Vice Rector I of Universitas Muhammadiyah Malang

Tole Sutikno, Ph.D
General Chair

Supported by: RISTEKDIKTI

Technical co-Sponsorship: IEEE INDONESIA SECTION

Organized by: UMM Universitas Muhammadiyah Malang

co-Organizers:

iaes Scopus